(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization International Bureau





(43) International Publication Date 16 August 2001 (16.08.2001)

PCT

(10) International Publication Number WO 01/58242 A2

(51) International Patent Classification: Not classified

(21) International Application Number: PCT/US01/04515

(22) International Filing Date: 12 February 2001 (12.02.2001)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data: 60/182,017 11 Febr

11 February 2000 (11.02.2000) US 23 May 2000 (23.05.2000) US

(71) Applicant (for all designated States except US): PROF-ITSCAPE.COM, INC. [US/US]; 6225 South Industrial Road, Las Vegas, NV 89118 (US).

(72) Inventors; and

60/206,847

(75) Inventors/Applicants (for US only): TREIDER, Kevin, C. [US/US]; 7418 Abbeyville Lane, Las Vegas, NV 89119 (US). BORGES, Julie, M. [US/US]; 1339 Finale Lane, Las Vegas, NV 89119 (US).

(74) Agent: HUNT, Dale, C.; Knobbe, Martens, Olson & Bear, LLP, 16th Floor, 620 Newport Center Drive, Newport Beach, CA 92660 (US).

(81) Designated States (national): AE, AG, AL, AM, AT, AT (utility model), AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, CZ (utility model), DE, DE (utility model), DK, DK (utility model), DM, DZ, EE, EE (utility model), ES, FI, FI (utility model), GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SK (utility model), SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.

(84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published:

 with declaration under Article 17(2)(a); without classification and without abstract; title not checked by the International Searching Authority

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

01/58242 A2

(54) Title: ELECTRONIC FACTORING

(57) Abstract:

ELECTRONIC FACTORING

Background of the Invention

Field of the Invention

5

10

15

20

25

30

The invention relates to the field of electronic commerce.

Description of the Related Art

Factoring includes buying and selling accounts receivable and credit insuring. Accounts receivable are purchased based upon the assumption that the accounts receivable are valid and collectable. Accounts receivable are sold in order to quickly obtain cash for cash flow purposes, rather than to retain them as receivable. Accounts receivable are also frequently used as an asset upon which to borrow money, in order to finance other unrelated transactions. Credit insuring occurs when an entity insures payment of an account receivable for a vendor, so that if the buyer does not pay, the insurer will. With the recent rapid growth of information applications on the Internet, computer networks have the potential to establish a new kind of open market place for goods and services. Buyers and sellers increasingly want to use the Internet to conduct their business electronically. This new method of doing business is referred to as electronic commerce, or "e-commerce."

The timely and costly process of processing paper requests for transactions such as the buying and selling of accounts receivable, as well as goods and services, plagues business transactions. Furthermore, buyers and sellers must expend significant resources to make appropriate credit decisions regarding a transaction. In procurement transactions, it is customary for the transaction to involve some form of credit, such as "open account trade credit," provided by the seller generally at no charge to the buyer but for a set period of time, normally thirty days. Buyers generally do not explicitly pay for the receipt of open account trade credit, and consider this free credit part of the established buyer/seller relationship. Credit cards are also available for relatively small purchases and operate by having a financial institution issue the credit card, and a vendor bank provide the cardholder with a revolving line of credit that can be used to buy goods from sellers who accept the credit card. This allows the cardholder to pay for credit card purchases over a period of time at an interest rate set by the vendor bank.

Other types of credit devices are travel and entertainment cards, which unlike credit cards, are considered to be open-ended credit with payment in full due at the time of billing, no extension of revolving credit to the buyer is provided by use of these cards, or cardholder. Credit, travel and entertainment cards provide a uniform level of risk assessment to the seller and the seller pays a pre-determined interchange fee regardless of the actual credit risk presented by the buyer.

Commercial transaction are evolving to include electronic communication of financial transactions. Advances in computer networks and communication systems now apply to processing purchase and credit transactions. An important application of new computer technology is electronic commerce, which includes using electronic networks as a marketplace for business and consumer transactions. Electronic commerce services can include electronic brokerages, distributorships or clearinghouses that facilitate trade with electronic interchange media, such as public networks, for example the Internet, or proprietary access networks.

Electronic commerce, however, does not currently offer financial services to sellers, such as payment and credit assessments of buyers, electronic factoring and credit insuring of transactions. This need is usually fulfilled by relying on traditional techniques of credit analysis and payment before a transaction can be completed.

10

15

20

25

30

35

Various patents discuss methods of performing e-commerce wherein buyers and sellers are connected, but none address the issue of electronic factoring and credit insurance. U.S. Patent No. 4,992,940 to Dworkin, entitled "System and Method for Automated Selection of Equipment for Purchase Through Input of User Desired Specifications," discloses an automated system that assists the user in locating and purchasing goods and services sold by a variety of vendors. U.S. Patent No. 5,732,400, to Mandler, et al., entitled "System and Method for a Risk-Based Purchase of Goods," discloses a financial clearinghouse for receiving requests for goods or services from a buyer and making a real-time determination of a risk classification of the buyer using an online repository of credit information. U.S. Patent No. 5,757,917, to Rose, et al., entitled "Computerized Payment System for Purchasing Goods and Services on the Internet," discloses a computerized payment system that prequalifies and pays a buyer's order through a third party, but is not a guarantee-of-payment mechanism. U.S. Patent No. 5,822,737, to Ogram, entitled "Financial Transaction System," discloses an automated payment system allowing a consumer to purchase goods or services over the Internet with a credit card that is verified before making the payment. U.S. Patent No. 5,802,497, to Manasse, entitled "Method and Apparatus for Conducting Computerized Commerce," discloses the use of a broker, broker scrip, vendor scrip, and currency to sell parts and services and deliver to the consumer. U.S. Patent No. 5,745,886 to Rosen, entitled "Trusted Agents for Open Distribution of Electronic Money," discloses using a customer trusted agent and vendor trusted agent and establishing a crypto-graphically secure session, and to provide electronic money purchase or sale information and an account credential to the vendor trusted agent. U.S. Patent No. 5,557,518, also to Rosen, entitled "Trusted Agents for Open Electronic Commerce," also discloses the use of trusted agents, establishing a crypto-graphically secure session and electronically transferring funds in purchasing merchandise. U.S. Patent No. 5,717,923, to Dedrick, entitled "Method and Apparatus for Dynamically Customizing Electronic

-2-

5

10

15

20

25

30

Information to Individual End Users," discloses maintaining a personal profile database to store consumer information and a consent adapter to compare electronic information received by a client system to consumer information in the personal profile database.

U.S. Patent No. 5,717,989, to Tozzoli, et al., entitled "Full Service Trade System," discloses storing criteria specified by a funder relative to trade transactions for buyers and sellers and comparing the criteria with a proposed purchase order in order to determine whether the system can generate a payment guarantee on behalf of the funder for the buyer to the seller. U.S. Patent No. 5,826,241 to Stein, et al., entitled "Computerized System for Making Payments and Authenticating Transactions Over the Internet," discloses a payment system that provides cardholder accounts for first and second Internet users and making queries to the first user on whether to proceed with payment to the second user. U.S. Patent No. 5,842,178, to Giovannoli, entitled "Computerized Quotation System and Method," discloses a computer-based communications network of members for processing requests for quotes for goods and services, as well as storage containing the identification of the members and means for transmitting and broadcasting requests for quotes. U.S. Patent No. 5,694,551, to Doyle et al., entitled "Computer Integration Network for Channeling Customer Orders Through a Centralized Computer to Various Suppliers," discloses an electronic requisitioning system that channels customer orders to internal suppliers and outside vendors, and processes invoices. U.S. Patent No. 5,671,280, to Rosen, entitled "System and Method for Commercial Payments Using Trusted Agents," discloses a system for electronic payment using a customer trusted agent and a vendor trusted agent. U.S. Patent No. 5,664,115, to Fraser, entitle d'Interactive Computer System to Match Buyers and Sellers of Real Estate, Businesses and Other Property Using the Internet," discloses automatically connecting sellers of property with potential buyers, preferably over the Internet, wherein the host system stores records regarding the properties and can be searched by potential buyers, and the system permits evaluation of potential buyers to screen them.

Various articles have been written which disclose forms of electronic payment methods, but these methodologies only relate to moving money around, from one account to another, electronically and do not address the need in the marketplace for electronic factoring.

Summary of the Invention

The invention comprises a method and system for electronic factoring. The inventive system overcomes all of the limitations of the prior art and addresses the need for an electronic commerce version for factoring. The system enables buyers to purchase goods from vendors with a third party guarantee to the vendor via electronic factoring that guarantees the payment. By using the system, electronic factoring, including credit insurance, is performed in an efficient

-3-

manner. The invention enables buyers to obtain goods and services immediately without having to pay for them at the time of the transaction.

The invention also comprises a credit database set up for all users that assigns a credit limit to the customers for credit as well as a credit instrument for guarantee of payment to vendors. Payment is guaranteed through a banking partner, the guaranteeing financial institution, who guarantees all receivables that are created through the sales on the platform (entitled "ProfitScape" in the Figures) to ensure payment and security of the transaction. The system tracks and maintains a database that details credit dollar amounts available and account activity for each user. The invention defines a credit-worthy marketplace that enables users, who become members, to purchase goods and services on credit based on their respective financial positions which have been evaluated by the guaranteeing financial institution.

10

15

20

25

30

35

In one embodiment, the method comprises the steps of providing an electronic platform for guaranteeing payment of receivables; inputting information from users into a profile database upon the electronic platform; assigning buyers a credit limit; and guaranteeing payment to vendors for users who purchase from the vendor. Additionally, the method comprises linking at least two users, the users being either buyers, vendors, international licensees, or financial institutions for guaranteeing payment via the platform. Guaranteeing payment to vendors preferably comprises aligning the platform with a guaranteeing financial institution. Aligning the platform with a guaranteeing financial institution preferably comprises aligning the platform with that institution in order to perform a factoring-type such as credit insuring, full-factoring, or lending. The electronic factoring method can further comprise the steps of producing a symbol to represent each user's profile and exchanging information between users via the symbol on the electronic platform. Guaranteeing payment to vendors can comprise electronically sending the vendor the user's symbol in order to show the vendor that payment is guaranteed by the platform. The method can further comprise the steps of electronically sending the user's symbol to the guaranteeing financial institution and sending a guarantee of compensation from the guaranteeing financial institution to the vendor. Guaranteeing payment to vendors can comprise the steps of issuing each user an identifying card showing membership on the platform; purchasing from the vendor with the identifying card; and accessing the user's credit availability via the platform with the identifying card.

Providing an electronic platform preferably comprises providing an Internet web site having the platform for users to access, and optionally comprises the step of providing Internet web site links for users to access other users' web sites. The step of inputting information from users into a profile database preferably comprises the steps of inputting data such as name, address, contact information, primary industry, credit insured amount, payment history, credit usage, target

-4-

5

10

15

20

25

30

35

marketplace, products offered, services offered, inventory, buying trend data, and Internet usage data.

The electronic factoring method further can comprise the steps of verifying a user as a member of the platform and purchasing from the vendor. Purchasing from the vendor can comprise first searching the profile database with a search engine. from the vendor preferably comprises purchasing from the vendor with a line of credit within the credit limit established by the profile database.

Guaranteeing payment to vendors can comprise the steps of reassigning the receivable to the guaranteeing financial institution; making payment to the platform; and forwarding payment from the platform to the vendor. Guaranteeing payment to vendors can alternatively comprise reassigning the receivable to the guaranteeing financial institution; making payment to the guaranteeing financial institution to the vendor. In yet another embodiment, guaranteeing payment to vendors comprises accessing the platform directly by the vendor for verification of credit availability and forwarding payment to the vendor upon accessing the guaranteeing financial institution directly by the vendor for verification of credit availability and forwarding payment to the vendor upon verification. In still another embodiment, guaranteeing payment to vendors comprises accessing the guaranteeing financial institution directly by the vendor for verification of credit availability and forwarding payment to the vendor upon verification. Still another embodiment of guaranteeing payment to vendors comprises accessing the platform for verification of credit availability; paying the guaranteeing financial institution for purchases; and forwarding payment from the guaranteeing financial institution to the platform and vendor bank so that the vendor bank can credit the vendor.

The electronic factoring method also can comprise the steps of maintaining user credit records on the platform and periodically reviewing credit records by the financial institution for buyer credit availability. Linking at least two users can comprise the steps of creating offers by the vendor; sending the offers to an offer database on the platform for storage; comparing the offer database with the user profiles in the profile database; creating a list of matching offers and user profiles; and offering users those offers that match the user's profile upon log-in.

In one embodiment, the invention also comprises a method of electronic factoring comprising the steps of assigning buyers a credit limit upon a guaranteeing platform; verifying the buyer's identification as a member of the guaranteeing platform; verifying the buyer's credit amount when the buyer attempts to make a purchase; subtracting the purchase amount from the buyer's available credit limit upon making a verified purchase; notifying the vendor of the purchase order; reassigning the receivable to a guaranteeing financial institution via the guaranteeing platform; billing the buyer for the purchase order; and forwarding payment to the

-5-

vendor. Forwarding payment to the vendor optionally comprises forwarding payment to the vendor from either the buyer, the guaranteeing financial institution, or the guaranteeing platform.

In one embodiment, the invention also comprises an electronic factoring system for guaranteeing payment of receivables and comprises an electronic platform; a profile database upon the electronic platform for inputting information from users; means for assigning buyers a credit limit; and means for guaranteeing payment to vendors for users who purchase from the vendor. The electronic factoring system can additionally comprise means for linking at least two users wherein the users consist of buyers, vendors, international licensees, and financial institutions for guaranteeing payment via the platform. Means for guaranteeing payment to vendors may comprise means for aligning the platform with a guaranteeing financial institution, and wherein said means for aligning the platform with a guaranteeing financial institution comprises aligning with a guaranteeing financial institution so that that institution can perform factoring such as credit insuring, full-factoring, or lending. The electronic system can further comprise means for producing a symbol to represent each user's profile, and means for exchanging information between users via the symbol on the electronic platform. Means for guaranteeing payment to vendors can comprise means for electronically sending the vendor the user's symbol in order to show the vendor that payment is guaranteed by the platform. The system can comprise means for electronically sending the user's symbol to the guaranteeing financial institution and means for sending a guarantee of compensation from the guaranteeing financial institution to the vendor. Means for guaranteeing payment to vendors can alternatively comprise an identifying card issued to each user showing membership on the platform; means for purchasing from the vendor with the identifying card, and means for accessing the user's credit availability via the platform with the identifying card.

10

15

20

25

30

35

The electronic platform of the electronic factoring system may comprise an Internet web site having the platform available for users to access. The Internet web site can further comprise links for users to access other users' web sites. The profile database of the electronic factoring system may comprise a profile database for inputting data from users. This data can consist of any of the following: name, address, contact information, primary industry, credit insured amount, payment history, credit usage, target marketplace, products offered, services offered, inventory, buying trend data, and Internet usage data.

The electronic factoring system can further comprise means for verifying a user as a member of the platform and means for purchasing from the vendor. Means for purchasing from the vendor can comprise means for first searching the profile database with a search engine. Means for purchasing from the vendor preferably comprises means for purchasing from the vendor with a line of credit within the credit limit established by the profile database.

-6-

5

10

15

20

25

30

Means for guaranteeing payment to vendors can comprise means for reassigning the receivable to the guaranteeing financial institution; means for making payment to the platform; and means for forwarding payment from the platform to the vendor. Alternatively, means for guaranteeing payment to vendors comprises means for reassigning the receivable to the guaranteeing financial institution; means for making payment to the guaranteeing financial institution; and means for forwarding payment from the guaranteeing financial institution to the vendor. In still another embodiment, means for guaranteeing payment to vendor comprises means for accessing the platform directly by the vendor for verification of credit availability and means for forwarding payment to the vendor upon verification. In still another embodiment, the means for guaranteeing payment to vendors comprises means for accessing the guaranteeing financial institution directly by the vendor for verification of credit availability and means for forwarding payment to the vendor upon verification. In yet another embodiment, the means for guaranteeing payment to vendors comprises means for accessing the platform for verification of credit availability; means for paying the guaranteeing financial institution for purchase; and means for forwarding payment from the guaranteeing financial institution to the platform and vendor bank so that the vendor bank can credit the vendor.

The electronic factoring system can further comprise means for maintaining user credit records on the platform and means for periodically reviewing credit records by the financial institution for buyer credit availability. Means for linking at least two users can comprise means for creating offers by the vendor; means for sending the offers to an offer database on the platform for storage; means for comparing the offer database with the user profiles in the profile database; means for creating a list of matching offers and user profiles; and means for offering users those offers that match the user's profile upon login.

The invention also comprises an electronic factoring system for guaranteeing payment of receivables comprising means for assigning buyers a credit limit upon a guaranteeing platform; means for verifying the buyer's identification as a member of the guaranteeing platform; means for verifying the buyer's credit amount when the buyer attempts to make a purchase; means for subtracting the purchase amount from the buyer's available credit limit upon making a verified purchase; means for notifying the vendor of the purchase order; means for reassigning the receivable to a guaranteeing financial institution via the guaranteeing platform; means for billing the buyer for the purchase order; and means for forwarding payment to the vendor. Means for forwarding payment to the vendor from either the buyer, the guaranteeing financial institution, or the guaranteeing platform.

-7-

5

10

15

20

25

30

35

One aspect of the invention can provide unique profiled information that is delivered through an electronic system using software agents that enable credit and/or a guarantee of compensation to vendors for buyers.

Another aspect of the invention can include a unique database profile which is created incorporating specific sales and product information detailing what each user has to sell, terms, company history, unique product information, and the category of transaction, be it either a retail or wholesale target market.

Another aspect of the invention can provide unique profiled information and open access to both buyers and vendors to find information and make purchases guaranteed for payment.

Yet another aspect of the invention can enable users to find unique information that matches their targeted request and enables them to purchase and consummate transactions electronically.

Yet another aspect of the invention comprises amethod of conducting electronic commerce, the method comprising: receiving an electronic authorization request from a vendor for a payment guarantee, wherein the authorization request identifies a transaction amount between the vendor and a buyer; and electronically transmitting to the vendor a guarantee of payment for the transaction amount, wherein the guarantee is conditional to the occurrence of one or more events. One of the events may be the receipt of an invoice from the vendor. A transaction fee may be charged regardless of the occurrence of the conditions. The transaction fee can be based at least in part upon either the transaction fee or a payment due date. The method may also comprise: receiving an invoice from the seller, wherein the invoice identifies an actual transaction amount of a transaction between the buyer and the seller; storing the actual transaction amount in a database; and transmitting the invoice to a guarantor. The method may also comprise gauranteeing payment based at least in part upon a credit limit of the buyer. The method may also comprise receiving an invoice from the seller, wherein the invoice identifies a payment due date; and determining, based at least in part upon the due date, a fee that is due by the seller. The method may also comprise receiving payment from the buyer; and sending payment to the vendor subsequent to subtracting the determined fee. Gauranteeing payment may comprise insuring payment by the seller or purchasing a receivable from the vendor.

Another aspect of the invention comprises a system for conducting electronic commerce, the system comprising: means for receiving an electronic authorization request from a vendor for a payment guarantee, wherein the authorization request identifies a transaction amount between the vendor and a buyer; and means for electronically transmitting to the vendor a guarantee of payment for the transaction amount, wherein the guarantee is conditional to the occurrence of one or more events.

-8-

Brief Description of the Drawings

The accompanying drawings, which are incorporated into and form a part of the specification, illustrate several embodiments of the invention and, together with the description, serve to explain the principles of the invention. The drawings are only for the purpose of illustrating a preferred embodiment of the invention and are not to be construed as limiting the invention. In the drawings:

Fig. 1A is a block diagram of a first embodiment of the invention showing the flow of purchase and fulfillment between buyer and vendor using the electronic commerce web site platform of the invention;

Fig. 1B is a block diagram of a second embodiment of the invention showing the flow of purchase and fulfillment between buyer and vendor using the electronic commerce web site platform;

10

15

20

25

30

35

Fig. 1C is a block diagram of a third embodiment of the invention showing the flow of purchase and fulfillment between buyer and vendor using the electronic commerce web site platform; Fig. 2 is a block diagram of another embodiment of the invention wherein the buyer makes payment directly to the guaranteeing institution;

Fig. 3 is a block diagram of the post-shopping experience for a user of the invention;

Fig. 4 is a block diagram of the functions that an existing customer or new user proceeds through when visiting the web site platform of the invention;

Fig. 5 is a block diagram showing the functions that a user proceeds through with customer service;

Fig. 6 is a block diagram showing a user searching the database of the invention and consummating a transaction with a link to other web sites;

Figs. 7a-7e demonstrate the algorithmic methods of communication for the various embodiments of the invention;

Fig. 8 is a flow diagram showing the first international licensee embodiment of the invention in the first page;

Fig. 9 is a flow diagram showing the first international licensee embodiment of the invention in the second stage;

Fig. 10 is a flow diagram of a second international licensee embodiment of the invention in the first stage wherein the financial institution of guarantee works directly with the international licensee;

Fig. 11 is a flow diagram of a second international licensee embodiment of the invention in the second stage;

Fig. 12 is a third international licensee embodiment of the invention;

- Fig. 13 is a fourth international licensee embodiment of the invention;
- Fig. 14 is a flow chart showing the connection being made between user and vendor;
- Fig. 15 is a flow chart showing the user application for credit;
- Fig. 16 is a flow chart showing the user log-in to the invention;
- Fig. 17 is a flow chart showing the user making a purchase through the methodology of the invention:
 - Fig. 18 is a flow diagram of an alternative embodiment of the invention wherein both a guarantor bank and a vendor bank are used in the process;
- Fig. 19 is a flow diagram of another alternative embodiment of the invention wherein both a guarantor bank and vendor bank are used;
 - Fig. 20 is a flow diagram of the preferred user login to a web site according to the invention;
 - Fig. 21 is a flow diagram of the preferred purchase transaction according to the invention;
 - Fig. 22 is a flow diagram of a first interaction with two guarantor banks;
- Fig. 23 is a flow diagram of a second interaction with two guarantor banks;
 - Fig. 24 is a flow diagram of a preferred lockbox of the invention;
 - Fig. 25 is an illustrative approval screen in a web page according to the invention prior to submission;
- Fig. 26 is an illustrative approval screen in a web page according to the invention after submission;
 - Fig. 27 is an illustrative edit screen;
 - Fig. 28 is a top-level flow diagram of the preferred web site of the invention in conjunction with customer web sites;
 - Fig. 29 is an illustrative purchase screen;
- 25 Fig. 30 is an illustrative invoice screen;
 - Fig. 31 is an illustrative payment screen;
 - Fig. 31A is an illustrative first confirmation screen;
 - Fig. 31B is an illustrative second confirmation screen;
 - Fig. 32 is a flowchart illustrating vendor recruitment;
- Fig. 33 is a flowchart illustrating buyer recruitment;
 - Fig. 34 is a flowchart illustrating an exemplary trade show purchase;
 - Fig. 35 is a flowchart illustrating shipment of a trade show purchase;
 - Fig. 36 is an exemplary network that may be used in conjunction with electronic platform of the invention;

Fig. 37 is yet another exemplary network that may be used in conjunction with the electronic platform of the invention;

Figs. 38, 39, and 40 are each a diagram illustrating the contents of selected fields of the database during an exemplary transaction; and

Fig. 41 is a screen display showing an exemplary report that is presented that shows the transaction history for a user of the electronic platform of Figs. 1A, 1B, 1C and 2.

5

10

15

20

25

30

35

Detailed Description of the Invention

In one embodiment, the invention comprises a payment or credit arrangement process wherein payment of all transactions are guaranteed through a platform, and aligned guaranteeing financial institution (or guarantor bank). All users, whether buyers or sellers ("vendors") are put into a profile database that defines their credit amount, credit used, and credit available. A unique number is then assigned to each user that will be used as an identifying symbol to be held in the electronic database. This symbol, or digital representation thereof, represents a profile enabling users to obtain and utilize credit to facilitate purchases of goods, services, and other intangibles through the system. The information and implementation of the invention is preferably distributed electronically over data lines into a worldwide web platform to facilitate users' purchase transactions or vendors' sales needs.

The digitally produced symbol is delivered electronically via data lines to find targeted information, and enables the buyer to purchase goods, services, or other intangibles ordered through the system. A search engine is used to locate the required information over a network of profiled vendors. The same process operates in reverse to also link vendors to buyers. Information using software agents can be accessed electronically based on an Alchemy model that enables users to seek and match their specific requests. The unique symbol that is assigned for the vendor's profile, as well as a specific symbol representing the targeted audience of buyers, with additional symbols or digital representations for other information, allows for an efficient and easy-to-use exchange of information. Additionally, proprietary profiles can be maintained to facilitate electronic commerce for users within the database to exchange information and to target specific information to a targeted audience.

Vendors benefit by reaching buyers through the system and offering credit to purchase their goods, services, or other intangibles. Competing advertising members can use the system to reach the attention of users who wish to seek information residing on the system as well. Vendors can use the credit system to sell to buyers within the profile database to ensure future payment of goods that are sold on a time-delay process unique to each of the profiled users.

By electronically transmitting the symbol, the user can deliver a promise of compensation to be paid immediately, or in the future. By using software agents, the electronic database

-11-

transmits digital information electronically to those users who are seeking to receive compensation in exchange for releasing the items that the user/buyer has requested. The digitally produced symbol simultaneously instructs a third party to deliver a guarantee of compensation on behalf of each user. The third party guarantees compensation to the vendor in the form of either credit insuring, full-factoring, or lending based upon accounts receivable.

The platform streamlines the buying process and saves time by alleviating the need for C.O.D., prepayment with a Visa or MasterCard and excessive paperwork necessary for approval through multiple factoring banks.

Often the vendor will need their money before they can ship the order: perhaps the money is needed to produce the order. In this case, called factoring, the vendor pays a higher fee to ProfitScape in order to obtain their money early. The vendor sells the receivable to the factor: once payment is made, the payment will be sent to the factor. This is done with or without the knowledge of the cardholder.

Actors

The following table documents some of the roles played by users of the system and a summary of how users interact with the system. A *role* or *actor* refers to one, possibly of many, motivations driving a user to interact with the system. The same user may have different roles at different times.

20

5

10

15

ACTOR	INTENT
Vendor	The vendor, also known as the <i>vendor</i> , is selling product to the buyer and accepting payment via the system. The term <i>Vendor</i> is used as it is with consumer credit.
Vendor/Sales	1. Originate requests to guarantee payment, using trade show device or WUI, possibly even telephone.
	2. Check status of PENDING authorizations to determine whether to ship goods or not.
	3. View/print reports of outstanding System settlements.
Vendor/Accounts Receivable	View/print reports of outstanding/all/for a given cycle System settlements
	2. Track invoice number in system
	3. Receive statement of invoices being paid along with a check
Vendor/Administrative User	1. View/ Edit Account

ACTOR	INTENT
Cardholder	The cardholder, also known as the <i>buyer</i> , is buying goods and wishes to settle the purchase via the system.
Cardholder/Buyer	1. Use card to guarantee payment on orders, vendor can ship order without due diligence etc.
	2. View/print reports of transactions.
	3. Research invoice/PO discrepancies
Cardholder/Accounts Payable	1. View/print reports of outstanding/all/for a given cycle payables
	2. Remit payment for vendor invoice to card issuer.
Cardholder/Administrative User	1. View Accounts
ProfitScape/New Cardholder Accounts	Process pre-approve batches submitted by associations.
ProfitScape/New Vendor Accounts	Process vendor batches submitted by associations and web portals.
	2. Work with new vendors to ensure their full and proper use of service.
ProfitScape/Customer Service Representative	Respond to customer account inquiries (vendors and cardholders).
	2. Cancel authorizations.
	3. Manual card issue.
ProfitScape/Risk & Quality Management	View/print reports of late payers towards getting them to be on time
	2. Work with Guarantors' collection personnel.
ProfitScape/GL Accounting	View/print reports of transaction summary/detail to balance GL accounts
	2. Post journal entries to GL
ProfitScape/System Accounts Payable	Prepare and reconcile batch of vendor statements/checks.
	2. Print batch, z-fold into envelopes for mailing
	3. View/print reports of posted/unposted vendor checks
	4. Reconcile bank statement to unposted vendor checks.
ProfitScape/System Accounts Receivable	1. View/print reports of delinquent cardholders.
	2. Process received payments, one payment = multiple invoices.

ACTOR	INTENT
ProfitScape/Administrative User	1. Configure system codes
	2. Create and maintain user profiles and security constraints.
Guarantor/Administrative User	1. View/Edit Accounts
Guarantor/Collections	1. View/Edit Accounts
Factor/Administrative User	1. View/Edit Accounts

Use Cases

A use-case is a single scenario depicting how users are interacting with the system to achieve a specific goal.

5 Process Pre-Approved Batch

10

15

20

25

This case depicts the card issuer receiving a large number of proposed cardholders from a third party. The card issuer eliminates duplicates, creates the cardholder accounts, and submits their information to a guarantor for credit line approval.

In one embodiment, an association submits a file to the card issuer, who in turn attempts to submit the file to the system. The system verifies file contents (headers, counts, formats, etc). The entire file is either accepted or rejected. If accepted, the file creates a batch in the database for processing. The card issuer processes batch, creating cardholder accounts where needed and marking each batch entry with the account number. Existing accounts are left alone, since the original association receives the fee (if any) for sourcing those records. The system marks any created cardholder records with the association as the source. In some cases the association will receive a permanent fee percentage of all transactions. The system generates batches for guarantors for credit line approvals. The card issuer submits credit line request batches to one or more guarantors. In response, guarantors submit a credit line response batch to the card issuer. The card issuer processes credit line batch, updating customer records. The card issuer prints a processing report (to printer or file) for the association to track results.

Cards are then ready to be issued or other responses are generated. For example, customer service representatives for the card issuer can contact the applicant to counsel them towards getting approval, possibly from a different guarantor.

Process Vendor Batch

Associations can submit large groups of vendor records. Also, Vendors may sign themselves up for the service. Web portals may submit vendor batches as well. An exemplary process is set forth below that describes a process for creating new vendor accounts.

An association or some other verified source submits a file to the card issuer. A CSR representative for the card issuer verifies file contents and either accepts or rejects the entire file.

If accepted, a New Vendor Accounts batch is created, waiting to be processed. Next, the card issuer processes file, creating vendor accounts where needed, and marking each batch record with the account number and status. In one embodiment, existing accounts are left alone. Letters are then issued to vendor informing them of their account, status, and usage procedures.

5 Create Cardholder

The card issuer can create a single cardholder account at a time as well as the batch preapproved process.

Issuing Cards

One or more cards are issued to specific people within a company. The credit line authorization of a company can be divided among one or multiple card users. Even with multiple cards, the total authorization will not exceed the total credit line of a company.

A company can: (i) authorize the entire credit amount to one person on one card; (ii) divide the entire credit amount among multiple people, each having their own card; (iii) allow a "key signatory" to access to the entire credit amount on a card, plus divide the entire credit amount among multiple people, each having their own card, or (iv) authorize the entire credit amount to multiple people, each having their own cards. As discussed, cards may be issued in large batches, sent out for embossing, or one at a time like temporary cards at a trade show. Again, batches are created, edited, posted.

The following table summarizes each of the foregoing situations:

20

10

15

Card Type	Description/Example
Single Card	The company is authorized a single card with the entire credit limit assigned to that one card.
Multiple Cards 1	A single credit limit is authorized to a company and the authorizing company "key signatory" later authorizes six users. Each user is then authorized, by the "key signatory", a specific amount of the credit limit, totaling up to; but, not more than the credit limit. The authorized amount may be equal or disproportional—depending on the "key signatories" perspective. (100% of the credit limit is divided between the key signatory and the six users).

Card Type	Description/Example
Multiple Cards 2	A single credit limit is authorized to a company and the authorizing company "key signatory" later authorizes six users. In this scenario, the "key signatories" card is authorized for the total amount of the credit limit. Each of the other 6 authorized users are then authorized, by the "key signatory, a specific amount of the credit limit, totaling up to; but, not more than the credit limit. The authorized amount may be equal or disproportional—depending on the "key signatories" perspective. Typically, the aggregate amount of any two or more card's use may not exceed the total credit limit. (100% of the credit limit is divided among the six users; and, the key signatory has access to the entire credit limit).
Multiple Cards 3	A single credit limit is authorized to a company and the authorizing company "key signatory" later authorizes six users. In this scenario, any of the authorized card users, including the "key signatory", may spend the total amount of the credit limit; BUT, under no circumstances may the aggregate amount of any two or more card's exceed the total credit limit. (100% of the credit limit is equally available to all 7 users).

In one embodiment of the invention, the card can be co-branded by a credit card provider. In this embodiment, at a point of purchase, the user can request to use the card as a credit card, or, alternatively, as a card as is described for use with the embodiments of the invention shown in Figures 1-41. Furthermore, in this embodiment, the card is associated with at least two credit limits: the first credit limit identifying a credit limit with respect to the credit card provider and a second credit limit associated with the use of the card in conjunction with the system shown in Figures 1-41. Furthermore, in one embodiment of the invention, the card contains two sets of account information: a first set is associated with the credit card provider and a second set is associated with respect to the use of the card in conjunction with the system shown in Figures 1-41.

Tradeshow

5

10

15

In one embodiment of the invention, custom cards are issued as part of a tradeshow. In this embodiment, the cards have identifying information displayed on the card thereby serving as a badge. The card may be activated by providing the credit vendor a credit application and requesting the credit vendor to activate the card. Once activated, the credit vendor provides an

insignia to the buyer. The buyer places the insignia on or near the card via an adhesive. The insignia identifies to sellers that the buyer has at least a threshold level of credit. In another embodiment of the invention, upon approving the buyer's application for a card, the buyer is provided a card having a certain color that is different than the individuals that have not been approved to receive credit.

Create Vendor

10

15

20

25

30

35

The card issuer can create a single vendor account at a time as well as part of the batch preapproved process.

Purchase Guarantee Payment

The following describes a process of guaranteeing payment for a transaction. First, a cardholder places order, e.g., verbal, PO, with a vendor.

The vendor submits authorization request to ProfitScape/system (card #, expiration name, name, amount, PO). The system verifies credit balance, issues authorization code, decline, pending, or other response message. Exemplary response codes may be found in the Visa 2 Specification.

If amount requested puts cardholder over the cardholder's credit limit, a PENDING response is issued and submitted to the guarantor. The guarantor can approval the transaction and/or or increase the cardholder's credit limit. The card issuer can generate reports of PENDING authorizations to ensure that they are being answered in a timely manner. The vendor ships goods, sends invoice to the card issuer with an authorization code. The vendor sends an invoice to the cardholder requesting the cardholder to remit payment to the guarantor, or alternatively, the card issuer. In one embodiment, the card issuer has online forms for vendors to submit invoices.

In one embodiment, the vendor incurs a payment term guarantee fee at the time of approval of the transaction. Each vendor obtains an approval for a specific buyer (i.e., one cardholder). Each approval can cover multiple invoices for a specific buyer (i.e., one cardholder). Each approval incurs a fee, relative to the total invoice amount. If an invoice is larger than the approved amount (e.g., due to taxes or shipping fees), a 2½% fee (or more depending on length of terms) may be automatically charged against the extra amount.

Receive Invoice

After shipping the goods, the vendor sends the invoice to both the cardholder and to the card issuer. After the card issuer receives invoice(s), each invoice is marked with the authorization code. The invoice specifies the payment terms. Depending on the payment terms, a selected fee may be charged by the card issuer for the service of guaranteeing the total approved amount. In one embodiment, the fees are accessed on the basis of the total invoice amount, including tax and shipping charges.

-17-

In one embodiment, the fee schedule varies according to the length of time until the payment is due. The following table illustrates an exemplary fee schedule.

Payment Terms	Fee	
Net 30	21/2%	
Net 60	21/2%	
Net 90	3%	
Net 120	31/2%	
Net 150	4%	
Net 180	41/2%	

If more than one invoice is received from a vendor, the vendor should include a summary sheet having totals for verification.

The card issuer inputs an authorization code to find the transaction in the database, and then inputs the invoice number and total. The card issuer logs the invoice and sends the invoice to the guarantor of the transaction both physically and as an electronic item.

Guarantor Receives Payments

Payments are received by the guarantor, which sends an electronic log of settlements to the card issuer. It is noted that in one embodiment, the buyer sends the payments directly to the card issuer. The system creates the appropriate payment transactions and computes the guarantor's fee, creating a transaction object in the platform for that as well. The card issuer applies payments to the invoice. The guarantor takes a fee, based on the total amount of the invoice, and then send the payments on to the card issuer. One payment may be applied to multiple invoices. A partial payment may be applied to an invoice.

The card issuer distributes to the vendor the payment, less fees any transaction fees. The vendor receives the payment, less fees, based on the total amount of the INVOICE (not the amount received). The vendor may bill the buyer for the difference between the total invoice and the amount remitted. In the event the payment is less than the total invoice amount due to payment terms (e.g., 2%/10 Net 30), the vendor is responsible for issuing a credit for the buyer.

Card Issuer Issues Vendor Checks

A payables batch is created in the system. After editing, the batch is sent to a A/P system to actually print checks. Optionally, the card issuer can print the checks.

25

20

5

10

15

Cycle End Processing

The vendors each receive a cycle-end statement summarizing all transactions and providing updated information. This marks a regular contact point, where marketing materials may be included with the mailing. Some may elect to receive such transmissions electronically, e.g., CD-ROM, diskette, ftp, email.

Issue Cards (Batch, Single, Re-issue)

Cards may be issued in large batches, sent out for embossing, or one at a time.

Buyer Credit Advance

10

15

20

25

30

35

The buyer is responsible for paying for the goods and services that have been purchased from the seller within a predetermined time period, <u>e.g.</u>, 30, 60, 90 days. In one embodiment, the start of the due date time period is triggered after the seller transmits the goods to the buyer or, alternatively, after the seller performs services for the buyer.

In one embodiment of the invention, the buyer may defer payment by paying a selected fee. In return, the recipient of the selected fee pays all or some of the funds that are owed by the buyer.

For example, with respect to the system shown in Fig. 1B, the buyer may request the credit vendor to defer payment to the re-factor company. In exchange for receiving the selected fee, the credit vendor pays the seller after the predetermined time period. Also, the credit vendor transmits a selected fee to the re-factor company for the re-factor company's involvement with the initial transaction between the buyer and the seller. Alternatively, instead of the credit vendor, the re-factor company can accept delayed payment and in return for the delayed payment, charge the fee and pay the credit vendor prior to the expiration of the predetermined time periods, e.g., 30, 60, 90 days. The credit vendor then pays the seller the monies owed the seller by the buyer minus any transaction fees.

Furthermore, for example, with respect to the system shown in Fig. 1C, the buyer may request the credit vendor to receive delayed payment for a fee. In return for the fee, the credit vendor pays the seller prior to the expiration of the predetermined time period.

View Accounts

In one embodiment, buyers and sellers may retrieve their account information from the credit server. Account information can include: credit limits, past transactions, billing information, etc. In this embodiment, the credit vendor maintains a server computer that is operably connected to a network. The network may include any type of electronically connected group of computers including, for instance, the following networks: Internet, Intranet, Local Area Networks (LAN) or Wide Area Networks (WAN). In addition, the connectivity to the network may be, for example, remote modem, Ethernet (IEEE 802.3), Token Ring (IEEE 802.5), Fiber Distributed Datalink

5

10

15

20

25

30

Interface (FDDI) or Asynchronous Transfer Mode (ATM). Note that computing devices may be desktop, server, portable, hand-held, set-top, or any other desired type of configuration. As used herein, an Internet includes network variations such as public internet, a private internet, a secure internet, a private network, a public network, a value-added network, an intranet, and the like.

Using a client computer that is connected to the network, the client computer can retrieve account information. An exemplary report showing account information is shown in Figure 41. In one embodiment, the server computer allows the user to contest certain transactions that are identified in the account information. Upon contesting a transaction, the contesting party is afforded an opportunity to associate one or more messages with the contest. In this regard, each transaction has an electronic storage bin to hold communications between the buyer and the seller for the selected transaction.

In one embodiment, if the transaction is contested by the buyer, the message is automatically transmitted via electronic mail to an agent for the seller and stored in the electronic storage bin. Furthermore, in one embodiment, if the transaction is contested by the seller, the message is automatically transmitted via electronic mail to an agent for the buyer and stored in the electronic storage bin. Once received by the non-contesting party, the contesting party is presented with an opportunity to reply via electronic mail. Using the storage bin, the communication history between the buyer and seller may be reviewed. Furthermore, in one embodiment of the invention, the non-contesting party can change the terms of the transaction to end the dispute.

In one embodiment of the invention, a buyer is afforded an opportunity to delay payment with respect to one or more of the transactions. In this embodiment, when the user views their past transactions, the buyer is presented a selectable icon proximate to each of the transactions for which that buyer owes payment. By selecting the selectable icon, the user indicates a request to extend the due date for paying the due fees. In response to the selection, the server computer adjusts the due date for the transactions and assigns a due date extension fee to the buyer's account. Furthermore, at a predetermined point, the server computer pays the seller the monies that are owed to seller by the buyer.

In another embodiment of the invention, a seller is afforded an opportunity to receive payment prior to agreed upon terms with the credit vendor. In this embodiment, when the seller views past transactions, the seller is presented with a selectable icon proximate to each of the transactions in which the seller is to receive payment. By selecting the selected icon, the seller indicates a request to receive payment for the funds immediately. In response to the selection, the server computer pays the seller the monies owed minus an advance fee.

-20-

5

10

15

20

25

30

35

It is noted that since a buyer may also be a seller to other buyers, the buyer and seller reporting screens may be integrated into a single screen display.

System Description

Attention is now directed to the figures. Fig. 1A is a flow diagram of a first embodiment of the invention showing the purchase and fulfillment between a buyer, vendor and guaranteeing financial institution using the method of the invention. Referring to Fig. 1, the buyer makes a purchase from the vendor with a guaranteed credit line as established in the profile database 10. The purchase order is then being forwarded to the vendor for fulfillment 12. Then the receivable is reassigned to the guaranteeing financial institution for a guarantee of the receivables 14, the purchase order is returned to the buyer for the buyer's records 16. The vendor ships the order with a copy of the invoice and terms back to the buyer 18, for example, net 30, net 60, or net 90. Then the vendor sends shipment confirmation and a copy of the invoice to the platform for the invention, which in one embodiment, is entitled "ProfitScape" (hereinafter referred to as the platform), on an e-commerce web site 20. Next the buyer makes payment to the platform based upon the vendor terms 22, and the platform forwards payment to the vendor 24, minus a negotiated percentage. The platform profile database maintains credit records and transfers all monies from the buyer to the vendor minus a negotiated percentage or transaction fee, for example 8-12% of the transaction. The guaranteeing financial institution will review the accounts periodically, for example every 90 days, for buyer credit line limits. Also periodically, for example every 30 days, the platform reconciles with the guaranteeing financial institution for a percentage of all gross revenue of the platform's guaranteed electronic commerce transactions.

Fig. 1B is another embodiment of the invention. Fig. 1B is a flow diagram of a second embodiment of the invention showing the purchase and fulfillment between a buyer, seller and a credit vendor. It is noted that although only one buyer is shown, the electronic platform can be used in connection with large numbers of buyers.

Referring to Fig. 1B, at a step 51, a buyer provides credit information via an application to a credit vendor. Next, at a step 52, the credit vendor forwards the information to a re-factor company. The re-factor company evaluates the credit information and determines a credit limit for the buyer. At a step 53 the re-factor company transmits the credit limit for the buyer to the credit vendor. Continuing to a step 54, the credit vendor transmits one or more cards to the buyer. In one embodiment, the card has an electronic strip having a magnetically imprinted card number. Furthermore, the card may have an associated personal identification number.

Moving to a step 55, the buyer contacts a seller and offers to purchase goods or services that are provided by the seller. At the step 55, the buyer provides the seller their card or alternatively the buyer's account information.

5

10

15

20

25

30

35

Next, at a step 56, the seller provides the credit vendor, via a transaction device, the transaction information. The transaction device can include: a computer, a hand held device, a cash register, or other electronic device. In one embodiment of the invention, the transaction information comprises a merchant identifier, the buyer account number (the card number), the name on the card, an expiration date that is associated with the card, and an estimated transaction amount.

The credit vendor determines whether the transaction amount would cause the buyer to spend in excess of the buyer's credit limit. Assuming the buyer has sufficient credit, the process moves to a step 57 wherein the credit vendor transmits approval to the seller computer for the transaction. Furthermore, the credit vendor records the transaction information to facilitate evaluating further purchases of the buyer.

Continuing to a step 58, the seller ships the goods or performs the services specified by the contract. In return, the seller receives from the credit vendor the right to receive payment no later than a predetermined period. In one embodiment of the invention, the predetermined period is no later than 180 days or whenever the re-factor company receives payment, whichever is sooner.

Next, at a step 61, the buyer makes payment to the re-factor company. Continuing to a step 62, the re-factor company pays the credit vendor minus a first transaction fee. Proceeding to a state 63, the re-factor company pays the seller minus a second transaction fee. It is noted that in one embodiment of the invention, for a predetermined fee, the seller can borrow against the guaranteed received payment.

Fig. 1C is a flow diagram of a third embodiment of the invention showing the purchase and fulfillment between a buyer, vendor and guaranteeing financial institution. It is noted that although only one buyer is shown, the invention can be used in connection with large numbers of buyers.

Referring to Fig. 1C, at a step 71, a buyer provides credit information via an application to a credit vendor. Next, at a step 72, the credit vendor forwards the information to a credit insurer. The credit insurer evaluates the credit information and determines whether it will insure the transaction. At a step 73, the credit insurer transmits the credit limit for the buyer to the credit vendor. The credit vendor may transmit one or more cards to the buyer.

Moving to a step 74, the buyer contacts a seller and offers to purchase goods or services that are provided by the seller. Upon agreeing to the terms of a deal, the buyer provides the seller their card or alternatively provides the buyers account information.

Next, at a step 75, the seller provides the credit vendor, via a transaction device, the transaction information. In one embodiment of the invention, the transaction information comprises a merchant identifier, the buyer account number (the card number), the name on the card, an expiration date that is associated with the card, and an estimated transaction amount.

-22-

5

10

15

20

25 -

30

35

The credit vendor determines whether the transaction amount would cause the buyer to spend in excess of the buyer's credit limit. Assuming the buyer has sufficient credit, the process moves to a step 76 wherein the credit vendor transmits approval to the seller's transaction device. Furthermore, the credit vendor records the transaction information to facilitate evaluating further purchases of the buyer.

Continuing to a step 77, the seller ships the goods or performs the services specified by the contract. In return, the seller receives from the credit vendor the right to receive payment no later than a predetermined period. In one embodiment of the invention, the predetermined period is no later than 180 days or whenever the credit vendor receives payment, whichever is sooner.

Next, at a step 78, the buyer makes payment to the credit vendor. It is noted that in one embodiment of the invention, for a predetermined fee, the seller can borrow against the guaranteed received payment. Moving to a step 79, the credit vendor pays the seller. Fig. 2 is another embodiment of the invention. In Fig. 2, the buyer makes a purchase through the guaranteeing financial institution with a guaranteed credit line 26. In one embodiment, the vendor then obtains from the guaranteeing financial institution an authorization code for the amount of the intended purchase, including tax and shipping if known. Once authorization is obtained (usually within seconds), the vendor may ship the order knowing that payment is guaranteed. The purchase order is then forwarded to the vendor for fulfillment 28 and the purchase order is then returned to the buyer for the buyer's records 30. Then the vendor ships the order with a copy of the invoice and terms to the buyer 32, and the vendor sends shipment confirmation and a copy of the invoice to the guaranteeing financial institution 34. In one embodiment, the vendor notes on the buyer's copy of the invoice to remit payment to the guaranteeing financial institution 34. The buyer the makes payment to the guaranteeing institution based upon the vendor's terms 36, and the institution forwards payment to the vendor minus the institution's negotiated percentage 38.

Fig. 3 is a block diagram demonstrating the post-shopping experience of the buyer using the methodology of the invention. The user first shops and then views their order, and before checking out, chooses a form of payment, be it either a credit card, or through the platform of the invention. If a credit card is chosen as the method of payment, the transaction proceeds through the platform of the invention. If the user is enrolled in the platform of the invention, their transaction is guaranteed. The user is also offered the choice of joining and becoming a member of the platform.

Fig. 4 shows the process that a user proceeds through when first logging on to the platform of the invention. First the existing customer or the new user visits the web site having the platform of the invention 40. The new user applies for membership and a line of credit with guaranteed receivables 42. An existing user is shown logging in with their user name and

-23-

5

10

15

20

25

30

35

password 44, and the existing customer or new user is forwarded to the appropriate web sites for purchases 46. Applications for credit and guarantees are forwarded to the financial institution for review 48. If the application for credit has been denied, the customer is then notified 50. If the application for credit has been approved, the customer is assigned a guaranteed credit limit 52, as well as an "ID" and is then entered into the user profile database.

Fig. 5 is a block diagram demonstrating an approved customer 54 being forwarded to customer service so that customer service can gather information 56 and create a user database profile on their company, products, target market, history, terms, etc. Example data collected for the user's profile includes: name, address, contact information, primary industry, credit insured amount, payment history, credit usage, target marketplace, products offered, services offered, inventory, buying trend data, and Internet usage data.

Fig. 6 is a block diagram demonstrating a user searching the profile database. A user queries the database through a search engine for specific information 58. Data is searched from the database and returned to the user 60. Then the user accesses a web site from a returned data link 62, and the user consummates an electronic commerce transaction 64 such as that shown in Fig. 1.

Fig. 7 shows the algorithm methods for the various embodiments of the invention. In Fig. 7a the buyer, seller, and guaranteeing institution cannot communicate with each other but only with the platform for the invention. In Fig. 7b the buyer and seller only communicate with the guaranteeing institution and not with each other. In Fig. 7d the buyer and guaranteeing institution can each only communicate with the seller, but the seller can communicate with either or both of the buyer and guaranteeing institution. In Fig. 7e the seller and the guaranteeing institution can each only communicate with the buyer, but the buyer can communicate with either or both of them.

Fig. 8 shows a flow diagram of an embodiment of the invention wherein the method of the invention includes an international licensee. First a user applies for a credit line through the international licensee 66. Then an application is entered into the database of the invention 68, and that application is forwarded to the guaranteeing financial institution 70. Then the applicant who is approved is assigned a line of credit and a user ID, and the database is then updated with their information 72. The user and licensee are then notified 74. At this point, the process proceeds as shown in Fig. 9. If the application is denied, the applicant and licensee are notified accordingly 76.

Fig. 9 demonstrates the process that proceeds after the applicant has been approved in Fig. 8. The international buyer accesses the marketplace through a licensee 78. Then the platform's buyer makes an international purchase on the platform with the user's ID 80. Next the user ID and credit availability are checked through the database and the guaranteeing financial institution 82 and 82'. Then the seller receives the order with the guaranteed receivables 84, and the transaction has been completed and the order is shipped to the buyer 86.

-24-

5

10

15

20

25

30

35

Fig. 10 is a flow diagram for a second embodiment of the international licensee application of the invention. First the user applies for a credit line through an international licensee 88. Then the application is forwarded to the guaranteeing financial institution 90. If the application is approved, the applicant is then assigned a line of credit and a user ID 92. The user and licensee are then notified. At this point, the process proceeds as shown in Fig. 11. If the application is denied, the applicant and licensee are accordingly notified 94.

Fig. 11 represents the next stage in the process after having completed those steps in Fig. 10. In Fig. 11, the international buyer accesses the marketplace through a licensee 96 and the platform buyer makes an international purchase 98 on the platform of the invention with the user ID. Then the user ID and credit availability are checked through the guaranteeing financial institution 100. The seller receives the order with the guaranteed receivables 102, the transaction is completed and the order is shipped to the buyer 104.

Fig. 12 is a third embodiment of the international licensee application of the invention. In Fig. 12, the guaranteed buyer makes a purchase from a vendor on an international licensee platform 106. Then the user ID and password are passed to a module 108 which allows the communication with the database of the invention, and the ID and credit availability are checked through the database, as well as the guaranteeing financial institution 110 and 110°. The vendor web site receives verification 112, and the transaction is completed and the order is then shipped to the buyer 114.

Fig. 13 is a fourth embodiment of the international licensee application of the invention wherein the communication occurs directly with the guaranteeing financial institution. First, the guaranteed buyer makes purchases from a vendor on the international licensee platform 116. Then the user ID and password are passed to a module which allows communication with the database of the invention 118. Next the user ID and credit availability are checked through the guaranteeing financial institution 120. The vendor web site receives verification 122, and the transaction is completed and the order is then shipped to the buyer 124.

Fig. 14 is a flow chart demonstrating vendors' direct marketing to existing registered users (buyers) of the invention. The buyer logs on and sees offers being retrieved from the database, and chooses whether or not to accept the offer. If the offer is accepted, the transaction is concluded. If the offer is not accepted, the user continues on through the web site. The vendor creates offers and then sends them to the database for storage. The vendor then creates a user profile from the information off of the database. The database then compares the profile created by the vendor with existing customer profiles. The invention then creates a list of matching users who wish to see offers of this type and proceeds to offer them to those users the next time that they log on.

Fig. 15 is a flow chart showing the user applying for credit with the methodology of the invention. The user first applies for a credit line, and that information is then added to the database. The information is then submitted to a financial institution and the financial institution either approves or disapproves the credit application. If the application is not approved, the user is informed of the result. If the application is approved, the amount of credit is recorded for the user and the user is accordingly informed of approval and the amount of credit. For example, an applicant applies for a "net 30 card." This card is similar in appearance to a credit card. Should the applicant be approved for the net 30 card, then they will be able to purchase goods and services immediately, and upon receipt the guaranteeing institution or platform of the invention will guarantee payment within thirty days to the vendor. The applicant can apply for the card either manually or electronically. Information received from the candidate is then entered into a database which is forwarded to a guaranteeing financial institution. The guaranteeing financial institution then reviews the application information and issues an insured line of credit if the applicant is approved. Once the applicant is approved, the guaranteeing financial institution notifies the platform of the insured credit line and guarantees payment of receivables. Then the net 30 card is issued to the applicant, who is now a registered user of the platform of the invention. The user's transactions are then checked through the platform profile database for available credit and amounts adjusted. At the end of each day, the platform of the invention keeps the guaranteeing financial institution updated on all user accounts' status. This methodology insures the vendor's receivables.

10

15

20

25

30

35

Fig. 16 is a flow chart demonstrating the steps that a user proceeds through in logging on to the web site containing the platform of the invention. The user first arrives at the public Web site and enters their login ID. The site then compares their ID and password to those recorded in the database. If the log-in is not valid, then the user is refused access and is returned to the public Web site. If the log-in is valid, then the user preferences are retrieved from the database and are customized to provide a personalized page displayed to the user. The user then continues with member-only options within the system.

Fig. 17 is a flow chart demonstrating a user making a purchase using the methodology of the invention. The user first attempts to conclude the transaction and the platform of the invention ascertains the user's identity and compares their transaction with an available credit balance stored in the database. If their available balance is not adequate, then the transaction is denied. If the available balance is adequate, then the transaction proceeds and the invention subtracts the transaction total from the available balance, and the order is confirmed to the user, the vendor is notified of the purchase order, and the user receives a copy of the purchase order. Next, the receivables are reassigned to the financial institution and the vendor receives notification of the

-26-

5

10

15

20

25

30

35

purchase order and fulfills the purchase order. Once the receivables are reassigned to the financial institution, then the financial institution receives notification of that reassignment. Once the vendor notifies the platform of the fulfillment of the order and has sent the user the merchandise, the user is then billed. If the user does not pay the bill, then the financial institution is notified who then pays the platform who in turn pays the vendor. If the user does pay the bill, then their payment is added to the available credit in their account.

Fig. 18 is a flow diagram of a third embodiment of the invention. First the buyer selects the platform guaranteed receivables method as the method of payment 126. The e-commerce backend forwards purchase information to the platform profile database 128. Available credit is checked from the user's profile and new applicants are processed 130. Then the profile database is updated accordingly 132. The buyer is notified and if approved, the vendor, or seller, is also notified to ship 134 and 134'. Then the buyer makes payment to the guarantor bank according to the terms set forth by the vendor, or seller 138. The profile database is then updated accordingly 140. The guarantor bank processes the payment and forwards payment to the platform and vendor bank 142. Then the vendor bank credits the vendor, or seller 144.

Fig. 19 is a flow diagram of a fourth embodiment of the invention. In this embodiment, the buyer selects the platform guaranteed receivables method as the method of payment 146. The e-commerce backend forwards purchase information to a processor 148. The processor forwards information to the guaranteed receivables issuer which is the platform of the invention 150. Then the available credit is checked, new applicants are processed, and the profile database is updated accordingly 152. The buyer is notified of either approval or rejection of their application 154. If approved, the vendor, or seller, is notified to ship. The buyer makes payments to the guarantor bank lock box according to the terms set forth by the vendor, or seller 156. Next, the database and credit limit are updated accordingly 158. Then the guarantor bank processes payment and forwards payment to the platform and vendor bank 160. Then the vendor bank credits the vendor 162.

Figs. 20-40 further illustrate the invention as noted in the brief figure descriptions, above. The embodiments presented in the figures are not meant to limit the applications of the invention. The methodology of the invention has application in buying and selling, as well as lending based upon accounts receivables, in addition to credit insuring purchases.

Abstract Model

The platform comprises one or more computer implemented modules. As can be appreciated by one of ordinary skill in the art, each of the modules comprise various sub-routines, procedures, definitional statements, and macros. Each of the modules are typically separately compiled and linked into a single executable program. The modules may be arbitrarily redistributed to one of the

other modules, combined together in a single module, or made available in a shareable dynamic link library. Optionally, as can be appreciated by one skilled in the art, one or more of the modules may be designed using hardware.

The modules may be written in any programming language such as C, C++, BASIC, Pascal, Java, and FORTRAN and ran under the well-known operating system. C, C++, BASIC, Pascal, Java, and FORTRAN are industry standard programming languages for which many commercial compilers can be used to create executable code.

The following sections describe exemplary software-implemented classes that may be defined by selected ones of the modules.

10 Company

The company class provides a common base class for the four types of companies involved in the system: Merchants, Cardholders, Factors, and Guarantors.

id: int	System generated identification number.
industryCode: Code	Type of industry the company belongs to.
names: List of CompanyName	Companies have a primary name and zero or more DBA's.
addresses: Map of List of Address	Companies have one or more addresses. Each address is marked as to its usage.
contacts: Map of List of Contact	Companies have one or more contacts. Each contact is marked as to its usage.
taxID: BigInteger	Federal tax id or VAT code.
int getID()	Get the company identification number.
Code getIndustryCode ()	Get the industry code.
void setIndustryCode (Code newIndustry)	Set the industry code.
Iterator getNames ()	Get an iterator over the list of names, in sequence. The first is the primary, any subsequent are DBA's.
Iterator getDBANames ()	Get an iterator over just the DBA's.
Iterator getAddresses ()	Get an iterator over all addresses, sorted by type by sequence.
Iterator getAddresses (Code addressType)	Get an iterator over all addresses of the specified type sorted by sequence.
Iterator getContacts ()	Get an iterator over all the contacts, order by type by sequence.
Iterator getContacts (Code contactType)	Get an iterator over all contacts of the given type, order by sequence.
BigInteger getTaxID ()	Get the tax id or VAT number.

15 Code

The Code class represents all fields that store a coded value, referenced within the Codes table.

codeType: String	
codeName: String	
codeCharacterValue: String	
codeIntegerValue: long	
description: String	

CompanyName

CompanyName represents a single company name, which may be one of many names a company goes by.

CompanyName		
name: String	The company name.	

5

Address

Address provides a postal address.

Address	
type: Code	The address type.
linel: String	Number and street, etc.
line2: String	Overflow.
line3: String	Overflow.
city: String	
stateCode: Code	·
postalCode: BigInteger	
countryCode: Code	
attention: String	

10 Contact

The Contact class represents a person and their contact information as well as a company's primary contact information.

Contact	
type: Code	
lastName: String	
firstName: String	
middleName: String	
jobTitle: String	
department: String	
url: String	
email: String	
phone: String	
fax: String	
mobile: String	
pager: String	
notes: String	
address1: String	

address2: String	
address3: String	
city: String	
stateCode: Code	
postalCode: BigInteger	
countryCode : Code	

Merchant

The Merchant class provides information regarding a single merchant within the system.

5 MerchantHome

The MerchantHome class provides methods for creating, finding, and deleting Merchants.

MerchantHome	
create ()	Create a new Merchant.
findByPrimaryKey (MerchantPK pk)	Find by primary key.
Name[] getNextNames (Name first, int	Get a list of names greater than or equal to the
count)	given one.
Name[] getPreviousNames (Name last, int	Get a list of names less than or equal to the
count)	given one.

Cardholder

The cardholder class represents a single cardholder within the system.

Cardholder extends Company	
guarantorID: GuarantorPK	The guarantor issuing this line of credit.
limit: BigDecimal	
limitDate: Date	
limitSource: String	
customerID: String	
association: AssociationPK	
source: String	
creditStatus: Code	

10

CardholderHome

The CardholderHome class provides methods for creating, finding, and deleting Cardholders.

CardholderHome	
create ()	Create a new Cardholder.
findByPrimaryKey (CardholderPK pk)	Find by primary key.
Name[] getNextNames (Name first, int count)	Get a list of names greater than or equal to the given one.
Name[] getPreviousNames (Name last, int count)	Get a list of names less than or equal to the given one.

15

Card

The Card class represents a single card issued to a Cardholder.

Card	
limit: BigDecimal	
limitDate: Date	
limitSource: String	
PIN: String	
name: String	
companyName: CompanyName	Which company name is on the card, it preferably is one of the defined ones.
allianceName: CompanyName	An alliance name if any.
issueDate: Date	
expireDate: Date	
badgeNumber: String	

Guarantor

5 The Guarantor class represents a guarantor, such as GMAC.

Guarantor extends Company		
minimum: BigDecimal		
feePercentage: BigDecimal		

<u>GuarantorHome</u>

The GuarantorHome class provides methods for creating, finding, and deleting Guarantors.

GuarantorHome			
same as MerchantHome		 	

10 Factor

The factor class represents a single factor.

FactorHome

The FactorHome class provides methods for creating, finding, and deleting Factors.

15

Association

The Association Class represents a company with a business relationship.

20 <u>AssociationHome</u>

The AssociatonHome class provides methods for creating, finding, and deleting associations.

Transaction

The transaction class represents a transaction.

Transaction .	
id: String	
timestamp: Timestamp	
companyID: CompanyPK	
company2ID: CompanyPK	
type: Code	

amount: BigDecimal	
batchID: String	

TransactionHome

5

10

The TransactionHome class provides methods for creating, finding, and deleting Transactions.

Various other classes may be used to represent other portions of the system such as merchant invoices, cardholder payment, and a merchant statement/check.

Although the invention has been described in detail with particular reference to these preferred embodiments, other embodiments can achieve the same results. Variations and modifications of the invention will be obvious to those skilled in the art and it is intended to cover in the appended claims all such modifications and equivalents. The entire disclosures of all references, applications, patents and publications cited above are hereby incorporated by reference.

-32-

Appendix A

Database Schema

It is noted that a number of different database schemas may be used with respect to the platform profile database. Set forth below are exemplary tables that may be used in conjunction with one embodiment of the platform profile database.

Table 1: System Users

```
10
      CREATE TABLE SYSTUSR
15
          ID
                  INTEGER NOT NULL,
                                              { unique id
                                                                 }
          LGNID
                  CHAR (15) NOT NULL,
                                              { lgin id
20
                                              { user class
          CDUSRID INTEGER NOT NULL,
                  CHAR (15) NOT NULL,
                                              { password
                  DATE NOT NULL,
                                              { password date
          PWDDT
25
                  CHAR (50) NOT NULL,
                                              { full name
          NAM
                                              { active Y/N
          ACT
                  CHAR(1) NOT NULL,
30
          LGNCNT
                 INT NOT NULL,
                                              { login count
          LGNBAD
                 INT NOT NULL,
                                              { login bad count }
          LGNDTTM DATETIME YEAR TO SECOND,
                                              { last login date }
35
                 DATETIME YEAR TO SECOND,
                                              { last login attmp }
          ATDTTM
                                              { active date
          ACTDT
                  DATE,
40
          EXPDT
                  DATE,
                                              { expire date
                                                                 }
          DTA
                  CHAR (50),
                                              { any data to associate to user }
45
          CRTUSRID CHAR(15) NOT NULL,
                                              { create user id }
          CRTDTTM DATETIME
                                              { create datetime }
50
                   YEAR TO SECOND NOT NULL,
                                              { create server
          CRTSRVR CHAR(15) NOT NULL,
          CRTCLNT CHAR (15) NOT NULL,
                                              { create client
55
          CHGUSRID CHAR (15) NOT NULL,
                                              { change by user }
          CHGDTTM DATETIME
                                              { change datetime }
60
                   YEAR TO SECOND NOT NULL,
          CHGSRVR CHAR(15) NOT NULL,
                                              { change server
          CHGCLNT CHAR (15) NOT NULL,
                                              ( change client
65
```

```
PRIMARY KEY (ID) CONSTRAINT SYSCUSRPK,
 5
          CHECK (ACT IN ('Y', 'N')) CONSTRAINT SYSCUSR1,
          UNIQUE(LGNID) CONSTRAINT SYSCUSR2
      ) LOCK MODE ROW;
10
15
                                             Table 2: User Groups
                                     (Map a user to a set of zero or more groups)
      CREATE TABLE SYSTUSRG
20
      (
          ID
                   INTEGER NOT NULL,
                                                { unique id
        USRID
                   INTEGER NOT NULL,
                                                { user id
25
          GRPUSRID INTEGER NOT NULL,
                                               { group user id
30
          PRIMARY KEY(ID) CONSTRAINT SYSCUSRGPK,
          UNIQUE (USRID, GRPUSRID) CONSTRAINT SYSCUSRG1,
          FOREIGN KEY(USRID) REFERENCES SYSTUSR(ID) CONSTRAINT SYSCUSRGFK1,
35
          FOREIGN KEY(GRPUSRID) REFERENCES SYSTUSR(ID) CONSTRAINT SYSCUSRGFK2
     );
40
                                            Table 3: System Menu
      CREATE TABLE SYSTMNU
45
          ID
                  INTEGER NOT NULL,
                                          { unique id
          TYP
                  CHAR(1) NOT NULL,
                                          { M = Menu, F = Function, L = Link }
50
                  CHAR (100),
                                           { public alias for program
          FNAM
                  CHAR (100),
          PNAM
                                               { program name
                                                                                    }
55
          DESC
                  CHAR (100) NOT NULL,
                                               { human description of function
                                                                                     }
          MNUID
                  INTEGER,
                                               { parent menu
                                                                                     }
60
          PRIMARY KEY(ID) CONSTRAINT SYSCMNUPK,
          FOREIGN KEY(MNUID) REFERENCES SYSTMNU(ID) CONSTRAINT SYSCMNUFK1,
65
          CHECK (TYP IN ('M', 'F', 'L')) CONSTRAINT SYSCMNU1
     ) LOCK MODE ROW;
70
```

Table 4: User Permissions

```
CREATE TABLE SYSTUSRP
 5
          ID
                  INTEGER NOT NULL,
                                             { unique id
10
         MNUID
                INTEGER NOT NULL,
                                             { menu id
                                             { user id
          USRID
                 INTEGER NOT NULL,
          PRM
                  CHAR(1) NOT NULL,
                                              { N = No Access, R = Read, F = Full }
15
          PRIMARY KEY (ID) CONSTRAINT SYSCUSRPPK,
20
          UNIQUE (MNUID, USRID) CONSTRAINT SYSCUSRP1,
          FOREIGN KEY(MNUID) REFERENCES SYSTMNU(ID) CONSTRAINT SYSCUSRPFK1
25
      ) LOCK MODE ROW;
                                            Table 5: Unique IDs
30
      CREATE TABLE SYSTID
35
                  CHAR (20) NOT NULL,
         NM
         LSTID INTS NOT NULL,
40
         PRIMARY KEY(NM)
      ) LOCK MODE ROW;
45
                                       Table 6: Authorization Responses
      CREATE TABLE N30TCDRSP
50
      ' ID
                 INTEGER NOT NULL,
         DESC
                  CHAR (20) NOT NULL,
55
         PRIMARY KEY (ID),
60
         UNIQUE (DESC)
      ) LOCK MODE ROW;
65
                                          Table 7: Application Status
      CREATE TABLE N30TCDAST
70
         ID
                  INTEGER NOT NULL,
```

```
DESC
                  CHAR (20) NOT NULL,
 5
          PRIMARY KEY (ID),
          UNIQUE (DESC)
      ) LOCK MODE ROW;
10
                                           Table 8: Payment Terms
      CREATE TABLE N3OTCDPMT
15
          ID
                  INTEGER NOT NULL,
20
          DESC
                  CHAR (20) NOT NULL,
          FEE
                  DECIMAL(8,4) NOT NULL,
25
          PRIMARY KEY (ID),
          UNIQUE (DESC)
30
      ) LOCK MODE ROW;
                                          Table 9: Transaction Types
35
      CREATE TABLE N3OTCDTRN
          ID
                 INTEGER NOT NULL,
40
          DESC
                  CHAR (20) NOT NULL,
45
          PRIMARY KEY (ID),
          UNIQUE (DESC)
     ) LOCK MODE ROW;
50
                                       Table 10: Transaction Detail Types
      CREATE TABLE N30TCDTRND
55
          ID
                  INTEGER NOT NULL,
60
          DESC
                  CHAR (50) NOT NULL,
          BADJ
                  MONEY(14,2) NOT NULL ,
          CADJ
                  MONEY(14,2) NOT NULL ,
65
          PRIMARY KEY (ID),
70
          UNIQUE (DESC)
```

```
) LOCK MODE ROW;
                                         Table 11: Industry Codes
 5
      CREATE TABLE N30TCDIND
10
         ID INTEGER NOT NULL,
         DESC CHAR (50) NOT NULL,
15
         PRIMARY KEY (ID),
         UNIQUE (DESC)
20
    ) LOCK MODE ROW;
                                         Table 12: US State Codes
25
     CREATE TABLE N30TCDUSS
         CD CHAR(2) NOT NULL,
30
         DESC CHAR(20) NOT NULL,
35
         PRIMARY KEY (CD),
         UNIQUE (DESC)
     ) LOCK MODE ROW;
40
                                      Table 13: ISO 3166 Country Codes
     CREATE TABLE N30TCD3166
45
      (
         CD CHAR(2) NOT NULL,
50
    DESC CHAR(20) NOT NULL,
         PRIMARY KEY (CD),
55
         UNIQUE (DESC)
     ) LOCK MODE ROW;
60
                                        Table 14: Contact Type Codes
     CREATE TABLE N30TCDCON
65
         ID
                INTEGER NOT NULL,
         DESC
                CHAR (20) NOT NULL,
70
         PRI
                 CHAR(1) NOT NULL CHECK (PRI IN ('Y', 'N')),
```

-37-

```
PRIMARY KEY (ID),
 5
        UNIQUE (DESC)
      ) LOCK MODE ROW;
10
                                            Table 15: Card Status
      CREATE TABLE N30TCDCHCS
15
          ID
                 INTEGER NOT NULL,
          DESC CHAR (20) NOT NULL,
20
         AUTH CHAR(1) NOT NULL,
         PRIMARY KEY (ID),
25
         UNIQUE (DESC)
      ) LOCK MODE ROW;
30
                                           Table 16: Credit Status
      CREATE TABLE N30TCDCHS
35
         ID
                 INTEGER NOT NULL,
          DESC CHAR (20) NOT NULL,
40
          AUTH
                  CHAR(1) NOT NULL,
45
          PRIMARY KEY (ID),
          UNIQUE (DESC)
      ) LOCK MODE ROW;
50
                                         Table 17: Credit Application
      CREATE TABLE N30TAPP
55
      (
           ID INTEGER NOT NULL,
60
           CH
                  CHARACTER (1),
           EMAIL CHARACTER (30),
           FNAM
                 CHARACTER (30),
65
           LNAM
                 CHARACTER (30),
           MNAM
                  CHARACTER (30),
70
           CPNAM CHARACTER (40),
```

```
PHO
                   CHARACTER (20),
            FAX
                   CHARACTER (20),
 5
           ADR1
                   CHARACTER (30),
           ADR2
                   CHARACTER (30),
           ADR3
                   CHARACTER (30),
10
           CTY
                   CHARACTER (25),
           ST
                   CHARACTER(2),
15
           ZIP
                   CHARACTER (10),
           CTRY
                   CHARACTER (2),
           BFNAM
                    CHARACTER (30),
20
           BLNAM
                    CHARACTER (30),
           BPHN
                    CHARACTER (20),
25
           BADR1 CHARACTER (30),
           BADR2
                   CHARACTER (30),
           BADR3
                   CHARACTER (30),
30
           BCTY
                   CHARACTER (25),
           BST
                   CHARACTER (2),
35
           BZIP
                   CHARACTER (10),
           BCTRY CHARACTER(2),
           OFF
                   CHARACTER (30),
40
           OFFT
                   CHARACTER (30),
           CON
                   CHARACTER (30),
45
           CDINDID
                       INTEGER NOT NULL,
                   CHARACTER (20),
           DUNS
           DBA
                   CHARACTER (30),
50
           PCPY
                   CHARACTER (30),
           TAXID CHARACTER (20),
55
           ASLS
                   CHARACTER (20),
           EDATE CHARACTER (20),
           LOCS
                   CHARACTER (5),
60
           EMPS
                   CHARACTER (5),
           TBUS
                   CHARACTER (20),
65
           BKNAM
                   CHARACTER (30),
                   CHARACTER (30),
           BKCON
           BKADR CHARACTER (40),
70
           BKCTY CHARACTER (25),
```

```
BKST
                 CHARACTER (2),
           BKZIP CHARACTER (10),
 5
           BKPHO CHARACTER (20),
           CKGNUM CHARACTER (20),
           SAVNUM CHARACTER (20),
10
           TRINAM CHARACTER (30),
           TRIADR CHARACTER (40),
15
           TRICTY CHARACTER (25),
           TRIST CHARACTER (2),
           TRIZIP CHARACTER (10),
20
           TR2NAM CHARACTER (30),
           TR2ADR CHARACTER (40),
25
           TR2CTY CHARACTER (25),
           TR2ST CHARACTER (2),
           TR2ZIP CHARACTER (10),
30
           SG1
                 CHARACTER (1),
           SG2
                 CHARACTER (1),
35
           APPDT DATETIME YEAR TO SECOND,
                 CHARACTER (1),
           MAIL
           FINFO CHARACTER(1),
40
           EINFO CHARACTER(1),
           STAT
                 CHARACTER (20),
45
           ACCID INTEGER,
                                  { account assigned or null }
           ACCGID INTEGER,
                                  { guarantor account }
                                  { limit date }
                 DATE,
           LDT
50
                 DECIMAL(14,2), { limit amount }
           LAMT
                                  { limit source }
           LSRC
                 CHAR (25),
55
           GFEE
                 DECIMAL(8, 4), { guarantor fee }
           GCST
                 CHAR (25),
                                  { guarantor customer id }
                                  { association }
           ACCAID INTEGER,
60
           AFEE
                 DECIMAL(8 ,4), { association fee }
           CNAM1 CHAR (35),
65
           CNUM1 CHAR(16),
           CNAM2 CHAR (35),
           CNUM2 CHAR (16),
70
           CNAM3 CHAR (35),
```

```
CNUM3 CHAR (16),
                  CHAR (25) NOT NULL, { source
           SRC
 5
           SNTDTTM
                      DATETIME YEAR TO SECOND,
           RSPDTTM
                      DATETIME YEAR TO SECOND,
10
           PRIMARY KEY (ID)
     ) lock mode row;
15
                                          Table 18: NET30/Accounts
     CREATE TABLE N30TACC
20
                                             { account id
         ID
                 INTEGER NOT NULL,
                                             { account type
         TYP
                  CHAR (1) NOT NULL,
25
         CDINDID INTEGER NOT NULL,
                                            { industry code }
                                             { federal tax id or vat }
         TAXID
                   CHAR (14),
30
         CRTUSRID CHAR (15) NOT NULL,
                                            { create user id }
          CRTDTTM DATETIME
                                             { create datetime }
                   YEAR TO SECOND NOT NULL,
35
         CRTSRVR CHAR (15) NOT NULL,
                                            { create server }
         CRTCLNT CHAR (15) NOT NULL,
                                            { create client }
40
         CHGUSRID CHAR (15) NOT NULL,
                                            { change by user }
         CHGDTTM DATETIME
                                             { change datetime }
                   YEAR TO SECOND NOT NULL,
45.
                                             { change server }
         CHGSRVR CHAR (15) NOT NULL,
         CHGCLNT CHAR (15) NOT NULL,
                                             { change client }
50
          PRIMARY KEY (ID) CONSTRAINT N30CACCPK,
         CHECK (TYP IN ('A', 'C', 'F', 'G', 'I', 'M')) CONSTRAINT N30CACC1
55
      ) LOCK MODE ROW;
                                       Table 19: NET30/Account Names
60
     CREATE TABLE N30TACCNAM
65
                   INTEGER NOT NULL,
                                              { name id
         ID
                                                                }
         ACCID
                  INTEGER NOT NULL,
                                              { account id
                   CHAR(1) NOT NULL,
                                              {Y/N, N = DBA}
         PRI
                                                                }
70
                   CHAR(100) NOT NULL,
         NAM
                                              ( name
                                                                }
```

```
CNAM
                   CHAR (100)
                   DEFAULT "NOT DONE"
 5
                   NOT NULL,
                                                {compress name
                                                                  }
          -- TODO: constraint to make sure there is one primary and zero or more non-primary.
10
          PRIMARY KEY (ID) CONSTRAINT N30CACCNAMPK,
          FOREIGN KEY (ACCID) REFERENCES N30TACC (ID) CONSTRAINT N30ACCNAMFK1,
15
          CHECK (PRI IN ('Y', 'N')) CONSTRAINT N30ACCNAM1
      ) LOCK MODE ROW;
      CREATE INDEX N30IACCNAM1 ON N30TACCNAM (NAM, ACCID);
20
      CREATE INDEX N301ACCNAM2 ON N30TACCNAM (CNAM);
                                        Table 20: NET30/Account Contacts
25
      CREATE TABLE N30TACCCON
30
                   INTEGER NOT NULL,
          ID
                                            { contact id
                                                              }
          ACCID
                   INTEGER NOT NULL,
                                            { account id
          CDCONID INTEGER NOT NULL,
                                            { contact type }
35
          LNM
                   CHAR (25),
                                            { last name
                   CHAR (25),
          FNM
                                            { first name
                                                              }
40
          MNM
                   CHAR (25),
                                            { middle name
                                                              }
                                            { job title
                                                              }
          JOB
                   CHAR (40),
          DPT
                   CHAR (40),
                                            { department
                                                              }
45
          URL
                   CHAR (100),
                                            { www url
                   CHAR (80),
                                            { email address }
          EML
50
          PHN
                   CHAR (20),
                                            { voice phone
                                                              }
                   CHAR (20),
                                            { fax number
          FAX
                   CHAR (20),
                                            { mobile phone
          MBL
                                                             }
55
                                            { pager number
          PGR
                   CHAR (20),
                   CHAR (1000),
                                            { notes
                                                              }
          NTS
60
          ATTN
                   CHAR (40),
                                            { attn: line
          ADDR1
                   CHAR (40),
                                            { address 1
                                                              }
          ADDR2
                   CHAR (40),
                                            { address 2
                                                              }
65
          ADDR3
                   CHAR (40),
                                            { address 3
                   CHAR (40),
                                            { city
                                                              }
          CTY
70
          STCODID CHAR(2),
                                            { state code
                                                              }
```

```
ZIP
                   CHAR (14),
                                           { zip
          CYCODID CHAR(2),
                                           { country code
 5
          -- TODO: Need FK constraints on codes.
          PRIMARY KEY (ID) CONSTRAINT N30CACCCONPK.
10
          FOREIGN KEY (ACCID) REFERENCES N30TACC (ID) CONSTRAINT N30CACCCONFK1
      ) LOCK MODE ROW;
15
      CREATE UNIQUE INDEX N301ACCCON ON N30TACCCON (ACCID, CDCONID);
                                       Table 21: NET30/Account Balances
20
     CREATE TABLE N30TACCBAL
      (
          ID
                   INT8 NOT NULL,
                                           ( unique id
25
          YR
                                           { year, 2000... }
                   INTEGER NOT NULL,
          PD
                   INTEGER NOT NULL,
                                           { period
30
                   INTEGER NOT NULL,
          ACCID
                                           { account id
                   MONEY (14,2) NOT NULL, { current pd beg balance }
          BBL
          EBL
                   MONEY (14,2) NOT NULL, { current/ending balance }
35
                   MONEY (14,2) NOT NULL, { pd beg auth balance }
          CBBL
          CEBL
                   MONEY (14,2) NOT NULL, { current/ending auth bal }
40
          PRIMARY KEY (ID),
          UNIQUE (YR, PD, ACCID),
45
          FOREIGN KEY (ACCID) REFERENCES N30TACC (ID) CONSTRAINT N30CACCBALFK1
     ) LOCK MODE ROW;
50
                                     Table 22: NET30/Account Audit History
     CREATE TABLE N30TACCAUD
55
          ID
                INTS NOT NULL,
                                           { id
         ACCID INTEGER NOT NULL,
                                          { account number }
60
                CHAR(20) NOT NULL,
         ATTR
                                          { attribute
         OVAL
                CHAR(20) NOT NULL,
                                          { old value
                                                           }
65
         NVAL
                CHAR(20) NOT NULL,
                                           { new value
                                                           }
         CRTUSRID CHAR (15) NOT NULL,
                                            { create user id }
70
          CRTDTTM DATETIME
                                            { create datetime }
```

```
YEAR TO SECOND NOT NULL,
          CRTSRVR CHAR (15) NOT NULL,
                                             { create server }
 5
          CRTCLNT CHAR (15) NOT NULL,
                                             { create client }
          CHGUSRID CHAR(15) NOT NULL,
                                             { change by user }
          CHGDTTM DATETIME
                                             { change datetime }
10
                   YEAR TO SECOND NOT NULL,
          CHGSRVR CHAR (15) NOT NULL,
                                             { change server }
15
          CHGCLNT CHAR (15) NOT NULL,
                                             { change client }
          PRIMARY KEY (ID) CONSTRAINT N30CACCAUDPK,
20
          FOREIGN KEY (ACCID) REFERENCES N30TACC(ID) CONSTRAINT N30CACCAUDFK1
      ) LOCK MODE ROW;
25
                                   Table 23: NET30/Merchant Account Master
     CREATE TABLE N3OTACCM
30
          ID
                  INTEGER NOT NULL,
                                            { account id
                                                                 }
          STDT
                 DATE,
35
          PRIMARY KEY (ID),
40
          FOREIGN KEY (ID) REFERENCES N30TACC(ID)
     ) LOCK MODE ROW;
45
                                            Table 24: Networks
     CREATE TABLE N3OTNTWRK
50
          ID
                 INTEGER NOT NULL,
                                             { unique id
         NAM
                CHAR (20) NOT NULL,
                                             { network name
                                                               }
55
          CRTUSRID CHAR (15) NOT NULL,
                                             { create user id }
          CRTDTTM DATETIME
                                             { create datetime }
60
                   YEAR TO SECOND NOT NULL,
          CRTSRVR CHAR(15) NOT NULL,
                                            { create server }
65
          CRTCLNT CHAR (15) NOT NULL,
                                            { create client }
         CHGUSRID CHAR (15) NOT NULL,
                                            { change by user }
                                            { change datetime }
          CHGDTTM DATETIME
70
```

YEAR TO SECOND NOT NULL,

```
CHGSRVR CHAR (15) NOT NULL,
                                             { change server
          CHGCLNT CHAR (15) NOT NULL,
                                             { change client }
 5
          PRIMARY KEY (ID) CONSTRAINT N30CNTWRKPK
      ) LOCK MODE ROW;
10
                                         Table 25: Merchant Terminals
      CREATE TABLE N30TACCMTRM
15
                  INTEGER NOT NULL,
                                             { unique id
          ID
20
         ACCMID INTEGER NOT NULL,
                                             { merchant id
                                             { network id
         NTWRKID INTEGER NOT NULL,
         TRMADDR CHAR (20) NOT NULL,
                                             { terminal address}
25
          ACT
                  CHAR(1) NOT NULL,
30
         CRTUSRID CHAR (15) NOT NULL,
                                             { create user id }
          CRTDTTM DATETIME
                                             { create datetime }
                   YEAR TO SECOND NOT NULL,
35
          CRTSRVR CHAR(15) NOT NULL,
                                             { create server
          CRTCLNT CHAR (15) NOT NULL,
                                             { create client }
40
         CHGUSRID CHAR (15) NOT NULL,
                                             { change by user }
                                             { change datetime }
          CHGDTTM DATETIME
                   YEAR TO SECOND NOT NULL,
45
                                             { change server
          CHGSRVR CHAR (15) NOT NULL,
          CHGCLNT CHAR (15) NOT NULL,
                                             { change client
50
          PRIMARY KEY (ID) CONSTRAINT N30CACCMTRMPK,
          UNIQUE (NTWRKID, TRMADDR) CONSTRAINT N30CACCMTRM2,
55
          FOREIGN KEY (ACCMID) REFERENCES N30TACCM(ID),
          FOREIGN KEY (NTWRKID) REFERENCES N30TNTWRK(ID)
60
      ) LOCK MODE ROW;
                                    Table 26: NET30/Guarantor Account Master
65
     CREATE TABLE N30TACCG
          ID
                  INTEGER NOT NULL,
                                             { account id
70
                  MONEY (14,2) NOT NULL,
         MIN
```

-45-

```
PRIMARY KEY (ID),
 5
         FOREIGN KEY (ID) REFERENCES N30TACC(ID)
      ) LOCK MODE ROW;
10
                                   Table 27: NET30/Association Account Master
      CREATE TABLE N3OTACCA
15
          ID
                  INTEGER NOT NULL,
                                            { account id
                                                                 }
          SRC
                  CHAR (20) NOT NULL,
20
         PRIMARY KEY (ID),
         FOREIGN KEY (ID) REFERENCES N30TACC(ID)
25
      ) LOCK MODE ROW;
                                     Table 28: NET30/Issuer Account Master
30
      CREATE TABLE N3OTACCI
35
                                             { account id
                                                               }
         ID
                  INTEGER NOT NULL,
          ATR
                  CHAR (10) NOT NULL,
40
         PRIMARY KEY (ID),
          FOREIGN KEY (ID) REFERENCES N30TACC(ID)
45
      ) LOCK MODE ROW;
                                  Table 29: NET30/Card Holder Account Master
50
      CREATE TABLE N30TACCCH
          ID
                  INTEGER NOT NULL,
                                            { account id
55
                                            { guarantor accid }
          GACCID INTEGER NOT NULL,
          GCID
                  CHAR (20),
                                            { guarantor cust id }
60
                                             { guarantor fee % }
          GFEE
                  DECIMAL(6,4) NOT NULL,
          CDCHSID INTEGER NOT NULL,
                                            { credit status
                                                              }
          AACCID INTEGER,
                                            { assoc acct id
65
                  DECIMAL(6,4),
                                              { assoc fee %
                                                               . }
          AFEE
                  MONEY(14,2),
                                            { limit amt
                                                                }
          LAMT
70
          LDT
                  DATE,
                                            { limit date
```

```
LSRC
                  CHAR (20),
                                           { limit source
                                                               }
         SRC
                                            { cr line source
                                                               }
                  CHAR (20).
 5
         PRIMARY KEY (ID) CONSTRAINT N30CACCCHPK,
         FOREIGN KEY (ID) REFERENCES N30TACC(ID) CONSTRAINT N30CACCCHFK1,
10
         FOREIGN KEY (GACCID) REFERENCES N30TACC(ID) CONSTRAINT N30CACCCHFK2,
         FOREIGN KEY (AACCID) REFERENCES N30TACC(ID) CONSTRAINT N30CACCCHFK3
15
     ) LOCK MODE ROW;
     -- CREATE UNIQUE INDEX N30IACCCH1 ON N30TACCCH (GACCID, GCID);
20
                                     Table 30: NET30/Card Holder Cards
     CREATE TABLE N3OTACCCHC
25
                                           { card id}
         ID
                  INTEGER NOT NULL,
                                           { card number
                                                               }
         CNUM
                 INT8 NOT NULL,
30
         ACCID
                INTEGER NOT NULL,
                                           { account id
                  CHAR(50) NOT NULL,
                                           { name on card
         NM
         IDT
                 DATE NOT NULL,
                                           { issue date
35
                 DATE NOT NULL,
                                           { expire date
         EDT
         CDCHCSID INTEGER NOT NULL,
                                           { card status
40
         PIN
                  CHAR (15),
                                           { pin code or null }
                                             { card batch or null }
         ACCCHCBID INTEGER,
45
         PRIMARY KEY (ID) CONSTRAINT N30CACCCHCPK,
         FOREIGN KEY (ACCID) REFERENCES N30TACC(ID) CONSTRAINT N30CACCCHCFK1,
50
         UNIQUE (CNUM) CONSTRAINT N30CACCCHC3
     ) LOCK MODE ROW;
     CREATE UNIQUE INDEX N301ACCCHC1 ON N30TACCCHC (ACCID, ID);
55
                                Table 31: NET30/Card Holder Credit Limit History
     CREATE TABLE N30TACCCHL
60
                                           {unique id }
         ID
                  INT8 NOT NULL,
65
         ACCID INTEGER NOT NULL,
                                           { account id
         LAMT
                  MONEY(14,2),
                                           { limit amt
                  DATE.
                                           { limit date
                                                               }
         LDT
70
                  CHAR (20),
                                           { limit source
         LSRC
```

```
CRTUSRID CHAR(15) NOT NULL,
                                               { create user id }
          CRTDTTM DATETIME
                                               { create datetime }
 5
                    YEAR TO SECOND NOT NULL,
          CRTSRVR CHAR(15) NOT NULL,
                                               { create server
          CRTCLNT CHAR (15) NOT NULL,
                                               { create client
10
          CHGUSRID CHAR(15) NOT NULL,
                                               { change by user }
          CHGDTTM DATETIME
                                               { change datetime }
15
                    YEAR TO SECOND NOT NULL,
          CHGSRVR CHAR (15) NOT NULL,
                                               { change server
          CHGCLNT CHAR(15) NOT NULL,
                                               { change client
20
          PRIMARY KEY (ID) CONSTRAINT N30CACCCHLPK,
25
          FOREIGN KEY (ACCID) REFERENCES N30TACC(ID) CONSTRAINT N30CACCCHLFK1
      ) LOCK MODE ROW;
30
                                  Table 32: NET30/Card Holder Authorization Attempts
        (Logs failed or successful attempt to authorize against a card. Only APPROVED authorizations make it into the transaction table)
      CREATE TABLE N30TACCCHA
35
          ID
                       INT8 NOT NULL,
                                                    { AUTH id
                                                                              }
          ACCCHID
                       INTEGER,
                                                   { card holder
                                                                             }
40
          ACCCHCID
                       INTEGER.
                                                   { card
          CNUM
                       CHAR (16),
                                                   { card number entered
45
          ACCMID
                                                    { merchant -- maybe invalid, but req }
                       INTEGER NOT NULL,
          DOC
                       CHAR (20).
                                                    { po, inv, etc
          DTTM
                       DATETIME
                                                    { actual date/time
50
                       YEAR TO SECOND NOT NULL,
          CDRSPID
                       INTEGER NOT NULL,
                                                     { auth response
55
          ACCTRNID
                       INT8 NOT NULL,
                                                  {auth tran id
          CRBAL
                       MONEY (14,2),
                                                  {avail cr
          MAM
                       CHAR (35),
                                                  { name on card
60
          EXP
                       CHAR (10),
                                                  { expiration given }
65
          CRTUSRID
                       CHAR(15) NOT NULL,
                                                  { create user id }
          CRTDTTM
                       DATETIME
                                                  { create datetime }
                       YEAR TO SECOND NOT NULL,
70
          CRTSRVR
                       CHAR(15) NOT NULL,
                                                  { create server }
```

```
CRTCLNT
                        CHAR (15) NOT NULL,
                                                   { create client
           CHGUSRID
                        CHAR (15) NOT NULL,
                                                    { change by user }
 5
           CHGDTTM
                        DATETIME
                                                    { change datetime }
                        YEAR TO SECOND NOT NULL,
           CHGSRVR
                        CHAR (15) NOT NULL,
                                                   { change server
10
           CHGCLNT
                        CHAR (15) NOT NULL,
                                                   { change client
15
           PRIMARY KEY(ID) CONSTRAINT N30CACCCHAPK
      ) LOCK MODE ROW;
20
                                   Table 33: NET30/Account Transaction Master Table
           (Describes a single authorization, invoice receipt, payment receipt, merchant check, promotional; balance adjustment, etc.)
      CREATE TABLE N30TACCTRN
25
          ID
                        INTS NOT NULL,
                                                     { tran id
                                                                       }
          CDTRNID
                        INTEGER NOT NULL,
                                                     { transaction type }
30
          YR
                        INTEGER NOT NULL,
                                                     { year
          PD
                        INTEGER NOT NULL,
                                                     { period
35
                                                                               } `
          GRP
                       INT8 NOT NULL,
                                                     { group id
          ACCCHID
                        INTEGER NOT NULL,
                                                     { card holder
          ACCCHCID
                       INTEGER NOT NULL,
                                                     { card
40
          ACCMID
                       INTEGER NOT NULL,
                                                     { merchant
          AMT
                       MONEY(14,2) NOT NULL,
                                                     { amount
45
          DOC
                       CHAR (20).
                                                     { po, inv, chk#, etc
          DTTM
                       DATETIME
                                                     { actual date/time
                       YEAR TO SECOND NOT NULL,
50
          CDPMTID
                       INTEGER NOT NULL,
                                                     { terms
                                                                               }
          ACCGSLID
                       INT8.
                                                     ( sales batch id
55
          CRTUSRID CHAR(15) NOT NULL,
                                                { create user id }
          CRTDTTM DATETIME
                                                { create datetime }
60
                    YEAR TO SECOND NOT NULL,
          CRTSRVR CHAR (15) NOT NULL,
                                                { create server
65
          CRTCLNT CHAR (15) NOT NULL,
                                                ( create client
          CHGUSRID CHAR (15) NOT NULL,
                                                { change by user }
          CHGDTTM DATETIME
                                                { change datetime }
70
                    YEAR TO SECOND NOT NULL,
```

-49-

```
CHGSRVR CHAR (15) NOT NULL,
                                             { change server }
                                             { change client
          CHGCLNT CHAR(15) NOT NULL,
 5
          PRIMARY KEY(ID) CONSTRAINT N30CACCTRNPK
      ) LOCK MODE ROW;
10
      CREATE INDEX N301ACCTRN1 ON N30TACCTRN(CRTDTTM, CDTRNID);
                                   Table 34: NET30/Account Transaction Detail
15
      CREATE TABLE N30TACCTRND
20
         ID
                   INTS NOT NULL,
                                           { tran id
         YR
                   INTEGER NOT NULL,
                                           { year
          PD
                   INTEGER NOT NULL,
                                           { period
                                                            }
25
         ACCID
                   INTEGER NOT NULL,
                                           { account id
         ACCTRNID INT8 NOT NULL,
                                           {paren tran
                                                              }
30
         CDTRNDID INTEGER NOT NULL,
                                           {tran type
                                                            }
         DTTM
                   DATETIME
                                           { tran timestamp }
                   YEAR TO SECOND NOT NULL,
35
         AMT
                   MONEY (14,2) NOT NULL, { tran amount
                   MONEY (14,2) NOT NULL, { new bal amount }
         EBL
40
         CEBL
                   MONEY (14,2) NOT NULL, { new cr bal amt }
          STMT
                   INTS NOT NULL,
                                           { statement id }
45
         CRTUSRID CHAR (15) NOT NULL,
                                             { create user id }
         CRTDTTM DATETIME
                                             { create datetime }
50
                   YEAR TO SECOND NOT NULL,
         CRTSRVR CHAR (15) NOT NULL,
                                             { create server }
         CRTCLNT CHAR (15) NOT NULL,
                                             { create client
55
         CHGUSRID CHAR(15) NOT NULL,
                                             { change by user }
         CHGDTTM DATETIME
                                             { change datetime }
60
                   YEAR TO SECOND NOT NULL,
         CHGSRVR CHAR (15) NOT NULL,
                                             { change server
         CHGCLNT CHAR (15) NOT NULL,
                                             { change client
65
         PRIMARY KEY(ID) CONSTRAINT N30CACCTRNDPK,
70
         FOREIGN KEY (ACCTRNID) REFERENCES N30TACCTRN(ID) CONSTRAINT N30CACCTRNDFK1
```

-50-

) LOCK MODE ROW;

```
Table 35:
 5
      CREATE TABLE N30TACCS
          ID
                      INT8 NOT NULL,
                                                   { stmt id
10
          ACCSBID
                      INTEGER NOT NULL,
                                                   { stmt batch id
          FRDT
                      DATE NOT NULL,
                                                   { from date
15
          THDT
                      DATE NOT NULL,
                                                   { through date
          ACCID
                      INTEGER NOT NULL,
                                                   { account id
          BBL
                      MONEY (14,2) NOT NULL,
                                                   { beg bal
20
          CBB
                      MONEY(14,2) NOT NULL,
                                                   { beg cr bal
          EBL
                      MONEY(14,2) NOT NULL,
                                                   { end bal
25
                      MONEY(14,2) NOT NULL,
                                                   { end cr bal
          CEBL
          LAMT
                      MONEY (14,2),
                                                . { cr limit if ch
                                                   { available cr bal
          AVL
                      MONEY (14,2),
30
          CRTUSRID
                      CHAR (15) NOT NULL,
                                                 { create user id }
35
          CRTDTTM
                      DATETIME
                                                 { create datetime }
                      YEAR TO SECOND NOT NULL,
          CRTSRVR
                      CHAR (15) NOT NULL,
                                                 { create server }
40
          CRTCLNT
                      CHAR(15) NOT NULL,
                                                 { create client
          CHGUSRID
                      CHAR (15) NOT NULL,
                                                 { change by user }
45
          CHGDTTM
                      DATETIME
                                                 { change datetime }
                      YEAR TO SECOND NOT NULL,
          CHGSRVR
                                                 { change server
                      CHAR (15) NOT NULL,
                                                                   }
50
                      CHAR(15) NOT NULL,
                                                 { change client
          CHGCLNT
55
          PRIMARY KEY(ID) CONSTRAINT N30CACCSPK,
          FOREIGN KEY(ACCID) REFERENCES N30TACC(ID) CONSTRAINT N30CACCSFK1
      ) LOCK MODE ROW;
60
                                        VIEW: NET30/Card Holder Fees
      CREATE VIEW N30VACCCH1
65
      AS
          SELECT ID, GACCID, GFEE, AACCID, AFEE
70
          FROM N30TACCCH;
```

VIEW: NET30/Transaction Detail → Statement

```
create view n30vacctrnd1 as
 5
      select
          det.yr, det.pd, det.accid, det.acctrnid, det.id, det.dttm,
10
          det.amt as damt, det.ebl, det.cebl, ddsc.desc as ddesc, det.stmt,
          ddsc.badj, ddsc.cadj,
          chnam.nam as chnam, crd.cnum, mernam.nam as mernam, trn.amt as tamt, trn.doc,
15
          trn.dttm as tdttm, tdsc.desc as tdesc
      from
20
          n30tacctrnd as det,
          n30tcdtrnd as ddsc,
          n30tacctrn as trn,
25
          n30tcdtrn as tdsc,
          outer n30taccnam as chnam,
30
          outer n30taccnam as mernam,
          outer n30taccchc as crd
     where
35
          det.cdtrndid = ddsc.id
     and det.acctrnid = trn.id
40
     and trn.cdtrnid = tdsc.id
     and trn.accchid = chnam.accid and chnam.pri = 'Y'
     and trn.accmid = mernam.accid and mernam.pri = 'Y'
45
      and trn.accchcid = crd.id
                                        Table 36: Guarantor Sales Batch
50
     CREATE TABLE N30TACCGSL
55
          ID
                                                  { UNIQUE ID
                      INTS NOT NULL,
         ACCGID
                      INTEGER NOT NULL,
                                                  { GUARANTOR ACCOUNT ID }
          SIZ
                      INTEGER NOT NULL,
                                                  { DETAIL ITEM COUNT .
60
          CRB
                      CHAR(1)
                                                  { credit/debit batch
                                                                           }
                      CHECK (CRB IN ('Y', 'N')),
65
         TXDTTM
                      DATETIME
                                                  { TRANSMIT DATETIME
                                                                           }
                      YEAR TO SECOND,
          CRTUSRID
                      CHAR (15) NOT NULL,
                                                { create user id }
70
          CRTDTTM
                      DATETIME
                                                { create datetime }
```

```
YEAR TO SECOND NOT NULL,
          CRTSRVR
                      CHAR (15) NOT NULL,
                                                 { create server }
 5
          CRTCLNT
                      CHAR (15) NOT NULL,
                                                 { create client }
          CHGUSRID
                      CHAR(15) NOT NULL,
                                                 { change by user }
          CHGDTTM
                      DATETIME
                                                 { change datetime }
10
                      YEAR TO SECOND NOT NULL,
          CHGSRVR
                      CHAR (15) NOT NULL,
                                                 { change server }
15
          CHGCLNT
                      CHAR(15) NOT NULL,
                                                 { change client
          PRIMARY KEY(ID) CONSTRAINT N30CACCGSLPK,
20
          FOREIGN KEY (ACCGID) REFERENCES N30TACCG (ID) CONSTRAINT N30CACCGSLFK1
      ) ;
25
                                          Table 37: Card Batch Statuses
      CREATE TABLE N30TCDCHCB
30
          ID
                  INTEGER NOT NULL,
          DESC
                  CHAR (20) NOT NULL,
35
          PRIMARY KEY (ID),
40
        . UNIQUE (DESC)
      ) LOCK MODE ROW;
45
                                    Table 38: Card Printing/Embossing Batches
      CREATE TABLE N30TACCCHCB
50
          ID
                      INTEGER NOT NULL,
                                                 { unique id }
          CDCHCBID
                      INTEGER NOT NULL.
                                                 { batch status
                                                                   }
55
          CNT
                      INTEGER NOT NULL,
                                                 { number of cards }
          SELDTTM
                      DATETIME
                                                 { select timestamp }
                      YEAR TO SECOND,
60
          RCVDTTM
                      DATETIME
                                                 { receiv timestamp }
                      YEAR TO SECOND,
65
          CRTUSRID
                      CHAR (15) NOT NULL,
                                                 { create user id }
          CRTDTTM
                      DATETIME
                                                 { create datetime }
                      YEAR TO SECOND NOT NULL,
70
          CRTSRVR
                      CHAR(15) NOT NULL,
                                                 { create server }
```

```
CRTCLNT
                       CHAR(15) NOT NULL,
                                                   { create client
          CHGUSRID
                       CHAR (15) NOT NULL,
                                                   { change by user }
 5
          CHGDTTM
                       DATETIME
                                                   { change datetime }
                       YEAR TO SECOND NOT NULL,
          CHGSRVR
                       CHAR(15) NOT NULL,
                                                   { change server
                                                                     }
10
          CHGCLNT
                       CHAR(15) NOT NULL,
                                                   { change client
15
          PRIMARY KEY(ID) CONSTRAINT N30CACCCHCBPK
      ) LOCK MODE ROW;
20
                                         Table 39: Card Holder Application
      CREATE TABLE N30TAPPCH
25
          ID INTEGER NOT NULL,
30
          FNAM
                       CHARACTER (30) NOT NULL,
          LNAM
                       CHARACTER (30) NOT NULL,
          MAMM
                       CHARACTER (30),
35
          CPNAM
                       CHARACTER (40) NOT NULL,
          ADR1
                       CHARACTER (30) NOT NULL,
40
          ADR2
                       CHARACTER (30),
                       CHARACTER (30),
          ADR3
          CTY
                       CHARACTER (25) NOT NULL,
45
          ST
                       CHARACTER (2) NOT NULL,
          ZIP
                       CHARACTER(10) NOT NULL,
50
          CTRY
                       CHARACTER (2),
          PHO
                       CHARACTER (20) NOT NULL,
          FAX
                       CHARACTER (20),
55
          EMAIL
                       CHARACTER (30),
          BADR1
                       CHARACTER (30) NOT NULL,
60
          BADR2
                       CHARACTER (30),
          BADR3
                       CHARACTER (30),
          BCTY
                       CHARACTER (25) NOT NULL,
65
          BST
                       CHARACTER(2) NOT NULL,
          BZIP
                       CHARACTER (10) NOT NULL,
70
          BCTRY
                       CHARACTER (2),
```

	OFF	CHARACTER(30) NOT NULL,
	OFFT	CHARACTER (30) NOT NULL,
5	CON	CHARACTER(30) NOT NULL,
	CONT	CHARACTER (30) NOT NULL,
10	CDINDID	INTEGER NOT NULL,
10	Locs	INTEGER NOT NULL,
	DUNS	CHARACTER (20),
15	DBA	CHARACTER (30),
	PCPY	CHARACTER (30),
20	TAXID	CHARACTER (20),
20	ASLS	INTEGER NOT NULL,
	EDATE	CHARACTER (20) NOT NULL,
25	EMPS	INTEGER NOT NULL,
	CNAM1	CHARACTER (35) NOT NULL,
30	CNUM1	CHARACTER (16),
JU	CNAM2	CHARACTER (35),
	CNUM2	CHARACTER (16),
35	CNAM3	CHARACTER (35),
	CNUM3	CHARACTER (16),
40	BKNAM	CHARACTER (30),
70	BKCON	CHARACTER (30),
	BKADR	CHARACTER (40),
45	CKGNUM	CHARACTER (20),
	вксту	CHARACTER (25),
50	BKST	CHARACTER(2),
	BKZIP	CHARACTER(10),
	вкрно	CHARACTER (20),
55	BKCTRY	CHARACTER(2),
	SAVNUM	CHARACTER (20),
60	BINAM	CHARACTER (30),
	BlPHN	CHARACTER (20),
65	B1ADR1	CHARACTER (30),
	B1ADR2	CHARACTER (30),
	B1ADR3	CHARACTER (30),
70	BlCTY	CHARACTER (25),
	BIST	CHARACTER (2),

```
BIZIP
                      CHARACTER (10),
          B1CTRY
                      CHARACTER (2),
 5
          B2NAM
                      CHARACTER (30),
          B2PHN
                      CHARACTER (20),
          B2ADR1
                      CHARACTER (30),
10
          B2ADR2
                      CHARACTER (30),
          B2ADR3
                      CHARACTER (30),
15
          B2CTY
                      CHARACTER (25),
          B2ST
                      CHARACTER (2),
          B2ZIP
                      CHARACTER(10),
20
          B2CTRY
                      CHARACTER (2),
          SIG1
                      CHARACTER(1) NOT NULL CHECK (SIG1 IN ('Y', 'N')),
25
          APPDT
                      DATETIME YEAR TO SECOND,
          CDAST
                      INTEGER NOT NULL,
                      INTEGER, { account assigned or null }
          ACCCHID
30
          ACCGID
                      INTEGER,
                                      { guarantor account }
                                      { limit date
          LDT
                      DATE,
35
          LAMT
                      DECIMAL(14,2), { limit amount }
          LSRC
                      CHARACTER (25),
                                           { limit source }
                      DECIMAL(8, 4), { guarantor fee }
          GFEE
40
                      CHARACTER (25),
          GCST
                                           { guarantor customer id }
          ACCAID
                                      { association }
                      INTEGER,
45
                      DECIMAL(8 ,4), { association fee }
          AFEE
          SRC
                      CHARACTER (25) NOT NULL, { source
          SNTDTTM
                      DATETIME YEAR TO SECOND,
50
                      DATETIME YEAR TO SECOND,
          RSPDTTM
          CRTUSRID
                      CHAR(15) NOT NULL,
                                                 { create user id }
55
                      DATETIME { create datetime }
          CRTDTTM
                      YEAR TO SECOND NOT NULL,
          CRTSRVR
                      CHARACTER(15) NOT NULL, { create server }
60
                      CHARACTER(15) NOT NULL, { create client }
          CRTCLNT
                      CHARACTER(15) NOT NULL, { change by user }
          CHGUSRID
65
          CHGDTTM
                      DATETIME { change datetime }
                      YEAR TO SECOND NOT NULL,
          CHGSRVR
                      CHARACTER (15) NOT NULL, { change server }
70
          CHGCLNT
                      CHARACTER(15) NOT NULL, { change client }
```

PRIMARY KEY (ID)

5) lock mode row;

Table 40: Merchant Agreement

		Table
10	CREATE TABLE N	ЗОТАРРМ
	(
15	ID INTEGER	NOT NULL,
	CPNAM	CHARACTER (40) NOT NULL,
20	ADR1	CHARACTER (30) NOT NULL,
	ADR2	CHARACTER (30),
	ADR3	CHARACTER (30),
25	CTY	CHARACTER (25) NOT NULL,
	ST	CHARACTER(2) NOT NULL,
	ZIP	CHARACTER(10) NOT NULL,
30	CTRY	CHARACTER(2),
	РНО	CHARACTER (20) NOT NULL,
35	FAX	CHARACTER (20),
	MADR1	CHARACTER (30),
40	MADR2	CHARACTER (30),
	MADR3	CHARACTER (30),
	MCTY	CHARACTER (25),
45	MST	CHARACTER(2),
	MZIP	CHARACTER (10),
	MCTRY	CHARACTER(2),
50	TAXID	CHARACTER (20),
	CDINDID	INTEGER NOT NULL,
55	PFNAM	CHARACTER(30) NOT NULL,
	PLNAM	CHARACTER(30) NOT NULL,
60	PMNAM	CHARACTER(30),
	PADR1	CHARACTER (30),
	PADR2	CHARACTER (30),
65	PADR3	CHARACTER (30),
	PCTY	CHARACTER (25),
	PST	CHARACTER(2),
70	PZIP	CHARACTER(10),

```
PCTRY
                       CHARACTER (2),
          PPHO
                       CHARACTER (20),
 5
          PEMAIL
                       CHARACTER (30),
          AFNAM
                       CHARACTER (30),
          ALNAM
                       CHARACTER (30),
10
          AADR1
                       CHARACTER (30),
          AADR2
                       CHARACTER (30),
15
          AADR3
                       CHARACTER (30),
          ACTY
                       CHARACTER (25),
          AST
                       CHARACTER (2),
20
          AZIP
                       CHARACTER (10),
          ACTRY
                       CHARACTER (2),
25
          APHO
                       CHARACTER (20),
          SIG1
                       CHARACTER(1) NOT NULL CHECK (SIG1 IN ('Y', 'N')),
                      CHARACTER(25) NOT NULL, { source }
          SRC
30
          APPDT
                      DATETIME YEAR TO SECOND,
          CDAST
                      INTEGER NOT NULL,
35
          ACCMID
                      INTEGER, { account assigned or null }
                       CHAR(15) NOT NULL,
          CRTUSRID
                                                 { create user id }
                      DATETIME { create datetime }
          CRTDTTM
40
                      YEAR TO SECOND NOT NULL,
                      CHAR(15) NOT NULL, { create server }
          CRTSRVR
45
          CRTCLNT
                      CHAR(15) NOT NULL, { create client }
          CHGUSRID
                      CHAR(15) NOT NULL, { change by user }
          CHGDTTM
                      DATETIME { change datetime }
50
                      YEAR TO SECOND NOT NULL,
          CHGSRVR
                      CHAR (15) NOT NULL, { change server }
55
          CHGCLNT
                      CHAR(15) NOT NULL, { change client }
          PRIMARY KEY (ID)
60
      ) lock mode row;
                                 Table 41: NET30/Card Holder Line Request Statuses
65
      CREATE TABLE N3OTCDCHLRS
      (
70
          ID
                 INTEGER NOT NULL,
```

DESC CHAR (20) NOT NULL, 5 PRIMARY KEY (ID), UNIQUE (DESC)) LOCK MODE ROW; 10 Table 42: NET30/Card Holder Line Requests CREATE TABLE N30TACCCHLR 15 ID INTS NOT NULL, { request id} 20 ACCGID INTEGER NOT NULL, { guarantor } ACCCHID INTEGER NOT NULL, { card holder id } RQAMT DECIMAL(14,2) NOT NULL, { requested amount, possibly zero } 25 SNTDTTM DATETIME YEAR TO SECOND, { timestamp sent to guarantor } RSPDTTM DATETIME YEAR TO SECOND, { timestamp received from guarantor } 30 RSPAMT DECIMAL(14,2), { amount approved } CDCHLRSID INTEGER, { response code from guarantor - our own code } 35 PRIMARY KEY (ID) CONSTRAINT N30CACCCHLRPK, FOREIGN KEY (ACCGID) REFERENCES N30TACCG(ID) CONSTRAINT N30CACCCHLRFK1, 40 FOREIGN KEY (ACCCHID) REFERENCES N30TACCCH(ID) CONSTRAINT N30CACCCHLRFK2, FOREIGN KEY (CDCHLRSID) REFERENCES N30TCDCHLRS(ID) CONSTRAINT N30CACCCHLRFK3) LOCK MODE ROW; 45 Table 43: References CREATE TABLE N30TACCREF 50 (ID INTEGER NOT NULL, 55 ACCID INTEGER NOT NULL, LOCS INTEGER NOT NULL, DUNS CHARACTER (20), 60 PCPY CHARACTER (30), INTEGER NOT NULL, ASLS 65 EDATE CHARACTER(20) NOT NULL, EMPS INTEGER NOT NULL, BKNAM CHARACTER (30), 70

BKCON

CHARACTER (30),

```
BKADR
                       CHARACTER (40),
          CKGNUM
                       CHARACTER (20),
 5
          BKCTY
                       CHARACTER (25),
          BKST
                       CHARACTER (2),
          BKZIP
                       CHARACTER (10),
10
          вкрно
                       CHARACTER (20),
          BKCTRY
                       CHARACTER(2),
15
          SAVNUM
                       CHARACTER (20),
          BINAM
                       CHARACTER (30),
          B1PHN
                       CHARACTER (20),
20
          B1ADR1
                       CHARACTER (30),
          B1ADR2
                       CHARACTER (30),
25
                       CHARACTER (30),
          B1ADR3
          B1CTY
                       CHARACTER (25),
          BIST
                       CHARACTER (2),
30
                       CHARACTER (10),
          BIZIP
          B1CTRY
                       CHARACTER (2),
35
          B2NAM
                       CHARACTER (30),
          B2PHN
                       CHARACTER (20),
                       CHARACTER (30),
          B2ADR1
40
          B2ADR2
                       CHARACTER (30),
          B2ADR3
                       CHARACTER (30),
45
          B2CTY
                       CHARACTER (25),
          B2ST
                       CHARACTER (2),
                       CHARACTER(10),
          B2ZIP
50
                       CHARACTER (2),
          B2CTRY
                                                  { create user id }
                       CHAR (15) NOT NULL,
          CRTUSRID
55
          CRTDTTM
                       DATETIME { create datetime }
                       YEAR TO SECOND NOT NULL,
                       CHARACTER(15) NOT NULL, { create server }
          CRTSRVR
60
          CRTCLNT
                       CHARACTER(15) NOT NULL, { create client }
                       CHARACTER (15) NOT NULL, { change by user }
          CHGUSRID
65
                       DATETIME { change datetime }
          CHGDTTM
                       YEAR TO SECOND NOT NULL,
                       CHARACTER(15) NOT NULL, { change server }
          CHGSRVR
70
                       CHARACTER(15) NOT NULL, { change client }
          CHGCLNT
```

```
PRIMARY KEY (ID) CONSTRAINT N30CACCREFPK,
 5
          FOREIGN KEY (ACCID) REFERENCES N30TACC(ID) CONSTRAINT N30CACCREFFK1
     ) lock mode row;
10
                                                 Table 44:
      CREATE TABLE N30TACCSB
15
                    INTEGER NOT NULL,
         ID
         PRTDT
                    DATE,
20
                                                 { through date
                                                                         }
         THDT
                    DATE NOT NULL,
         CRTUSRID
                    CHAR(15) NOT NULL,
                                             { create user id }
25
         CRTDTTM
                    DATETIME { create datetime }
                   YEAR TO SECOND NOT NULL,
                    CHARACTER(15) NOT NULL, { create server }
         CRTSRVR
30
                    CHARACTER(15) NOT NULL, { create client }
         CRTCLNT
         CHGUSRID
                     CHARACTER (15) NOT NULL, { change by user }
35
                     DATETIME { change datetime }
         CHGDTTM
                   YEAR TO SECOND NOT NULL,
                     CHARACTER(15) NOT NULL, { change server }
         CHGSRVR
40
         CHGCLNT
                     CHARACTER(15) NOT NULL, { change client }
45
         PRIMARY KEY (ID) CONSTRAINT N30CACCSBPK
      ) lock mode row;
50
                                    VIEW: NET30/Card Holder Line Requests
     · CREATE VIEW N30VACCCHLR1 (ID, ACCCHID)
      AS
55
             SELECT MAX(ID), ACCCHID
             FROM
60
             N30TACCCHLR
             GROUP BY
             ACCCHID;
65
                                             Expand SYSTID.NM
      ALTER TABLE SYSTID MODIFY NM CHAR(20);
70
```

Table 45: Sales Status

```
CREATE TABLE N3OTCDSLSST
 5
          ID
                 INTEGER DEFAULT 10 NOT NULL,
         DESC CHAR (30) NOT NULL,
10
          PRIMARY KEY (ID) CONSTRAINT N30CCDSLSSTPK,
         UNIQUE (DESC) CONSTRAINT N30CCDSLSST1
15
      ) LOCK MODE ROW;
      INSERT INTO SYSTID (NM, LSTID) VALUES ("N30TCDSLSST", 30);
20
      INSERT INTO N3OTCDSLSST (ID, DESC) VALUES (10, "New Lead");
      INSERT INTO N30TCDSLSST (ID, DESC) VALUES (20, "Waiting on Agreement");
25
      INSERT INTO N30TCDSLSST (ID, DESC) VALUES (30, "Mail Agreement");
      INSERT INTO N30TCDSLSST (ID, DESC) VALUES (40, "See At Show");
30
     INSERT INTO N30TCDSLSST (ID, DESC) VALUES (50, "Need decision maker");
      INSERT INTO N30TCDSLSST (ID, DESC) VALUES (60, "Not Interested");
      INSERT INTO N30TCDSLSST (ID, DESC) VALUES (70, "No Answer");
35
      INSERT INTO N3OTCDSLSST (ID, DESC) VALUES (80, "Other");
                                          Table 46: Agreement Status
40
      CREATE TABLE N30TCDAGST
45
         ID
                INTEGER DEFAULT 40 NOT NULL,
         DESC
                 CHAR (30) NOT NULL,
50
         PRIMARY KEY (ID) CONSTRAINT N30CCDAGSTPK,
         UNIQUE (DESC) CONSTRAINT N30CCDAGST1
55
      ) LOCK MODE ROW;
      INSERT INTO SYSTID (NM, LSTID) VALUES ("N3OTCDAGST", 30);
60
      INSERT INTO N30TCDAGST (ID, DESC) VALUES (10, "Faxed");
      INSERT INTO N30TCDAGST (ID, DESC) VALUES (20, "Mailed");
65
      INSERT INTO N30TCDAGST (ID, DESC) VALUES (30, "Complete");
      INSERT INTO N30TCDAGST (ID, DESC) VALUES (40, "Not Sent");
70
                                         Table 47: App Status Reason
```

```
CREATE TABLE N30TCDASTR
 5
         ID
                INTEGER NOT NULL,
         DESC
                CHAR (30) NOT NULL,
10
          PRIMARY KEY (ID) CONSTRAINT N30CCDASTRPK,
          UNIQUE (DESC) CONSTRAINT N30CCDASTR1
15
     ) LOCK MODE ROW;
      INSERT INTO SYSTID (NM, LSTID) VALUES ("N3OTCDASTR", 30);
20
      INSERT INTO N30TCDASTR (ID, DESC) VALUES (10, "Not interested");
     INSERT INTO N30TCDASTR (ID, DESC) VALUES (20, "No such company");
25
     INSERT INTO N30TCDASTR (ID, DESC) VALUES (30, "Duplicate");
     {----
30
       -- NEW statuses FOR apps
35
     INSERT INTO N30TCDAST (ID, DESC) VALUES (5, "Data quality waiting");
     INSERT INTO N30TCDAST (ID, DESC) VALUES (6, "Sales waiting");
     INSERT INTO N30TCDAST (ID, DESC) VALUES (7, "In process");
40
     INSERT INTO N30TCDAST (ID, DESC) VALUES (8, "Suspended");
                                           NEW statuses FOR apps
45
     INSERT INTO N30TCDAST (ID, DESC) VALUES (5, "Data quality waiting");
      INSERT INTO N30TCDAST (ID, DESC) VALUES (6, "Sales waiting");
50
     INSERT INTO N30TCDAST (ID, DESC) VALUES (7, "In process");
      INSERT INTO N30TCDAST (ID, DESC) VALUES (8, "Suspended");
55
                                           Card Holder Changes
                                                                                          }
                                                       { Comments
     ALTER TABLE N30TAPPCH ADD NTS TEXT;
60
      ALTER TABLE N30TAPPCH ADD CDSLSSTID INTEGER;
                                                        { Sales Status
                                                                                          }
     ALTER TABLE N30TAPPCH ADD CONSTRAINT
65
         FOREIGN KEY (CDSLSSTID) REFERENCES N30TCDSLSST(ID) CONSTRAINT N30CAPPCHFK1;
     ALTER TABLE N30TAPPCH ADD CDAGSTID INTEGER; { Agreement Status
70
      ALTER TABLE N30TAPPCH ADD CONSTRAINT
```

FOREIGN KEY (CDAGSTID) REFERENCES N30TCDAGST(ID) CONSTRAINT N30CAPPCHFK2;

```
5 ALTER TABLE N30TAPPCH ADD CDASTRID INTEGER; { App Status Reason }
     ALTER TABLE N30TAPPCH ADD CONSTRAINT
        FOREIGN KEY (CDASTRID) REFERENCES N30TCDASTR(ID) CONSTRAINT N30CAPPCHFK3;
10
     ALTER TABLE N30TAPPCH ADD AGNUSRID INTEGER; { agent systusr.id working }
     ALTER TABLE N30TAPPCH ADD CONSTRAINT
15
        FOREIGN KEY (AGNUSRID) REFERENCES SYSTUSR(ID) CONSTRAINT N30CAPPCHFK4;
20
     ALTER TABLE N30TAPPCH ADD SUSDTTM DATETIME { suspense until datetime }
                 YEAR TO SECOND;
25
     ALTER TABLE N30TAPPCH ADD TOPLEAD CHAR(1) DEFAULT 'N'
         NOT NULL CHECK (TOPLEAD IN ('Y', 'N')); { Top Lead Flag
                                                                          }
30
                                           Merchant Changes
     ALTER TABLE N30TAPPM ADD NTS TEXT;
                                                      { Comments
                                                                                           }
35
     ALTER TABLE N30TAPPM ADD CDSLSSTID INTEGER; { Sales Status
                                                                                   }
     ALTER TABLE N30TAPPM ADD CONSTRAINT
40
        FOREIGN KEY (CDSLSSTID) REFERENCES N30TCDSLSST(ID) CONSTRAINT N30CAPPMFK1;
     ALTER TABLE N30TAPPM ADD CDAGSTID INTEGER; { Agreement Status
                                                                               }
45
     ALTER TABLE N30TAPPM ADD CONSTRAINT
        FOREIGN KEY (CDAGSTID) REFERENCES N30TCDAGST(ID) CONSTRAINT N30CAPPMFK2;
50
     ALTER TABLE N30TAPPM ADD CDASTRID INTEGER; { app Status Reason }
     ALTER TABLE N30TAPPM ADD CONSTRAINT
55
        FOREIGN KEY (CDASTRID) REFERENCES N3OTCDASTR(ID) CONSTRAINT N3OCAPPMFK3;
60
     ALTER TABLE N30TAPPM ADD AGNUSRID INTEGER; { agent systusr.id working }
     ALTER TABLE N30TAPPM ADD CONSTRAINT
        FOREIGN KEY (AGNUSRID) REFERENCES SYSTUSR(ID) CONSTRAINT N30CAPPMFK4;
65
     ALTER TABLE N30TAPPM ADD SUSDTTM DATETIME { suspense until datetime
                                                                                   }
70
                 YEAR TO SECOND;
```

```
ALTER TABLE N30TAPPM ADD TOPLEAD CHAR(1) DEFAULT 'N'
          NOT NULL CHECK (TOPLEAD IN ('Y', 'N')); { Top Lead Flag
 5
                                           Table 48: Sales History
      CREATE TABLE N30TSAHIST
10
              ID INTEGER NOT NULL,
                                                                                              { id
      }
15
              AGNUSRID INTEGER NOT NULL,
                                                           { agents user id }
              CALLDTTM DATETIME
                                                                  { call date time
                  YEAR TO SECOND NOT NULL,
20
              APPID INTEGER NOT NULL,
                                                              { application id
              CALLTIME INTEGER NOT NULL,
                                                              { call time in seconds }
25
              CRTUSRID CHAR(15) NOT NULL,
                                                                  { create user id
                                                                                               }
              CRTDTTM DATETIME
                                                              { create date time
                                                                                           }
                       YEAR TO SECOND NOT NULL,
30
              CRTSRVR CHAR (15) NOT NULL,
                                                              { create server
                                                                                           }
              CRTCLNT CHAR (15) NOT NULL,
                                                              { create client
35
              CHGUSRID CHAR (15) NOT NULL,
                                                              ( change by user
                                                                                           }
              CHGDTTM DATETIME
                                                              { change date time
                       YEAR TO SECOND NOT NULL,
40
              CHGSRVR CHAR(15) NOT NULL,
                                                              { change server
              CHGCLNT CHAR(15) NOT NULL,
                                                              { change client
45
              PRIMARY KEY(ID) CONSTRAINT N30CSAHISTPK,
            FOREIGN KEY (AGNUSRID) REFERENCES SYSTUSR(ID) CONSTRAINT N30CSAHISTFK1
50
      ) LOCK MODE ROW;
      INSERT INTO SYSTID (NM, LSTID) VALUES ("N30TSAHIST", 1000);
55
                                           Table 49: Sales Scripts
      CREATE TABLE N30TSASCRP
60
      (
                                                              { script id
                                                                                          }
              ID INTEGER NOT NULL,
              NM CHAR (30) NOT NULL,
                                                             { script name
                                                                                            }
65
              SCRP TEXT NOT NULL,
                                                                 { script
                                                                                               )
              CRTUSRID CHAR (15) NOT NULL,
                                                                  { create user id
70
              CRTDTTM DATETIME
                                                              { create date time
                                                                                          }
```

```
YEAR TO SECOND NOT NULL,
              CRTSRVR CHAR (15) NOT NULL,
                                                               { create server
 5
              CRTCLNT CHAR (15) NOT NULL,
                                                               { create client
                                                                                            }
              CHGUSRID CHAR (15) NOT NULL,
                                                               { change by user
                                                                                            }
              CHGDTTM DATETIME
                                                               { change date time
10
                       YEAR TO SECOND NOT NULL,
              CHGSRVR CHAR (15) NOT NULL,
                                                               { change server
                                                                                           }
15
              CHGCLNT CHAR (15) NOT NULL,
                                                               { change client
              PRIMARY KEY(ID) CONSTRAINT N30CSASCRPPK
20
      ) LOCK MODE ROW;
      INSERT INTO SYSTID (NM, LSTID) VALUES ("N30TSASCRP", 1000);
25
                                         Table 50: Script Relationships
      CREATE TABLE N30TSASCRPREL
30
              ID INTEGER NOT NULL,
                                                                                               { id
      }
35
             PSASCRPID INTEGER NOT NULL,
                                                               { parent script id
                                                               { child script id
              CSASCRPID INTEGER NOT NULL,
40
            CRTUSRID CHAR (15) NOT NULL,
                                                               { create user id
                                                                                           }
              CRTDTTM DATETIME
                                                               { create date time
45
                       YEAR TO SECOND NOT NULL,
              CRTSRVR CHAR (15) NOT NULL,
                                                               { create server
                                                                                           }
                                                                                            }
              CRTCLNT CHAR (15) NOT NULL,
                                                               { create client
50
              CHGUSRID CHAR (15) NOT NULL,
                                                               { change by user
                                                                                           }
              CHGDTTM DATETIME
                                                               { change date time
55
                       YEAR TO SECOND NOT NULL,
              CHGSRVR CHAR (15) NOT NULL,
                                                               { change server
                                                                                           }
              CHGCLNT CHAR (15) NOT NULL,
                                                               { change client
                                                                                            }
60
              PRIMARY KEY(ID) CONSTRAINT N30CSASCRPRELPK,
65
            FOREIGN KEY(PSASCRPID) REFERENCES N30TSASCRP(ID) CONSTRAINT N30CSASCRPRELFK1,
            FOREIGN KEY (CSASCRPID) REFERENCES N30TSASCRP(ID) CONSTRAINT N30CSASCRPRELFK2
      ) LOCK MODE ROW;
70
      INSERT INTO SYSTID (NM, LSTID) VALUES ("N30TSASCRPREL", 1000);
```

Table 51: Sales Agent Queue

```
CREATE TABLE N30TSAQ
 5
              ID INTEGER NOT NULL,
                                                               { queue id
                                                                                         }
10
              TYPE CHAR(1) NOT NULL,
                                                                    { 'M' Merchant, 'C' Cardholder
              DESC CHAR(80) NOT NULL,
                                                               { description
15
              SQL CHAR (300) NOT NULL,
                                                                                   { sql statement
              SASCRPID INTEGER,
                                                                      { script for this queue }
20
              CRTUSRID CHAR (15) NOT NULL,
                                                                  { create user id
              CRTDTTM DATETIME
                                                              { create date time
                                                                                          }
                       YEAR TO SECOND NOT NULL,
25
              CRTSRVR CHAR (15) NOT NULL,
                                                              { create server
              CRTCLNT CHAR (15) NOT NULL,
                                                              { create client
                                                                                          }
30
              CHGUSRID CHAR (15) NOT NULL,
                                                              { change by user
              CHGDTTM DATETIME
                                                              { change date time
                       YEAR TO SECOND NOT NULL,
35
              CHGSRVR CHAR (15) NOT NULL,
                                                              { change server
                                                                                          }
              CHGCLNT CHAR (15) NOT NULL,
                                                              { change client
40
              PRIMARY KEY(ID) CONSTRAINT N30CSAQPK,
            FOREIGN KEY (SASCRPID) REFERENCES N30TSASCRP(ID) CONSTRAINT N30CSAQFK1,
45
            CHECK (TYPE IN ('M', 'C')) CONSTRAINT N30CSAQ1
      ) LOCK MODE ROW;
50
      INSERT INTO SYSTID (NM, LSTID) VALUES ("N30TSAQ", 1000);
                                       Table 52: Sales Agent Assignment
55
      CREATE TABLE N30TSAASGN
      (
              ID INTEGER NOT NULL,
                                                                                             { id
60
              AGNUSRID INTEGER NOT NULL,
                                                          { agent systusr.id
                                                                                              }
            SEQ INTEGER NOT NULL.
                                                         { sequence }
65
                                                             { queue id
              SAQID INTEGER NOT NULL,
              CRTUSRID CHAR (15) NOT NULL,
                                                                  { create user id
                                                                                               }
70
              CRTDTTM DATETIME
                                                             { create date time
```

}

}

YEAR TO SECOND NOT NULL, CRTSRVR CHAR (15) NOT NULL, { create server 5 CRTCLNT CHAR (15) NOT NULL, { create client .} CHGUSRID CHAR (15) NOT NULL, { change by user CHGDTTM DATETIME { change date time } 10 YEAR TO SECOND NOT NULL, CHGSRVR CHAR (15) NOT NULL, { change server 15 CHGCLNT CHAR (15) NOT NULL, { change client } PRIMARY KEY(ID) CONSTRAINT N30CSAASGNPK, 20 UNIQUE (AGNUSRID, SEQ) CONSTRAINT N30CSAASGN1, FOREIGN KEY (AGNUSRID) REFERENCES SYSTUSR (ID) CONSTRAINT N3 OCSAASGNFK1, 25 FOREIGN KEY (SAQID) REFERENCES N30TSAQ(ID) CONSTRAINT N30CSAASGNFK2) LOCK MODE ROW; INSERT INTO SYSTID (NM, LSTID) VALUES ("N30TSAASGN", 1000); 30 VIEW: Card Holder Apps Waiting TO be Processed Notes: Either IN SalesWaiting status OR Suspended but suspense-until has expired. 35 CREATE VIEW N30VAPPCH1 AS 40 SELECT * FROM N30TAPPCH WHERE CDAST = 6 45 OR (CDAST=8 AND SUSDITM IS NOT NULL AND SUSDITM < (CURRENT YEAR TO SECOND)); VIEW: Merchant Apps Waiting 50 CREATE VIEW N30VAPPM1 AS 55 SELECT * FROM N30TAPPM WHERE CDAST = 6 60 OR (CDAST=8 AND SUSDTTM IS NOT NULL AND SUSDTTM < (CURRENT YEAR TO SECOND)); MODIFY constraints ON cards TO allow multiple OF 65 same card NUMBER AS LONG AS FOR different dates ALTER TABLE N30TACCCHC DROP CONSTRAINT N30CACCCHC3; ALTER TABLE N30TACCCHC ADD CONSTRAINT UNIQUE (CNUM, EDT) CONSTRAINT N30CACCCHC3; 70

ADD NEW card status FOR lost/stolen

```
INSERT INTO N30TCDCHCS (ID, DESC, AUTH) VALUES (30, 'Lost/Stolen', 'N');
 5
                                           VIEW: Merchant Apps Dups
      CREATE VIEW N30VAPPM2 (ID)
10
         SELECT MAX (ID)
         FROM N3OTAPPM
15
         WHERE CDAST = 1
         GROUP BY CPNAM:
20
                                         VIEW: Card Holder Apps Dups
      CREATE VIEW N30VAPPCH2 (ID)
         AS
25
         SELECT MAX (ID)
         FROM N30TAPPCH
30
         WHERE CDAST = 1
         GROUP BY CPNAM;
35
                                       VIEW: East Time Zone Merchant Apps
      CREATE VIEW N30VAPPM3
         AS
40
         SELECT *
         FROM N30TAPPM
45
        WHERE CDAST = 6
      ('ME','NH','VT','NY','PA','WV','VA','OH','MI','IN','NC','SC','GA','FL','NJ','MA','CT','DE',
      'RI', 'MD', 'PR', 'ON', 'QB', 'NB', 'NS');
50
                                     VIEW: Central Time Zone Merchant Apps
      CREATE VIEW N30VAPPM4
55
         AS
         SELECT *
60
         FROM N30TAPPM
         WHERE CDAST = 6
65
      ('ND','SD','MN','WI','IA','NE','IL','MS','KS','OK','KY','TN','AL','MS','LA','TX','AR');
                                     VIEW: Mountain Time Zone Merchant Apps
70
      CREATE VIEW N30VAPPM5
```

-69-

```
AS
         SELECT *
 5
         FROM N30TAPPM
         WHERE CDAST = 6
         AND ST IN ('MT', 'ID', 'WY', 'UT', 'CO', 'AZ', 'NM');
10
                                       VIEW: Pacific Time Zone Merchant Apps
      CREATE VIEW N30VAPPM6
15
         AS
         SELECT *
20
         FROM N30TAPPM
         WHERE CDAST = 6
         AND ST IN ('BC', 'WA', 'OR', 'CA', 'NV', 'HI', 'AK');
25
                                       VIEW: East Time Zone Card Holder Apps
      CREATE VIEW N30VAPPCH3
30
         AS
         SELECT *
35
         FROM N30TAPPCH
         WHERE CDAST = 6
                                                        ST
                                                                                                      IN
40
      ('ME','NH','VT','NY','PA','WV','VA','OH','MI','IN','NC','SC','GA','FL','NJ','MA','CT','DE',
      'RI', 'MD', 'PR', 'ON', 'QB', 'NB', 'NS');
                                     VIEW: Central Time Zone Card Holder Apps
45
      CREATE VIEW N30VAPPCH4
         AS
50
         SELECT *
         FROM N30TAPPCH
         WHERE CDAST = 6
55
                                                                                                       IN
                                                        ST
      ('ND','SD','MN','WI','IA','NE','IL','MS','KS','OK','KY','TN','AL','MS','LA','TX','AR');
60
                                     VIEW: Mountain Time Zone Cardholder Apps
      CREATE VIEW N30VAPPCH5
         AS
65
         SELECT *
         FROM N30TAPPCH
```

-70-

70

WHERE CDAST = 6

```
AND ST IN ('MT', 'ID', 'WY', 'UT', 'CO', 'AZ', 'NM');
                                     VIEW: Pacific Time Zone Card Holder Apps
 5
      CREATE VIEW N30VAPPCH6
         AS
10
         SELECT +
         FROM N3OTAPPCH
         WHERE CDAST = 6
15
         AND ST IN ('BC', 'WA', 'OR', 'CA', 'NV', 'HI', 'AK');
                                          Table 53: N30TBDGXREF
20
      CREATE TABLE N30TBDGXREF
25
          ID INTEGER NOT NULL ,
          ACCCHCID INTEGER NOT NULL ,
          BDGID CHAR (50) NOT NULL ,
30
          CRTUSRID CHAR(15) NOT NULL ,
          CRIDITM DATETIME YEAR TO SECOND NOT NULL ,
35
          CRTSRVR CHAR(15) NOT NULL ,
          CRTCLNT CHAR (15) NOT NULL ,
          CHGUSRID CHAR (15) NOT NULL ,
40
          CHGDTTM DATETIME YEAR TO SECOND NOT NULL ,
          CHGSRVR CHAR(15) NOT NULL ,
45
          CHGCLNT CHAR (15) NOT NULL ,
          UNIQUE (BDGID) CONSTRAINT "INFORMIX".N30CBDGXREF1,
50
          PRIMARY KEY (ID) CONSTRAINT "INFORMIX".N30CBDGXREFPK
```

ALTER TABLE N30TBDGXREF ADD ACCID INTEGER NOT NULL;

ALTER TABLE N30TBDGXREF ADD EXPDT DATE;

) LOCK MODE ROW;

55

WO 01/58242 PCT/US01/04515

WHAT IS CLAIMED IS:

5

15

20

25

A method of conducting electronic commerce, the method comprising:
 receiving an electronic authorization request from a vendor for a payment
 guarantee, wherein the authorization request identifies a transaction amount between the
 vendor and a buyer; and

electronically transmitting to the vendor a guarantee of payment for the transaction amount, wherein the guarantee is conditional to the occurrence of one or more events.

- 2. The method of Claim 1, wherein one of the events is receipt of an invoice from the vendor.
- 10 3. The method of Claim 1, comprising charging the vendor a transaction fee regardless of the occurrence of the conditions.
 - 4. The method of Claim 3, wherein the transaction fee is based at least in part upon either the transaction fee or a payment due date.
 - 5. The method of Claim 1, additionally comprising:

 receiving an invoice from the seller, wherein the invoice identifies an actual transaction amount of a transaction between the buyer and the seller; and

storing the actual transaction amount in a database.

- 6. The method of Claim 1, additionally comprising transmitting the invoice to a guarantor.
- 7. The method of Claim 1, additionally comprising determining whether to guarantee payment.
- 8. The method of Claim 1, wherein determining whether to guarantee payment is based at least in part upon a credit limit of the buyer.
 - The method of Claim 1, additionally comprising:
 receiving an invoice from the seller, wherein the invoice identifies a payment due
 date; and

determining, based at least in part upon the due date, a fee that is due by the seller.

- 10. The method of Claim 9, additionally comprising:
 receiving payment from the buyer; and
 sending payment to the vendor subsequent to subtracting the determined fee.
- 11. The method of Claim 1, wherein the guaranteeing payment comprises insuring payment by the seller.
- 12. The method of Claim 1, wherein guaranteeing payment comprises purchasing a receivable from the vendor.

35

30

WO 01/58242 PCT/US01/04515

13. A system for conducting electronic commerce, the system com	mprising:
---	-----------

means for receiving an electronic authorization request from a vendor for a payment guarantee, wherein the authorization request identifies a transaction amount between the vendor and a buyer; and

5

means for electronically transmitting to the vendor a guarantee of payment for the transaction amount, wherein the guarantee is conditional to the occurrence of one or more events.

- 14. The system of Claim 13, wherein one of the events is receipt of an invoice from the vendor.
- 10 15. The system of Claim 13, comprising means for charging the vendor a transaction fee regardless of the occurrence of the conditions.
 - 16. The system of Claim 15, wherein the transaction fee is based at least in part upon either the transaction fee or a payment due date.
 - 17. The system of Claim 13, additionally comprising:

means for receiving an invoice from the seller, wherein the invoice identifies an actual transaction amount of a transaction between the buyer and the seller; and

means for storing the actual transaction amount in a database.

- 18. The system of Claim 13, additionally comprising means for transmitting the invoice to a guarantor.
- 19. The system of Claim 13, additionally comprising means for determining whether to guarantee payment.
- 20. The method of Claim 13, wherein the means for determining whether to guarantee payment reads a credit limit of the buyer from a database.
 - 21. The system of Claim 13, additionally comprising:

25

15

20

means for receiving an invoice from the seller, wherein the invoice identifies a payment due date; and

means for determining, based at least in part upon the due date, a fee that is due by the seller.

30

22. The system of Claim 21, additionally comprising:

means for receiving payment from the buyer; and

- means for sending payment to the vendor subsequent to subtracting the determined fee.
- 23. The system of Claim 13, wherein the means for guaranteeing payment issues an insurance policy on the transaction.

WO 01/58242 PCT/US01/04515

24. The system of Claim 13, wherein the means for guaranteeing payment purchases a receivable from the vendor.






Fig. 1 A








Fig. 2




Fig.3




Fig. 4




Fig. 5





Fig. 6






Fig. 8




Fig. 9




Fig. 10




Fig.11




Fig. 12








Fig. 13












Fig. 18




Fig. 19

User login to Profitscape Site






Fig. 20

nase



Pig. 21



- 1. Bank A issues line of credit to buyer and guarantees receivables.
- 2. Bank B issues line of credit to seller and guarantees receivables.
- 3. Buyer makes purchase from Seller available credit is checked and approved/denied.
- 4. Buyer makes payment into lockbox of Bank B
- 5. Bank B makes payment to Seller's Merchant bank
- 6. Bank B updates Authoritative Database of payment and available credit limit is adjusted.

Fig. 22






Fig. 23







Fg. 25






Fig. 26



F:1.27



- 1. Existing Customer or New User visits ProfitScape web site
- 2a. New User Applies for membership and line of credit with guaranteed receivables
- 2b. Existing Customer logs in with user name and password
- 2c. Existing Customer or New User goes to ProfitScape Platform Web sites
- 3. Application for credit and guarantees forwarded to financial institution for review.
- 4a. Application for credit denied-Customer notified
- 4b. Application for credit approved-Customer assigned guaranteed credit limit and ID and entered into database

Fig. 28

16.29

X	1927	is.	Ì.	Marchald Dynamor and	NATIONAL DE LES ANTES DE L'ANTES	
X Digit					THE RESERVE OF THE PROPERTY OF	A STATE OF THE PARTY OF THE PAR
			9.50	SEE		
		5		केंद्र ें ें		190
	070		逶			# F
				E S		
		18 ii	Z.	L L		
			14.20			
				0,000		
			を記る			
			200			
			的,我们是一个人,我们是一个人,我们们是一个人,我们们们是一个人,我们们们是一个人,我们们是一个人,我们们是一个人,我们们是一个人,我们们们是一个人,我们们们也			AND SECOND OF THE SECOND OF TH
			Ŕ	ment.		
	<u>U</u> E		黎	ate	100 00 100 00 10	
E				Øl 3		
					500 012 911 5014 8700 000 6014 8700 000 6012345 6057 601	
			3			
•						
			1		i g	
ä			X			
					Net30 Purchase	
ıeı			Z		N CO	
×plo		1 111	Ŷ,			
licrosoft Internet Explorer	TANK TANKS	xaliscape_purchase.html				
Inte	O	rafiscape_purchase				
soft		8	2	U		
Ţ		dg V	Z			0 7
e ·		ğ	2			2000 Profissap Extended States
Scap		¥	1			Prof
rofit		Š.		Home		Copyright©2000 ProfiScap For Street Street Edd Hill Republic Street
9		춁	沒			ht ©
COM			3			awa i
→ Welcome to ProfitScapel - M		8	CAMPAGE AND ASSESSMENT OF THE PARTY OF THE P			Copynight ©2000 ProfuScap in comment of the Carter Schiller 可以chop Free Remission Schiller
[Q				Bir (seuge essen) i men ger belig og fir men syr	are the North Continues of the first for the continues of	

F/6.

X			ZI 200 70 5 000 5		21 3D	
X B B B			PORTO CONTRACTOR			的复数数据处理的数据设计数据数据数据数据数据数据数据数据数据数据数据数据数据数据数据数据数据数据
		5	EN META		O'EN SE SA	
			250		100	1961
		3			4	ğ
					1	靈
			Scape TM (Exist) Scape TM (Exist) Net30 Purchase Statement Purchases Invoices Payments		1	
			Moveon		6120	
					35.4	
;			ansoens Course		10/4/64	
,			Emen	The state of the s	1.44.2	
			Stater Menis	100.00	E.	
			State Bayments	1056 1056 1005 1009 1234 1009 1234 1009 1234 1009 1236 1	11.	
			P		14. di	
			N.	Invoice (105)	E 243	
			ajio Oice	l luc	12.0	
			rcha	Ne se		2
iet .			nd D		i i i	
Explo		툳	TM TWO ICES	- W		
ernet		account.			14(5	2
oft In	((조)	o ada			2.5	
licros		Your	, a		e e e e e e e e e e e e e e e e e e e	图
jei - l		1005/	Frofile Home count Maintenanc		Scap	疆
Sca		Sadmt-	Home Mainten		OProf.	
Prof		ζ // :Φ:	Home Account Maintenant		Copyright ©2000 ProfiScap	1
оше (<u>a</u>	00		ngir.	
🕙 Welcome to ProfitScape! - 🕨			Ve		Cop	自動物的關於於影響與歐洲群聯
E.			Borner of the property of	State from New York Contract to the Contract of the Contract o		


F16.3

l UT	17157777	क्रिश	100	man Market State & Market & State			1116
흼	T. 1886		14	Section of the expenses		黑黑	幽
		南	17		Total for the second policy in the most of the first states with the second state of the second seco		Ø
2	***			PET30			
			13	12: 188		7.	6
		X		7.5		ļ.	13
		丝	基	→ 2			5
	A 5	133					18
			锍	17.00		- 1	A Library
			瑟	是 一個世際		5	
						ž	
			號			9	
	2		18	(300) 1		1	
			造				12
			×			4	
		W	瓷				
,			46			3	
1.				17 / 多层间隔		8	開
			157				色
			6.300年18月2日19月1日1日1日1日1日日日日日日日日日日日日日日日日日日日日日日日日日			:	
						1	
	Va de la			전 일하다		1 37	属
	對於		諡	9		1	
٠.				State	5/8/2010/10/10/10/10/10/10/10/10/10/10/10/10/	ي ا	
					12.911 12.911 12.911 12.911 13.445 14.5 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00	3	
						Ů.	
		!	7		100 12.911 100 12.911 100 12.911 100 12.912 100 12.345 100 12.345 100 12.345 100 12.045 100 10.00 100 10.00 100 10.00 100 10.00 100 10.00 100 10.00 100 10.00 100 10.00 100 10.00 100 10.00 100 10.00 100 10.00 100 10.00 100 10.00 100 10.00 100 10.00 100 100 10.00 100 100 100 100 100 100 100 100 100 100 100		E
	100 月日		表				
			SKSMBNWESSERFENNYSWERE		100 12.911 100 12.911 100 12.911 100 12.911 100 12.945 100 12.945 100 12.945 100 12.945 100 10.00 100 10.00 100 10.00 100 10.00 100 10.00 100 10.00 100 10.00 100 10.00 100 10.00 100 10.00 100 10.00 100 10.00 100 100 100 100 100 100 100 100 100 100 100	1	
			A PAIN		/ Nei30 Payment	-	3
			图			. S	
				2		1	增
			ĠŢ.	se. voic			搁
<i>.</i>	ACC S		14	'. ੴ ੬		25 T	150
			12	34.5		2	陽
			蓬	, , , , , , , , , , , , , , , , , , ,		Į.	開
1 8			密			Ý	
Ě	图18	2	瓷	S e			B
Ψ,		롱	地位的地位			3	
ē		ş	影			3	2
를		8	逐		•		腳
dicrosoft Internet Explarer	11 11 5	ای	響			a de la companya de l	
8		1 8	蔷		•		
8	184 9 18	설	Ú				13
		ĕ	穣			ğ i	第
<u>.</u>		18	M	2 2 2		ÿ,	園
ĕ		ĮΞ	整	- T		We !	度
Š		Ę	逐	ome		e :	
ĕ		18	18	우 후 흥		Į Š	
ď		3	18	Profit Home bunt Maintenanc		0	B
₽:		됩	松			-롫	
E		(a)	模	8	•	Ĕ	
8		7	諨			Copyright ©2000 ProfilSca	10
Welcome to ProfitScapel •		38	1			9	(2) Done and Market Million (2)
50	多型		E.	and the state of the same of	and the first of the first of the control of the co		
			تنالا	organis generalization explorer in the destrict for the			<u> </u>


=1631A

X			a	K		Aresterio e de cu		ARTON T	u de la comp		A TO ESTUDIO
四回	317 E.			1	IS: MA	Consider Control of the Control of t	Helder on a finance	Maria Color and Miles	A STATE OF	er o <u>New Prof</u> essor (1965)	
				Į	EFT.						
			t	N.	A. 60						25.02
			D		<u> </u>						
				Ň	tern	,					
		٠ و و									
					623						
				Į.	No.sel						
				K							
							•				
			profitscape_purchase.html 医量	3	(F)						
					ent					122 2 122 2	
				2	eten						
				學	Statement						
				100							
				3		4					
								5			
		*		k							
ores				1		. (ĝ.		五 · · · · · · · · · · · · · · · · · · ·
Microsoft Internet Explorer		C B	.htm	100							
inel			chase	ちを変							
it Inte	e de la company		nd e		CINC W						
COSO	6		Riscap								
Ĕ		$\mathfrak{D}_{\mathbb{R}}$	5/prol	13							ada:
ag e			8 2 8								Siyo
A Welcome to ProfitScapel -			[4446] [2] Hip://gaadmiv1005.	2.60年,这里是一个一个	Home						Copyright ©2000 Profitse
e P P			ξ. ζ.	沒	I R						1 © 20 1
ще			3								for all
/elco			H								S E
ą			図	魒	A TO SHAREST AND AND A SHAREST	and the second of the second s	wan sekakenya jira	n egy en yegte gysyn	स्तित्व (५०० वर्षे)	e 1245 - Kristing Kapalija	


=16.31B



Exhibitor/Vendor Recruitment



Attendee/Buyer Recruitment




PCT/US01/04515

Trade Show Purchase

WO 01/58242

Shipment of Trade Show Purchases



Wireless IP security afready available





Fig. 36



ر ال ک

Net30 Transaction Processing

B-2-B Transaction

Merchant swipes card holder's Net30 credit card.

Authorization request received by Net30, which returns authorization code 1. a. Merchant enters authorization amount.

b. Authorization remiest received beautiful and beautiful

c. Cardholder signs authorization slip.
d. Merchant attaches authorization slip to order,

N30TACCCHA - Nel30 Authunzallon Table

		Ì			
COTCLAIT		ĬĘ4	F.4		E4
CRTSBVP	30	2	PS		S
CRIDITM CRISBVR CRICINI	102/00 6:40:00 014 00	12200 0.43.00 FM	1/22/00 6:49:00 PM PS		1/2/00 6:49:00 PM PS
CRTUSRID	ı	Į	JLYNCH	I VAICE	1
DITM	1/22/00 6:49:00 PM JI YNCH		1/22/00 6:49:00 PM JLYNCH	1/22/00 6:49:00 PM II VAICH	
PO	2 \$100.00 PO12345			\$2.50 PO12345	
AMI	\$100.00	75.57	(42.30	\$2.50	
OACCID	2	Ī	7	2	
ACCCHCID OACCID AMT	-	-		-	
ACCID	=	1	'	0	
TRID	0	0	1	0	
AUTHID	-	-		-	Position a
₽	_	2		~ ~]

records are created and assigned to the default TRID 0: the authorization against the cardholder, the authorization fee to ProfitScape.

	I				
1/22/00	1	2000	0	0	3
1/22/00	-	0002	2	0	2
1/22/00	1	2000	1	0	1

If transaction 0 does not exist for that day, it is created. Transaction 0 catches all unassigned transaction for a company. Authorizations are unassigned transactions. They get assigned when the b2b transaction begins with an invoice.

ProfitScape receives the copy of the invoice and enters the authorization code, invoice number, and amount into Net30. 2. Control of receives Archarly invoice and forwards a copy to ProfitScape.
3. ProfitScape receives the copy of the invoice and enters the authorization and

N30TACCCHR - Net30 Receivables Table

₽	TRID	ACCID	ID TRID ACCID AUTHID	S) INV	AMT	INVDT	AMT INVDT CRTUSRID	CRTOTIM	CRISRVR CRICI	200
	1	+	1	INV1234	(\$100.00)	(\$100.00) 1/22/00 JLYNCH	LYNCH	1/27/00 3:01:34 PM PS	PS	7
~	-	2	-	INV1234	\$100.00	\$100.00 1/22/00 JLYNCH	YNCH	1/27/00 3:01:34 PM PS	PS.	1
6	-	0		INV1234	\$100.00	\$100.00 1/22/00 JLYNCH	YNCH	1/27/00 3-01-34 PM PS	2 0	
									2	ů

3 invoice records are created. An invoice causes a new transaction to to be created. The customer service representative enters the authorization code, invoice number, and invoice amount. The authorization record is tooked up by authorization code and updated with the transaction id assigned to the invoice.

N30TTR - Net30 Transaction Table

	1		9	1	
1/27/00	-	2000	0	1	9
1727/00	-	2000	2	1	5
1/27/00	1	2000	1 -	1	4
D	6	YR	ACCID	CINI CINI	2

N30TACCCHA - Net30 Authorization Table

	- 10 10 10 10 10 10 10 10 10 10 10 10 10		וכי	į	į	ָּהַ	يَدُ	<u>.</u>
	Cercevia		Sd	•	ď	2	Sd	•
	CRIDITM CRISBVB CRICIAN		1/22/00 6:49:00 PM PS		1/22/00 6-49-00 PM PS		1/22/00 6:49:00 PM PS	
•	CRTUSRID	ı			JLYNCH		JLYNCH	
	DTTM		1/22/00 6:49:00 PM JLYNCH		1/22/00 6:49:00 PM JLYNCH		1/22/00 6:49:00 PM JLYNCH	
	ACCCHCID OACCID AMT PO		Z \$100.00 PO12345	2,33,00	(\$2.50) PO12345		\$2.50 PO12345	
	AMT.	30,0	\$100.00	100	(0K.26)		\$2.50	
	OACCID		7	F	-	ľ	7	
	ACCCHCID		_		-	Ī	=	
	ACCID	•	_	٠	•	-	·	
	RIS			-	-	٠	•	ľ
	AUTHID T	-	-	-	-	-	-	
	₽ .	-	•	^	١.	5	١,	

Payment record is received from GMAC by Net30 and is matched by invoice number.

N30TACCCHP - Net30 Payment Table

			J to the invoice.
CRICINI	IE4	Ē4	id assigned
CRTSRVR	PS	PS S	te transaction
CRIDITM CRISRVR CRICLNI	2/26/00 2:35:14 PM PS	2/26/00 2:35:14 PM PS	ayment records are created, which are matched to an invoice. The payment records are assigned to the transaction id assigned to the invoice.
CRTUSRID	JLYNCH	JLYNCH	The payment rec
CKNUM	1234	1234	ed to an invoice.
AMT	\$100.00 1234	(\$100.00) 1234	h are match
ID TRID ACCID INV	INV1234	INV1234	eated, whic
ACCID	-	0	ds are cr
TRID	-	•	nt reco
9		2	ayme

s,

A check is printed for the merchant, less authorization fee.

N30TACCCHK - Net30 Merchant Checks Table

	CRISRVR CRICLNI	IE4	IE4	
	CRISRVR	PS	PS	
	CRIDITM	3/5/00 12:00:15 PM PS	3/5/00 12:00:15 PM PS	
- ans	ID TRID ACCID AMT CKNUM CRTUSRID	JLYNCH	JLYNCH	
TOTAL CONTROL OF THE CHARGE LADIE	CKNUM		0123	
10112111	AMT	\$97.50 0123	(\$97.50) 0123	
	ACCID	2	0	ļ
	TRID	1	-	
	₽		2	

2 check records are created in the amount of the check sent to the merchant for payment for the transaction. The amount of the check is the difference between the amount received from the cardholder and the fees charged to the merchant.

Net30 Statement Record

The statement object for this transaction will look like the following for the cardholder.

erlod Authorization_ID CardHolder_ID Card_Number	1 1 376712345612345
Year P	2000
Company_Name	binkCo Development
Account_ID	-

Other_Company_ID	Other_Company_Name	Authorization_Amount Purchase_Order	Authorization_TimeStamp
2 Sun Microsystems		\$100.00 PO12345	1/22/00 6:49:00 PM
	*·····································	Account to the second s	

Invoice_to Invoice_Number Invoice_Amount Invoice_Date	nvoice_Amount Inv	oico_Date
1 INV1234	(\$100.00)	1/22/00
Payment_ID Payment_For_Invoice Payment_Amount Payment_Check	oice Payment_Amo	unt Payment_Check
1 INV1234	\$10	\$100.00 1234
Merchant Payment ID Merchant Payment Amount Merchant Payment Check	nt_Payment_Amount	Merchant_Payment_Check

The sqf for the transaction:

SELECT N30TR.ACCID AS Account. ID. N30TACCNAM.NAM AS Company. Name. N30TTR.YR AS Year, N30TTR.PD AS Period, [Authorization With Other Company Name]. Authorization With Other Company Name].

F16.40

This is the screen the buyer will view to identify due dates, authorizations, involces, and amounts and make payments.

			BUYE	R STATE	MENT	_			
BUYER NAME	E: AA TILE CO LT	D	GMAC#	904700					
AVAILABLE C	REDIT: \$xx,xx	c.xx							
0-30 Days				R	eferences				
DÚE	MERCHANT	AUTH	AUTH	PO	PO	INV	INV		
Date	Name	#	Date	#	Date	#	Date	A٨	TRUON
5/1/00	Tommy Tunes	1032	4/1/00	103200	4/1/00	103200	4/1/00	\$	250.00
5/4/00	Hart Throb	1133	4/4/01	113311	4/4/01	113311	4/4/01	\$	592.78
			•				TOTAL	Š	842.78
PAST DUE								•	
1-30 Days	•						•		
4/11/00	Dusty Clothes	570	3/11/00	93200	3/11/00	93200	3/11/00	\$	250.00
4/14/00	Lawn Rugs	680	3/14/00	93311	3/14/01	93311	3/14/01	\$	592.78
						Late Fee	1.50%	\$	12.64
							TOTAL	\$	855.42
PAST DUE									
1-30 Days									
3/5/00	Grave Stones	125	2/5/00	3200	2/5/00	3200	2/5/00	\$	500.00
3/7/00	Pet Jim	153	2/7/00	3311	2/14/01	3311	2/14/01	\$	1,592.78
						Late Fee	2.50%	\$	31.39
							TOTAL	\$	2,124.17
	_					GR	AND TOTAL		3,822.37
		Make Pa	ayments						

F10 41

PATENT COOPERATION TREATY

PCT

DECLARATION OF NON-ESTABLISHMENT OF INTERNATIONAL SEARCH REPORT

(PCT Article 17(2)(a), Rules 13ter.1(c) and Rule 39)

Applicant's or agent's file reference	IMPORTANT D	OLADATION.	Date of mailing (day/month/year)
PSCAPE.004VP	IMPORTANT DE	CLARATION	11/06/2001
International application No. PCT/US 01/04515	International filing date(d	ay/month/year) 12/02/2001	(Earliest) Priority date (day/month/year) 11/02/2000
International Patent Classification (IPC) or b	ooth national classification	and IPC	G06F17/60
A - P-oot	·····		
PROFITSCAPE.COM, INC. et	al.		
This International Searching Authority her be established on the international applic	eby declares, according to ation for the reasons indic	Article 17(2)(a), that ated below	t no international search report will
1. X The subject matter of the internat	ional application relates to	:	
a. scientific theories.			
b. mathematical theories			
c. plant varieties.			
d. animal varieties.			
e. essentially biological process and the products of such process. f. schemes, rules or methods o	cesses.	ints and animals, oth	her than microbiological processes
g. schemes, rules or methods o	f performing purely mental	acts.	
h. schemes, rules or methods o	f playing games.		
i. methods for treatment of the	human body by surgery or	therapy.	
j. methods for treatment of the	animal body by surgery or	therapy.	
k. diagnostic methods practised	on the human or animal b	ody.	
I. mere presentations of informa	ation.		
m. computer programs for which	this International Searchin	ng Authority is not ed	quipped to search prior art.
The failure of the following parts (of the international applicat	ion to comply with n	rescribed requirements prevents a
2. The failure of the following parts of meaningful search from being car	rried out:	on to comply with p	— Sectional requirements provided a
the description	the claims		the drawings
The failure of the nucleotide and/of Administrative Instructions prevent			he standard provided for in Annex C of the :
the written form has	not been furnished or does	s not comply with the	e standard.
the computer readat	ole form has not been furni	shed or does not co	mply with the standard.
4. Further comments:			
Name and mailing address of the Internatio	nal Searching Authority	Authorized officer	
European Patent Office, P.B. 5			'guez Nõvoa
NL-2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 Fax: (+31-70) 340-3016	651 epo nl,	ilui a Rodi	9002 110104

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 203

The subject-matter claimed in claims 1-12 falls under the provisions of Article 17(2)(a)(i) and Rule 39.1(iii), PCT, such subject-matter relating to a method of doing business.

Claims 13-24 relate to a conventional system (program product, computer readable medium) for performing the business method of claims 1-12. Although these claims do not literally belong to the method category, they essentially claim protection for the same commercial effect as the method claims. The International Searching Authority considers that searching this subject-matter would serve no useful purpose. It is not at present apparent how the subject-matter of the present claims may be considered defensible in any subsequent examination phase in front of the EPO as International Preliminary Examining Authority with regard to the provisions of Article 33(1) PCT (novelty, inventive step); see also Guidelines B-VII, 1-6).

The applicant's attention is drawn to the fact that claims relating to inventions in respect of which no international search report has been established need not be the subject of an international preliminary examination (Rule 66.1(e) PCT). The applicant is advised that the EPO policy when acting as an International Preliminary Examining Authority is normally not to carry out a preliminary examination on matter which has not been searched. This is the case irrespective of whether or not the claims are amended following receipt of the search report or during any Chapter II procedure. If the application proceeds into the regional phase before the EPO, the applicant is reminded that a search may be carried out during examination before the EPO (see EPO Guideline C-VI, 8.5), should the problems which led to the Article 17(2) declaration be overcome.

CORRECTED VERSION

(19) World Intellectual Property Organization International Bureau





(43) International Publication Date 16 August 2001 (16.08.2001)

(10) International Publication Number WO 01/058242 A2

(51) International Patent Classification7: G06F 17/00

(21) International Application Number: PCT/US01/04515

(22) International Filing Date: 12 February 2001 (12.02.2001)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

60/182,017 60/206,847 11 February 2000 (11.02.2000)

23 May 2000 (23.05.2000)

(71) Applicant (for all designated States except US): PROF-ITSCAPE.COM, INC. [US/US]; 6225 South Industrial Road, Las Vegas, NV 89118 (US).

(72) Inventors; and

- (75) Inventors/Applicants (for US only): TREIDER, Kevin, C. [US/US]; 7418 Abbeyville Lane, Las Vegas, NV 89119 (US). BORGES, Julie, M. [US/US]; 1339 Finale Lane, Las Vegas, NV 89119 (US).
- (74) Agent: HUNT, Dale, C.; Knobbe, Martens, Olson & Bear, LLP, 16th Floor, 620 Newport Center Drive, Newport Beach, CA 92660 (US).
- (81) Designated States (national): AE, AG, AL, AM, AT, AT (utility model), AU, AZ, BA, BB, BG, BR, BY, BZ, CA,

CH, CN, CR, CU, CZ, CZ (utility model), DE, DE (utility model), DK, DK (utility model), DM, DZ, EE, EE (utility model), ES, FI, FI (utility model), GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SK (utility model), SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.

(84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published:

- with declaration under Article 17(2)(a); without abstract; title not checked by the International Searching Authority
- (48) Date of publication of this corrected version:

17 October 2002

(15) Information about Correction:

see PCT Gazette No. 42/2002 of 17 October 2002, Section II

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.



ELECTRONIC FACTORING

Background of the Invention

Field of the Invention

10

15

20

25

30

The invention relates to the field of electronic commerce.

Description of the Related Art

Factoring includes buying and selling accounts receivable and credit insuring. Accounts receivable are purchased based upon the assumption that the accounts receivable are valid and collectable. Accounts receivable are sold in order to quickly obtain cash for cash flow purposes, rather than to retain them as receivable. Accounts receivable are also frequently used as an asset upon which to borrow money, in order to finance other unrelated transactions. Credit insuring occurs when an entity insures payment of an account receivable for a vendor, so that if the buyer does not pay, the insurer will. With the recent rapid growth of information applications on the Internet, computer networks have the potential to establish a new kind of open market place for goods and services. Buyers and sellers increasingly want to use the Internet to conduct their business electronically. This new method of doing business is referred to as electronic commerce, or "e-commerce."

The timely and costly process of processing paper requests for transactions such as the buying and selling of accounts receivable, as well as goods and services, plagues business transactions. Furthermore, buyers and sellers must expend significant resources to make appropriate credit decisions regarding a transaction. In procurement transactions, it is customary for the transaction to involve some form of credit, such as "open account trade credit," provided by the seller generally at no charge to the buyer but for a set period of time, normally thirty days. Buyers generally do not explicitly pay for the receipt of open account trade credit, and consider this free credit part of the established buyer/seller relationship. Credit cards are also available for relatively small purchases and operate by having a financial institution issue the credit card, and a vendor bank provide the cardholder with a revolving line of credit that can be used to buy goods from sellers who accept the credit card. This allows the cardholder to pay for credit card purchases over a period of time at an interest rate set by the vendor bank.

Other types of credit devices are travel and entertainment cards, which unlike credit cards, are considered to be open-ended credit with payment in full due at the time of billing, no extension of revolving credit to the buyer is provided by use of these cards, or cardholder. Credit, travel and entertainment cards provide a uniform level of risk assessment to the seller and the seller pays a pre-determined interchange fee regardless of the actual credit risk presented by the buyer.

Commercial transaction are evolving to include electronic communication of financial transactions. Advances in computer networks and communication systems now apply to processing purchase and credit transactions. An important application of new computer technology is electronic commerce, which includes using electronic networks as a marketplace for business and consumer transactions. Electronic commerce services can include electronic brokerages, distributorships or clearinghouses that facilitate trade with electronic interchange media, such as public networks, for example the Internet, or proprietary access networks.

Electronic commerce, however, does not currently offer financial services to sellers, such as payment and credit assessments of buyers, electronic factoring and credit insuring of transactions. This need is usually fulfilled by relying on traditional techniques of credit analysis and payment before a transaction can be completed.

10

15

20

25

30

35

Various patents discuss methods of performing e-commerce wherein buyers and sellers are connected, but none address the issue of electronic factoring and credit insurance. U.S. Patent No. 4,992,940 to Dworkin, entitled "System and Method for Automated Selection of Equipment for Purchase Through Input of User Desired Specifications," discloses an automated system that assists the user in locating and purchasing goods and services sold by a variety of vendors. U.S. Patent No. 5,732,400, to Mandler, et al., entitled "System and Method for a Risk-Based Purchase of Goods," discloses a financial clearinghouse for receiving requests for goods or services from a buyer and making a real-time determination of a risk classification of the buyer using an online repository of credit information. U.S. Patent No. 5,757,917, to Rose, et al., entitled "Computerized Payment System for Purchasing Goods and Services on the Internet," discloses a computerized payment system that prequalifies and pays a buyer's order through a third party, but is not a guarantee-of-payment mechanism. U.S. Patent No. 5,822,737, to Ogram, entitled "Financial Transaction System," discloses an automated payment system allowing a consumer to purchase goods or services over the Internet with a credit card that is verified before making the payment. U.S. Patent No. 5,802,497, to Manasse, entitled "Method and Apparatus for Conducting Computerized Commerce," discloses the use of a broker, broker scrip, vendor scrip, and currency to sell parts and services and deliver to the consumer. U.S. Patent No. 5,745,886 to Rosen, entitled "Trusted Agents for Open Distribution of Electronic Money," discloses using a customer trusted agent and vendor trusted agent and establishing a crypto-graphically secure session, and to provide electronic money purchase or sale information and an account credential to the vendor trusted agent. U.S. Patent No. 5,557,518, also to Rosen, entitled "Trusted Agents for Open Electronic Commerce," also discloses the use of trusted agents, establishing a crypto-graphically secure session and electronically transferring funds in purchasing merchandise. U.S. Patent No. 5,717,923, to Dedrick, entitled "Method and Apparatus for Dynamically Customizing Electronic

Information to Individual End Users," discloses maintaining a personal profile database to store consumer information and a consent adapter to compare electronic information received by a client system to consumer information in the personal profile database.

U.S. Patent No. 5,717,989, to Tozzoli, et al., entitled "Full Service Trade System," discloses storing criteria specified by a funder relative to trade transactions for buyers and sellers and comparing the criteria with a proposed purchase order in order to determine whether the system can generate a payment guarantee on behalf of the funder for the buyer to the seller. U.S. Patent No. 5,826,241 to Stein, et al., entitled "Computerized System for Making Payments and Authenticating Transactions Over the Internet," discloses a payment system that provides cardholder accounts for first and second Internet users and making queries to the first user on whether to proceed with payment to the second user. U.S. Patent No. 5,842,178, to Giovannoli, entitled "Computerized Quotation System and Method," discloses a computer-based communications network of members for processing requests for quotes for goods and services, as well as storage containing the identification of the members and means for transmitting and broadcasting requests for quotes. U.S. Patent No. 5,694,551, to Doyle et al., entitled "Computer Integration Network for Channeling Customer Orders Through a Centralized Computer to Various Suppliers," discloses an electronic requisitioning system that channels customer orders to internal suppliers and outside vendors, and processes invoices. U.S. Patent No. 5,671,280, to Rosen, entitled "System and Method for Commercial Payments Using Trusted Agents," discloses a system for electronic payment using a customer trusted agent and a vendor trusted agent. U.S. Patent No. 5,664,115, to Fraser, entitle d'Interactive Computer System to Match Buyers and Sellers of Real Estate, Businesses and Other Property Using the Internet," discloses automatically connecting sellers of property with potential buyers, preferably over the Internet, wherein the host system stores records regarding the properties and can be searched by potential buyers, and the system permits evaluation of potential buyers to screen them.

10

15

20

25

30

Various articles have been written which disclose forms of electronic payment methods, but these methodologies only relate to moving money around, from one account to another, electronically and do not address the need in the marketplace for electronic factoring.

Summary of the Invention

The invention comprises a method and system for electronic factoring. The inventive system overcomes all of the limitations of the prior art and addresses the need for an electronic commerce version for factoring. The system enables buyers to purchase goods from vendors with a third party guarantee to the vendor via electronic factoring that guarantees the payment. By using the system, electronic factoring, including credit insurance, is performed in an efficient

manner. The invention enables buyers to obtain goods and services immediately without having to pay for them at the time of the transaction.

The invention also comprises a credit database set up for all users that assigns a credit limit to the customers for credit as well as a credit instrument for guarantee of payment to vendors. Payment is guaranteed through a banking partner, the guaranteeing financial institution, who guarantees all receivables that are created through the sales on the platform (entitled "ProfitScape" in the Figures) to ensure payment and security of the transaction. The system tracks and maintains a database that details credit dollar amounts available and account activity for each user. The invention defines a credit-worthy marketplace that enables users, who become members, to purchase goods and services on credit based on their respective financial positions which have been evaluated by the guaranteeing financial institution.

10

15

20

25

30

35

In one embodiment, the method comprises the steps of providing an electronic platform for guaranteeing payment of receivables; inputting information from users into a profile database upon the electronic platform; assigning buyers a credit limit; and guaranteeing payment to vendors for users who purchase from the vendor. Additionally, the method comprises linking at least two users, the users being either buyers, vendors, international licensees, or financial institutions for guaranteeing payment via the platform. Guaranteeing payment to vendors preferably comprises aligning the platform with a guaranteeing financial institution. Aligning the platform with a guaranteeing financial institution preferably comprises aligning the platform with that institution in order to perform a factoring-type such as credit insuring, full-factoring, or lending. The electronic factoring method can further comprise the steps of producing a symbol to represent each user's profile and exchanging information between users via the symbol on the electronic platform. Guaranteeing payment to vendors can comprise electronically sending the vendor the user's symbol in order to show the vendor that payment is guaranteed by the platform. The method can further comprise the steps of electronically sending the user's symbol to the guaranteeing financial institution and sending a guarantee of compensation from the guaranteeing financial institution to the vendor. Guaranteeing payment to vendors can comprise the steps of issuing each user an identifying card showing membership on the platform; purchasing from the vendor with the identifying card; and accessing the user's credit availability via the platform with the identifying card.

Providing an electronic platform preferably comprises providing an Internet web site having the platform for users to access, and optionally comprises the step of providing Internet web site links for users to access other users' web sites. The step of inputting information from users into a profile database preferably comprises the steps of inputting data such as name, address, contact information, primary industry, credit insured amount, payment history, credit usage, target

-4-

10

15

20

25

30

35

marketplace, products offered, services offered, inventory, buying trend data, and Internet usage data.

The electronic factoring method further can comprise the steps of verifying a user as a member of the platform and purchasing from the vendor. Purchasing from the vendor can comprise first searching the profile database with a search engine, from the vendor preferably comprises purchasing from the vendor with a line of credit within the credit limit established by the profile database.

Guaranteeing payment to vendors can comprise the steps of reassigning the receivable to the guaranteeing financial institution; making payment to the platform; and forwarding payment from the platform to the vendor. Guaranteeing payment to vendors can alternatively comprise reassigning the receivable to the guaranteeing financial institution; making payment to the guaranteeing financial institution; and forwarding payment from the guaranteeing financial institution to the vendor. In yet another embodiment, guaranteeing payment to vendors comprises accessing the platform directly by the vendor for verification of credit availability and forwarding payment to the vendor upon accessing the guaranteeing financial institution directly by the vendor for verification of credit availability and forwarding payment to the vendor upon verification. In still another embodiment, guaranteeing payment to vendors comprises accessing the guaranteeing financial institution directly by the vendor for verification of credit availability and forwarding payment to the vendor upon verification. Still another embodiment of guaranteeing payment to vendors comprises accessing the platform for verification of credit availability; paying the guaranteeing financial institution to the platform and vendor bank so that the vendor bank can credit the vendor.

The electronic factoring method also can comprise the steps of maintaining user credit records on the platform and periodically reviewing credit records by the financial institution for buyer credit availability. Linking at least two users can comprise the steps of creating offers by the vendor; sending the offers to an offer database on the platform for storage; comparing the offer database with the user profiles in the profile database; creating a list of matching offers and user profiles; and offering users those offers that match the user's profile upon log-in.

In one embodiment, the invention also comprises a method of electronic factoring comprising the steps of assigning buyers a credit limit upon a guaranteeing platform; verifying the buyer's identification as a member of the guaranteeing platform; verifying the buyer's credit amount when the buyer attempts to make a purchase; subtracting the purchase amount from the buyer's available credit limit upon making a verified purchase; notifying the vendor of the purchase order; reassigning the receivable to a guaranteeing financial institution via the guaranteeing platform; billing the buyer for the purchase order; and forwarding payment to the

-5-

vendor. Forwarding payment to the vendor optionally comprises forwarding payment to the vendor from either the buyer, the guaranteeing financial institution, or the guaranteeing platform.

In one embodiment, the invention also comprises an electronic factoring system for guaranteeing payment of receivables and comprises an electronic platform; a profile database upon the electronic platform for inputting information from users; means for assigning buyers a credit limit; and means for guaranteeing payment to vendors for users who purchase from the vendor. The electronic factoring system can additionally comprise means for linking at least two users wherein the users consist of buyers, vendors, international licensees, and financial institutions for guaranteeing payment via the platform. Means for guaranteeing payment to vendors may comprise means for aligning the platform with a guaranteeing financial institution, and wherein said means for aligning the platform with a guaranteeing financial institution comprises aligning with a guaranteeing financial institution so that that institution can perform factoring such as credit insuring, full-factoring, or lending. The electronic system can further comprise means for producing a symbol to represent each user's profile, and means for exchanging information between users via the symbol on the electronic platform. Means for guaranteeing payment to vendors can comprise means for electronically sending the vendor the user's symbol in order to show the vendor that payment is guaranteed by the platform. The system can comprise means for electronically sending the user's symbol to the guaranteeing financial institution and means for sending a guarantee of compensation from the guaranteeing financial institution to the vendor. Means for guaranteeing payment to vendors can alternatively comprise an identifying card issued to each user showing membership on the platform; means for purchasing from the vendor with the identifying card, and means for accessing the user's credit availability via the platform with the identifying card.

10

15

20

25

30

35

The electronic platform of the electronic factoring system may comprise an Internet web site having the platform available for users to access. The Internet web site can further comprise links for users to access other users' web sites. The profile database of the electronic factoring system may comprise a profile database for inputting data from users. This data can consist of any of the following: name, address, contact information, primary industry, credit insured amount, payment history, credit usage, target marketplace, products offered, services offered, inventory, buying trend data, and Internet usage data.

The electronic factoring system can further comprise means for verifying a user as a member of the platform and means for purchasing from the vendor. Means for purchasing from the vendor can comprise means for first searching the profile database with a search engine. Means for purchasing from the vendor preferably comprises means for purchasing from the vendor with a line of credit within the credit limit established by the profile database.

-6-

Means for guaranteeing payment to vendors can comprise means for reassigning the receivable to the guaranteeing financial institution; means for making payment to the platform; and means for forwarding payment from the platform to the vendor. Alternatively, means for guaranteeing payment to vendors comprises means for reassigning the receivable to the guaranteeing financial institution; means for making payment to the guaranteeing financial institution; and means for forwarding payment from the guaranteeing financial institution to the vendor. In still another embodiment, means for guaranteeing payment to vendor comprises means for accessing the platform directly by the vendor for verification of credit availability and means for forwarding payment to the vendor upon verification. In still another embodiment, the means for guaranteeing payment to vendors comprises means for accessing the guaranteeing financial institution directly by the vendor for verification of credit availability and means for forwarding payment to the vendor upon verification. In yet another embodiment, the means for guaranteeing payment to vendors comprises means for accessing the platform for verification of credit availability; means for paying the guaranteeing financial institution for purchase; and means for forwarding payment from the guaranteeing financial institution to the platform and vendor bank so that the vendor bank can credit the vendor.

10

15

20

25

30

The electronic factoring system can further comprise means for maintaining user credit records on the platform and means for periodically reviewing credit records by the financial institution for buyer credit availability. Means for linking at least two users can comprise means for creating offers by the vendor; means for sending the offers to an offer database on the platform for storage; means for comparing the offer database with the user profiles in the profile database; means for creating a list of matching offers and user profiles; and means for offering users those offers that match the user's profile upon login.

The invention also comprises an electronic factoring system for guaranteeing payment of receivables comprising means for assigning buyers a credit limit upon a guaranteeing platform; means for verifying the buyer's identification as a member of the guaranteeing platform; means for verifying the buyer's credit amount when the buyer attempts to make a purchase; means for subtracting the purchase amount from the buyer's available credit limit upon making a verified purchase; means for notifying the vendor of the purchase order; means for reassigning the receivable to a guaranteeing financial institution via the guaranteeing platform; means for billing the buyer for the purchase order; and means for forwarding payment to the vendor. Means for forwarding payment to the vendor from either the buyer, the guaranteeing financial institution, or the guaranteeing platform.

One aspect of the invention can provide unique profiled information that is delivered through an electronic system using software agents that enable credit and/or a guarantee of compensation to vendors for buyers.

Another aspect of the invention can include a unique database profile which is created incorporating specific sales and product information detailing what each user has to sell, terms, company history, unique product information, and the category of transaction, be it either a retail or wholesale target market.

Another aspect of the invention can provide unique profiled information and open access to both buyers and vendors to find information and make purchases guaranteed for payment.

10

15

20

25

30

35

Yet another aspect of the invention can enable users to find unique information that matches their targeted request and enables them to purchase and consummate transactions electronically.

Yet another aspect of the invention comprises amethod of conducting electronic commerce, the method comprising: receiving an electronic authorization request from a vendor for a payment guarantee, wherein the authorization request identifies a transaction amount between the vendor and a buyer; and electronically transmitting to the vendor a guarantee of payment for the transaction amount, wherein the guarantee is conditional to the occurrence of one or more events. One of the events may be the receipt of an invoice from the vendor. A transaction fee may be charged regardless of the occurrence of the conditions. The transaction fee can be based at least in part upon either the transaction fee or a payment due date. The method may also comprise: receiving an invoice from the seller, wherein the invoice identifies an actual transaction amount of a transaction between the buyer and the seller; storing the actual transaction amount in a database; and transmitting the invoice to a guarantor. The method may also comprise gauranteeing payment based at least in part upon a credit limit of the buyer. The method may also comprise receiving an invoice from the seller, wherein the invoice identifies a payment due date; and determining, based at least in part upon the due date, a fee that is due by the seller. The method may also comprise receiving payment from the buyer; and sending payment to the vendor subsequent to subtracting the determined fee. Gauranteeing payment may comprise insuring payment by the seller or purchasing a receivable from the vendor.

Another aspect of the invention comprises a system for conducting electronic commerce, the system comprising: means for receiving an electronic authorization request from a vendor for a payment guarantee, wherein the authorization request identifies a transaction amount between the vendor and a buyer; and means for electronically transmitting to the vendor a guarantee of payment for the transaction amount, wherein the guarantee is conditional to the occurrence of one or more events.

Brief Description of the Drawings

The accompanying drawings, which are incorporated into and form a part of the specification, illustrate several embodiments of the invention and, together with the description, serve to explain the principles of the invention. The drawings are only for the purpose of illustrating a preferred embodiment of the invention and are not to be construed as limiting the invention. In the drawings:

Fig. 1A is a block diagram of a first embodiment of the invention showing the flow of purchase and fulfillment between buyer and vendor using the electronic commerce web site platform of the invention;

Fig. 1B is a block diagram of a second embodiment of the invention showing the flow of purchase and fulfillment between buyer and vendor using the electronic commerce web site platform;

10

15

20

25

30

35

Fig. 1C is a block diagram of a third embodiment of the invention showing the flow of purchase and fulfillment between buyer and vendor using the electronic commerce web site platform; Fig. 2 is a block diagram of another embodiment of the invention wherein the buyer makes payment directly to the guaranteeing institution;

Fig. 3 is a block diagram of the post-shopping experience for a user of the invention;

Fig. 4 is a block diagram of the functions that an existing customer or new user proceeds through when visiting the web site platform of the invention;

Fig. 5 is a block diagram showing the functions that a user proceeds through with customer service;

Fig. 6 is a block diagram showing a user searching the database of the invention and consummating a transaction with a link to other web sites;

Figs. 7a-7e demonstrate the algorithmic methods of communication for the various embodiments of the invention;

Fig. 8 is a flow diagram showing the first international licensee embodiment of the invention in the first page;

Fig. 9 is a flow diagram showing the first international licensee embodiment of the invention in the second stage;

Fig. 10 is a flow diagram of a second international licensee embodiment of the invention in the first stage wherein the financial institution of guarantee works directly with the international licensee;

Fig. 11 is a flow diagram of a second international licensee embodiment of the invention in the second stage;

Fig. 12 is a third international licensee embodiment of the invention;

- Fig. 13 is a fourth international licensee embodiment of the invention;
- Fig. 14 is a flow chart showing the connection being made between user and vendor;
- Fig. 15 is a flow chart showing the user application for credit;
- Fig. 16 is a flow chart showing the user log-in to the invention;
- 5 Fig. 17 is a flow chart showing the user making a purchase through the methodology of the invention;
 - Fig. 18 is a flow diagram of an alternative embodiment of the invention wherein both a guarantor bank and a vendor bank are used in the process;
- Fig. 19 is a flow diagram of another alternative embodiment of the invention wherein both a guarantor bank and vendor bank are used;
 - Fig. 20 is a flow diagram of the preferred user login to a web site according to the invention;
 - Fig. 21 is a flow diagram of the preferred purchase transaction according to the invention;
 - Fig. 22 is a flow diagram of a first interaction with two guarantor banks;
 - Fig. 23 is a flow diagram of a second interaction with two guarantor banks;
 - Fig. 24 is a flow diagram of a preferred lockbox of the invention;
 - Fig. 25 is an illustrative approval screen in a web page according to the invention prior to submission:
- Fig. 26 is an illustrative approval screen in a web page according to the invention after submission;
 - Fig. 27 is an illustrative edit screen;
 - Fig. 28 is a top-level flow diagram of the preferred web site of the invention in conjunction with customer web sites;
 - Fig. 29 is an illustrative purchase screen;
- Fig. 30 is an illustrative invoice screen;

15

- Fig. 31 is an illustrative payment screen;
- Fig. 31A is an illustrative first confirmation screen;
- Fig. 31B is an illustrative second confirmation screen;
- Fig. 32 is a flowchart illustrating vendor recruitment;
- Fig. 33 is a flowchart illustrating buyer recruitment;
 - Fig. 34 is a flowchart illustrating an exemplary trade show purchase;
 - Fig. 35 is a flowchart illustrating shipment of a trade show purchase;
 - Fig. 36 is an exemplary network that may be used in conjunction with electronic platform of the invention;

Fig. 37 is yet another exemplary network that may be used in conjunction with the electronic platform of the invention;

Figs. 38, 39, and 40 are each a diagram illustrating the contents of selected fields of the database during an exemplary transaction; and

Fig. 41 is a screen display showing an exemplary report that is presented that shows the transaction history for a user of the electronic platform of Figs. 1A, 1B, 1C and 2.

5

10

15

20

25

30

35

Detailed Description of the Invention

In one embodiment, the invention comprises a payment or credit arrangement process wherein payment of all transactions are guaranteed through a platform, and aligned guaranteeing financial institution (or guarantor bank). All users, whether buyers or sellers ("vendors") are put into a profile database that defines their credit amount, credit used, and credit available. A unique number is then assigned to each user that will be used as an identifying symbol to be held in the electronic database. This symbol, or digital representation thereof, represents a profile enabling users to obtain and utilize credit to facilitate purchases of goods, services, and other intangibles through the system. The information and implementation of the invention is preferably distributed electronically over data lines into a worldwide web platform to facilitate users' purchase transactions or vendors' sales needs.

The digitally produced symbol is delivered electronically via data lines to find targeted information, and enables the buyer to purchase goods, services, or other intangibles ordered through the system. A search engine is used to locate the required information over a network of profiled vendors. The same process operates in reverse to also link vendors to buyers. Information using software agents can be accessed electronically based on an Alchemy model that enables users to seek and match their specific requests. The unique symbol that is assigned for the vendor's profile, as well as a specific symbol representing the targeted audience of buyers, with additional symbols or digital representations for other information, allows for an efficient and easy-to-use exchange of information. Additionally, proprietary profiles can be maintained to facilitate electronic commerce for users within the database to exchange information and to target specific information to a targeted audience.

Vendors benefit by reaching buyers through the system and offering credit to purchase their goods, services, or other intangibles. Competing advertising members can use the system to reach the attention of users who wish to seek information residing on the system as well. Vendors can use the credit system to sell to buyers within the profile database to ensure future payment of goods that are sold on a time-delay process unique to each of the profiled users.

By electronically transmitting the symbol, the user can deliver a promise of compensation to be paid immediately, or in the future. By using software agents, the electronic database

transmits digital information electronically to those users who are seeking to receive compensation in exchange for releasing the items that the user/buyer has requested. The digitally produced symbol simultaneously instructs a third party to deliver a guarantee of compensation on behalf of each user. The third party guarantees compensation to the vendor in the form of either credit insuring, full-factoring, or lending based upon accounts receivable.

The platform streamlines the buying process and saves time by alleviating the need for C.O.D., prepayment with a Visa or MasterCard and excessive paperwork necessary for approval through multiple factoring banks.

Often the vendor will need their money before they can ship the order: perhaps the money is needed to produce the order. In this case, called factoring, the vendor pays a higher fee to ProfitScape in order to obtain their money early. The vendor sells the receivable to the factor: once payment is made, the payment will be sent to the factor. This is done with or without the knowledge of the cardholder.

Actors

The following table documents some of the roles played by users of the system and a summary of how users interact with the system. A *role* or *actor* refers to one, possibly of many, motivations driving a user to interact with the system. The same user may have different roles at different times.

20

5

10

15

ACTOR	INTENT
Vendor	The vendor, also known as the <i>vendor</i> , is selling product to the buyer and accepting payment via the system. The term <i>Vendor</i> is used as it is with consumer credit.
Vendor/Sales	1. Originate requests to guarantee payment, using trade show device or WUI, possibly even telephone.
	2. Check status of PENDING authorizations to determine whether to ship goods or not.
	3. View/print reports of outstanding System settlements.
Vendor/Accounts Receivable	View/print reports of outstanding/all/for a given cycle System settlements
	2. Track invoice number in system
	3. Receive statement of invoices being paid along with a check
Vendor/Administrative User	1. View/ Edit Account

ACTOR	INTENT
Cardholder	The cardholder, also known as the <i>buyer</i> , is buying goods and wishes to settle the purchase via the system.
Cardholder/Buyer	Use card to guarantee payment on orders, vendor can ship order without due diligence etc. View/print reports of transactions.
	3. Research invoice/PO discrepancies
Cardholder/Accounts Payable	View/print reports of outstanding/all/for a given cycle payables
	2. Remit payment for vendor invoice to card issuer.
Cardholder/Administrative User	1. View Accounts
ProfitScape/New Cardholder Accounts	Process pre-approve batches submitted by associations.
ProfitScape/New Vendor Accounts	Process vendor batches submitted by associations and web portals.
	2. Work with new vendors to ensure their full and proper use of service.
ProfitScape/Customer Service Representative	Respond to customer account inquiries (vendors and cardholders).
	2. Cancel authorizations.
	3. Manual card issue.
ProfitScape/Risk & Quality Management	View/print reports of late payers towards getting them to be on time
	2. Work with Guarantors' collection personnel.
ProfitScape/GL Accounting	View/print reports of transaction summary/detail to balance GL accounts
	2. Post journal entries to GL
ProfitScape/System Accounts Payable	Prepare and reconcile batch of vendor statements/checks.
	2. Print batch, z-fold into envelopes for mailing
	3. View/print reports of posted/unposted vendor checks
	4. Reconcile bank statement to unposted vendor checks.
ProfitScape/System Accounts Receivable	1. View/print reports of delinquent cardholders.
	2. Process received payments, one payment = multiple invoices.

ACTOR	INTENT
ProfitScape/Administrative User	1. Configure system codes
	2. Create and maintain user profiles and security constraints.
Guarantor/Administrative User	1. View/Edit Accounts
Guarantor/Collections	1. View/Edit Accounts
Factor/Administrative User	1. View/Edit Accounts

Use Cases

A use-case is a single scenario depicting how users are interacting with the system to achieve a specific goal.

5 Process Pre-Approved Batch

10

15

20

25

This case depicts the card issuer receiving a large number of proposed cardholders from a third party. The card issuer eliminates duplicates, creates the cardholder accounts, and submits their information to a guarantor for credit line approval.

In one embodiment, an association submits a file to the card issuer, who in turn attempts to submit the file to the system. The system verifies file contents (headers, counts, formats, etc). The entire file is either accepted or rejected. If accepted, the file creates a batch in the database for processing. The card issuer processes batch, creating cardholder accounts where needed and marking each batch entry with the account number. Existing accounts are left alone, since the original association receives the fee (if any) for sourcing those records. The system marks any created cardholder records with the association as the source. In some cases the association will receive a permanent fee percentage of all transactions. The system generates batches for guarantors for credit line approvals. The card issuer submits credit line request batches to one or more guarantors. In response, guarantors submit a credit line response batch to the card issuer. The card issuer processes credit line batch, updating customer records. The card issuer prints a processing report (to printer or file) for the association to track results.

Cards are then ready to be issued or other responses are generated. For example, customer service representatives for the card issuer can contact the applicant to counsel them towards getting approval, possibly from a different guarantor.

Process Vendor Batch

Associations can submit large groups of vendor records. Also, Vendors may sign themselves up for the service. Web portals may submit vendor batches as well. An exemplary process is set forth below that describes a process for creating new vendor accounts.

An association or some other verified source submits a file to the card issuer. A CSR representative for the card issuer verifies file contents and either accepts or rejects the entire file.

If accepted, a New Vendor Accounts batch is created, waiting to be processed. Next, the card issuer processes file, creating vendor accounts where needed, and marking each batch record with the account number and status. In one embodiment, existing accounts are left alone. Letters are then issued to vendor informing them of their account, status, and usage procedures.

5 Create Cardholder

The card issuer can create a single cardholder account at a time as well as the batch preapproved process.

Issuing Cards

One or more cards are issued to specific people within a company. The credit line authorization of a company can be divided among one or multiple card users. Even with multiple cards, the total authorization will not exceed the total credit line of a company.

A company can: (i) authorize the entire credit amount to one person on one card; (ii) divide the entire credit amount among multiple people, each having their own card; (iii) allow a "key signatory" to access to the entire credit amount on a card, plus divide the entire credit amount among multiple people, each having their own card, or (iv) authorize the entire credit amount to multiple people, each having their own cards. As discussed, cards may be issued in large batches, sent out for embossing, or one at a time like temporary cards at a trade show. Again, batches are created, edited, posted.

The following table summarizes each of the foregoing situations:

20

10

15

Card Type	Description/Example
Single Card	The company is authorized a single card with the entire credit limit assigned to that one card.
Multiple Cards 1	A single credit limit is authorized to a company and the authorizing company "key signatory" later authorizes six users. Each user is then authorized, by the "key signatory", a specific amount of the credit limit, totaling up to; but, not more than the credit limit. The authorized amount may be equal or disproportional—depending on the "key signatories" perspective. (100% of the credit limit is divided between the key signatory and the six users).

Card Type	Description/Example
Multiple Cards 2	A single credit limit is authorized to a company and the authorizing company "key signatory" later authorizes six users. In this scenario, the "key signatories" card is authorized for the total amount of the credit limit. Each of the other 6 authorized users are then authorized, by the "key signatory, a specific amount of the credit limit, totaling up to; but, not more than the credit limit. The authorized amount may be equal or disproportional—depending on the "key signatories" perspective. Typically, the aggregate amount of any two or more card's use may not exceed the total credit limit. (100% of the credit limit is divided among the six users; and, the key signatory has access to the entire credit limit).
Multiple Cards 3	A single credit limit is authorized to a company and the authorizing company "key signatory" later authorizes six users. In this scenario, any of the authorized card users, including the "key signatory", may spend the total amount of the credit limit; BUT, under no circumstances may the aggregate amount of any two or more card's exceed the total credit limit. (100% of the credit limit is equally available to all 7 users).

In one embodiment of the invention, the card can be co-branded by a credit card provider. In this embodiment, at a point of purchase, the user can request to use the card as a credit card, or, alternatively, as a card as is described for use with the embodiments of the invention shown in Figures 1-41. Furthermore, in this embodiment, the card is associated with at least two credit limits: the first credit limit identifying a credit limit with respect to the credit card provider and a second credit limit associated with the use of the card in conjunction with the system shown in Figures 1-41. Furthermore, in one embodiment of the invention, the card contains two sets of account information: a first set is associated with the credit card provider and a second set is associated with respect to the use of the card in conjunction with the system shown in Figures 1-41.

Tradeshow

5

10

15

In one embodiment of the invention, custom cards are issued as part of a tradeshow. In this embodiment, the cards have identifying information displayed on the card thereby serving as a badge. The card may be activated by providing the credit vendor a credit application and requesting the credit vendor to activate the card. Once activated, the credit vendor provides an

insignia to the buyer. The buyer places the insignia on or near the card via an adhesive. The insignia identifies to sellers that the buyer has at least a threshold level of credit. In another embodiment of the invention, upon approving the buyer's application for a card, the buyer is provided a card having a certain color that is different than the individuals that have not been approved to receive credit.

Create Vendor

5

10

15

20

30

35

The card issuer can create a single vendor account at a time as well as part of the batch preapproved process.

Purchase Guarantee Payment

The following describes a process of guaranteeing payment for a transaction. First, a cardholder places order, e.g., verbal, PO, with a vendor.

The vendor submits authorization request to ProfitScape/system (card #, expiration name, name, amount, PO). The system verifies credit balance, issues authorization code, decline, pending, or other response message. Exemplary response codes may be found in the Visa 2 Specification.

If amount requested puts cardholder over the cardholder's credit limit, a PENDING response is issued and submitted to the guarantor. The guarantor can approval the transaction and/or or increase the cardholder's credit limit. The card issuer can generate reports of PENDING authorizations to ensure that they are being answered in a timely manner. The vendor ships goods, sends invoice to the card issuer with an authorization code. The vendor sends an invoice to the cardholder requesting the cardholder to remit payment to the guarantor, or alternatively, the card issuer. In one embodiment, the card issuer has online forms for vendors to submit invoices.

In one embodiment, the vendor incurs a payment term guarantee fee at the time of approval of the transaction. Each vendor obtains an approval for a specific buyer (i.e., one cardholder). Each approval can cover multiple invoices for a specific buyer (i.e., one cardholder). Each approval incurs a fee, relative to the total invoice amount. If an invoice is larger than the approved amount (e.g., due to taxes or shipping fees), a $2\frac{1}{2}$ % fee (or more depending on length of terms) may be automatically charged against the extra amount.

Receive Invoice

After shipping the goods, the vendor sends the invoice to both the cardholder and to the card issuer. After the card issuer receives invoice(s), each invoice is marked with the authorization code. The invoice specifies the payment terms. Depending on the payment terms, a selected fee may be charged by the card issuer for the service of guaranteeing the total approved amount. In one embodiment, the fees are accessed on the basis of the total invoice amount, including tax and shipping charges.

In one embodiment, the fee schedule varies according to the length of time until the payment is due. The following table illustrates an exemplary fee schedule.

Payment Terms	Fee	
Net 30	21/2%	
Net 60	21/2%	
Net 90	3%	
Net 120	31/2%	
Net 150	4%	
Net 180	41/2%	

If more than one invoice is received from a vendor, the vendor should include a summary sheet having totals for verification.

The card issuer inputs an authorization code to find the transaction in the database, and then inputs the invoice number and total. The card issuer logs the invoice and sends the invoice to the guarantor of the transaction both physically and as an electronic item.

Guarantor Receives Payments

Payments are received by the guarantor, which sends an electronic log of settlements to the card issuer. It is noted that in one embodiment, the buyer sends the payments directly to the card issuer. The system creates the appropriate payment transactions and computes the guarantor's fee, creating a transaction object in the platform for that as well. The card issuer applies payments to the invoice. The guarantor takes a fee, based on the total amount of the invoice, and then send the payments on to the card issuer. One payment may be applied to multiple invoices. A partial payment may be applied to an invoice.

The card issuer distributes to the vendor the payment, less fees any transaction fees. The vendor receives the payment, less fees, based on the total amount of the INVOICE (not the amount received). The vendor may bill the buyer for the difference between the total invoice and the amount remitted. In the event the payment is less than the total invoice amount due to payment terms (e.g., 2%/10 Net 30), the vendor is responsible for issuing a credit for the buyer.

Card Issuer Issues Vendor Checks

A payables batch is created in the system. After editing, the batch is sent to a A/P system to actually print checks. Optionally, the card issuer can print the checks.

25

20

5

10

15

Cycle End Processing

The vendors each receive a cycle-end statement summarizing all transactions and providing updated information. This marks a regular contact point, where marketing materials may be included with the mailing. Some may elect to receive such transmissions electronically, e.g., CD-ROM, diskette, ftp, email.

Issue Cards (Batch, Single, Re-issue)

Cards may be issued in large batches, sent out for embossing, or one at a time.

Buyer Credit Advance

10

15

20

25

30

35

The buyer is responsible for paying for the goods and services that have been purchased from the seller within a predetermined time period, <u>e.g.</u>, 30, 60, 90 days. In one embodiment, the start of the due date time period is triggered after the seller transmits the goods to the buyer or, alternatively, after the seller performs services for the buyer.

In one embodiment of the invention, the buyer may defer payment by paying a selected fee. In return, the recipient of the selected fee pays all or some of the funds that are owed by the buyer.

For example, with respect to the system shown in Fig. 1B, the buyer may request the credit vendor to defer payment to the re-factor company. In exchange for receiving the selected fee, the credit vendor pays the seller after the predetermined time period. Also, the credit vendor transmits a selected fee to the re-factor company for the re-factor company's involvement with the initial transaction between the buyer and the seller. Alternatively, instead of the credit vendor, the refactor company can accept delayed payment and in return for the delayed payment, charge the fee and pay the credit vendor prior to the expiration of the predetermined time periods, e.g., 30, 60, 90 days. The credit vendor then pays the seller the monies owed the seller by the buyer minus any transaction fees.

Furthermore, for example, with respect to the system shown in Fig. 1C, the buyer may request the credit vendor to receive delayed payment for a fee. In return for the fee, the credit vendor pays the seller prior to the expiration of the predetermined time period.

View Accounts

In one embodiment, buyers and sellers may retrieve their account information from the credit server. Account information can include: credit limits, past transactions, billing information, etc. In this embodiment, the credit vendor maintains a server computer that is operably connected to a network. The network may include any type of electronically connected group of computers including, for instance, the following networks: Internet, Intranet, Local Area Networks (LAN) or Wide Area Networks (WAN). In addition, the connectivity to the network may be, for example, remote modem, Ethernet (IEEE 802.3), Token Ring (IEEE 802.5), Fiber Distributed Datalink

5

10

15

20

25

30

Interface (FDDI) or Asynchronous Transfer Mode (ATM). Note that computing devices may be desktop, server, portable, hand-held, set-top, or any other desired type of configuration. As used herein, an Internet includes network variations such as public internet, a private internet, a secure internet, a private network, a public network, a value-added network, an intranet, and the like.

Using a client computer that is connected to the network, the client computer can retrieve account information. An exemplary report showing account information is shown in Figure 41. In one embodiment, the server computer allows the user to contest certain transactions that are identified in the account information. Upon contesting a transaction, the contesting party is afforded an opportunity to associate one or more messages with the contest. In this regard, each transaction has an electronic storage bin to hold communications between the buyer and the seller for the selected transaction.

In one embodiment, if the transaction is contested by the buyer, the message is automatically transmitted via electronic mail to an agent for the seller and stored in the electronic storage bin. Furthermore, in one embodiment, if the transaction is contested by the seller, the message is automatically transmitted via electronic mail to an agent for the buyer and stored in the electronic storage bin. Once received by the non-contesting party, the contesting party is presented with an opportunity to reply via electronic mail. Using the storage bin, the communication history between the buyer and seller may be reviewed. Furthermore, in one embodiment of the invention, the non-contesting party can change the terms of the transaction to end the dispute.

In one embodiment of the invention, a buyer is afforded an opportunity to delay payment with respect to one or more of the transactions. In this embodiment, when the user views their past transactions, the buyer is presented a selectable icon proximate to each of the transactions for which that buyer owes payment. By selecting the selectable icon, the user indicates a request to extend the due date for paying the due fees. In response to the selection, the server computer adjusts the due date for the transactions and assigns a due date extension fee to the buyer's account. Furthermore, at a predetermined point, the server computer pays the seller the monies that are owed to seller by the buyer.

In another embodiment of the invention, a seller is afforded an opportunity to receive payment prior to agreed upon terms with the credit vendor. In this embodiment, when the seller views past transactions, the seller is presented with a selectable icon proximate to each of the transactions in which the seller is to receive payment. By selecting the selected icon, the seller indicates a request to receive payment for the funds immediately. In response to the selection, the server computer pays the seller the monies owed minus an advance fee.

It is noted that since a buyer may also be a seller to other buyers, the buyer and seller reporting screens may be integrated into a single screen display.

System Description

Attention is now directed to the figures. Fig. 1A is a flow diagram of a first embodiment of the invention showing the purchase and fulfillment between a buyer, vendor and guaranteeing financial institution using the method of the invention. Referring to Fig. 1, the buyer makes a purchase from the vendor with a guaranteed credit line as established in the profile database 10. The purchase order is then being forwarded to the vendor for fulfillment 12. Then the receivable is reassigned to the guaranteeing financial institution for a guarantee of the receivables 14, the purchase order is returned to the buyer for the buyer's records 16. The vendor ships the order with a copy of the invoice and terms back to the buyer 18, for example, net 30, net 60, or net 90. Then the vendor sends shipment confirmation and a copy of the invoice to the platform for the invention, which in one embodiment, is entitled "ProfitScape" (hereinafter referred to as the platform), on an e-commerce web site 20. Next the buyer makes payment to the platform based upon the vendor terms 22, and the platform forwards payment to the vendor 24, minus a negotiated percentage. The platform profile database maintains credit records and transfers all monies from the buyer to the vendor minus a negotiated percentage or transaction fee, for example 8-12% of the transaction. The guaranteeing financial institution will review the accounts periodically, for example every 90 days, for buyer credit line limits. Also periodically, for example every 30 days, the platform reconciles with the guaranteeing financial institution for a percentage of all gross revenue of the platform's guaranteed electronic commerce transactions.

10

15

20

25

30

35

Fig. 1B is another embodiment of the invention. Fig. 1B is a flow diagram of a second embodiment of the invention showing the purchase and fulfillment between a buyer, seller and a credit vendor. It is noted that although only one buyer is shown, the electronic platform can be used in connection with large numbers of buyers.

Referring to Fig. 1B, at a step 51, a buyer provides credit information via an application to a credit vendor. Next, at a step 52, the credit vendor forwards the information to a re-factor company. The re-factor company evaluates the credit information and determines a credit limit for the buyer. At a step 53 the re-factor company transmits the credit limit for the buyer to the credit vendor. Continuing to a step 54, the credit vendor transmits one or more cards to the buyer. In one embodiment, the card has an electronic strip having a magnetically imprinted card number. Furthermore, the card may have an associated personal identification number.

Moving to a step 55, the buyer contacts a seller and offers to purchase goods or services that are provided by the seller. At the step 55, the buyer provides the seller their card or alternatively the buyer's account information.

Next, at a step 56, the seller provides the credit vendor, via a transaction device, the transaction information. The transaction device can include: a computer, a hand held device, a cash register, or other electronic device. In one embodiment of the invention, the transaction information comprises a merchant identifier, the buyer account number (the card number), the name on the card, an expiration date that is associated with the card, and an estimated transaction amount.

The credit vendor determines whether the transaction amount would cause the buyer to spend in excess of the buyer's credit limit. Assuming the buyer has sufficient credit, the process moves to a step 57 wherein the credit vendor transmits approval to the seller computer for the transaction. Furthermore, the credit vendor records the transaction information to facilitate evaluating further purchases of the buyer.

10

15

20

25

30

35

Continuing to a step 58, the seller ships the goods or performs the services specified by the contract. In return, the seller receives from the credit vendor the right to receive payment no later than a predetermined period. In one embodiment of the invention, the predetermined period is no later than 180 days or whenever the re-factor company receives payment, whichever is sooner.

Next, at a step 61, the buyer makes payment to the re-factor company. Continuing to a step 62, the re-factor company pays the credit vendor minus a first transaction fee. Proceeding to a state 63, the re-factor company pays the seller minus a second transaction fee. It is noted that in one embodiment of the invention, for a predetermined fee, the seller can borrow against the guaranteed received payment.

Fig. 1C is a flow diagram of a third embodiment of the invention showing the purchase and fulfillment between a buyer, vendor and guaranteeing financial institution. It is noted that although only one buyer is shown, the invention can be used in connection with large numbers of buyers.

Referring to Fig. 1C, at a step 71, a buyer provides credit information via an application to a credit vendor. Next, at a step 72, the credit vendor forwards the information to a credit insurer. The credit insurer evaluates the credit information and determines whether it will insure the transaction. At a step 73, the credit insurer transmits the credit limit for the buyer to the credit vendor. The credit vendor may transmit one or more cards to the buyer.

Moving to a step 74, the buyer contacts a seller and offers to purchase goods or services that are provided by the seller. Upon agreeing to the terms of a deal, the buyer provides the seller their card or alternatively provides the buyers account information.

Next, at a step 75, the seller provides the credit vendor, via a transaction device, the transaction information. In one embodiment of the invention, the transaction information comprises a merchant identifier, the buyer account number (the card number), the name on the card, an expiration date that is associated with the card, and an estimated transaction amount.

The credit vendor determines whether the transaction amount would cause the buyer to spend in excess of the buyer's credit limit. Assuming the buyer has sufficient credit, the process moves to a step 76 wherein the credit vendor transmits approval to the seller's transaction device. Furthermore, the credit vendor records the transaction information to facilitate evaluating further purchases of the buyer.

Continuing to a step 77, the seller ships the goods or performs the services specified by the contract. In return, the seller receives from the credit vendor the right to receive payment no later than a predetermined period. In one embodiment of the invention, the predetermined period is no later than 180 days or whenever the credit vendor receives payment, whichever is sooner.

10

15

20

25

30

35

Next, at a step 78, the buyer makes payment to the credit vendor. It is noted that in one embodiment of the invention, for a predetermined fee, the seller can borrow against the guaranteed received payment. Moving to a step 79, the credit vendor pays the seller. Fig. 2 is another embodiment of the invention. In Fig. 2, the buyer makes a purchase through the guaranteeing financial institution with a guaranteed credit line 26. In one embodiment, the vendor then obtains from the guaranteeing financial institution an authorization code for the amount of the intended purchase, including tax and shipping if known. Once authorization is obtained (usually within seconds), the vendor may ship the order knowing that payment is guaranteed. The purchase order is then forwarded to the vendor for fulfillment 28 and the purchase order is then returned to the buyer for the buyer's records 30. Then the vendor ships the order with a copy of the invoice and terms to the buyer 32, and the vendor sends shipment confirmation and a copy of the invoice to the guaranteeing financial institution 34. In one embodiment, the vendor notes on the buyer's copy of the invoice to remit payment to the guaranteeing financial institution 34. The buyer the makes payment to the guaranteeing institution based upon the vendor's terms 36, and the institution forwards payment to the vendor minus the institution's negotiated percentage 38.

Fig. 3 is a block diagram demonstrating the post-shopping experience of the buyer using the methodology of the invention. The user first shops and then views their order, and before checking out, chooses a form of payment, be it either a credit card, or through the platform of the invention. If a credit card is chosen as the method of payment, the transaction proceeds through the platform of the invention. If the user is enrolled in the platform of the invention, their transaction is guaranteed. The user is also offered the choice of joining and becoming a member of the platform.

Fig. 4 shows the process that a user proceeds through when first logging on to the platform of the invention. First the existing customer or the new user visits the web site having the platform of the invention 40. The new user applies for membership and a line of credit with guaranteed receivables 42. An existing user is shown logging in with their user name and

5

10

15

20

25

30

35

password 44, and the existing customer or new user is forwarded to the appropriate web sites for purchases 46. Applications for credit and guarantees are forwarded to the financial institution for review 48. If the application for credit has been denied, the customer is then notified 50. If the application for credit has been approved, the customer is assigned a guaranteed credit limit 52, as well as an "ID" and is then entered into the user profile database.

Fig. 5 is a block diagram demonstrating an approved customer 54 being forwarded to customer service so that customer service can gather information 56 and create a user database profile on their company, products, target market, history, terms, etc. Example data collected for the user's profile includes: name, address, contact information, primary industry, credit insured amount, payment history, credit usage, target marketplace, products offered, services offered, inventory, buying trend data, and Internet usage data.

Fig. 6 is a block diagram demonstrating a user searching the profile database. A user queries the database through a search engine for specific information 58. Data is searched from the database and returned to the user 60. Then the user accesses a web site from a returned data link 62, and the user consummates an electronic commerce transaction 64 such as that shown in Fig. 1.

Fig. 7 shows the algorithm methods for the various embodiments of the invention. In Fig. 7a the buyer, seller, and guaranteeing institution cannot communicate with each other but only with the platform for the invention. In Fig. 7b the buyer and seller only communicate with the guaranteeing institution and not with each other. In Fig. 7d the buyer and guaranteeing institution can each only communicate with the seller, but the seller can communicate with either or both of the buyer and guaranteeing institution. In Fig. 7e the seller and the guaranteeing institution can each only communicate with the buyer, but the buyer can communicate with either or both of them.

Fig. 8 shows a flow diagram of an embodiment of the invention wherein the method of the invention includes an international licensee. First a user applies for a credit line through the international licensee 66. Then an application is entered into the database of the invention 68, and that application is forwarded to the guaranteeing financial institution 70. Then the applicant who is approved is assigned a line of credit and a user ID, and the database is then updated with their information 72. The user and licensee are then notified 74. At this point, the process proceeds as shown in Fig. 9. If the application is denied, the applicant and licensee are notified accordingly 76.

Fig. 9 demonstrates the process that proceeds after the applicant has been approved in Fig. 8. The international buyer accesses the marketplace through a licensee 78. Then the platform's buyer makes an international purchase on the platform with the user's ID 80. Next the user ID and credit availability are checked through the database and the guaranteeing financial institution 82 and 82'. Then the seller receives the order with the guaranteed receivables 84, and the transaction has been completed and the order is shipped to the buyer 86.

Fig. 10 is a flow diagram for a second embodiment of the international licensee application of the invention. First the user applies for a credit line through an international licensee 88. Then the application is forwarded to the guaranteeing financial institution 90. If the application is approved, the applicant is then assigned a line of credit and a user ID 92. The user and licensee are then notified. At this point, the process proceeds as shown in Fig. 11. If the application is denied, the applicant and licensee are accordingly notified 94.

Fig. 11 represents the next stage in the process after having completed those steps in Fig. 10. In Fig. 11, the international buyer accesses the marketplace through a licensee 96 and the platform buyer makes an international purchase 98 on the platform of the invention with the user ID. Then the user ID and credit availability are checked through the guaranteeing financial institution 100. The seller receives the order with the guaranteed receivables 102, the transaction is completed and the order is shipped to the buyer 104.

10

15

20

25

30

35

Fig. 12 is a third embodiment of the international licensee application of the invention. In Fig. 12, the guaranteed buyer makes a purchase from a vendor on an international licensee platform 106. Then the user ID and password are passed to a module 108 which allows the communication with the database of the invention, and the ID and credit availability are checked through the database, as well as the guaranteeing financial institution 110 and 110'. The vendor web site receives verification 112, and the transaction is completed and the order is then shipped to the buyer 114.

Fig. 13 is a fourth embodiment of the international licensee application of the invention wherein the communication occurs directly with the guaranteeing financial institution. First, the guaranteed buyer makes purchases from a vendor on the international licensee platform 116. Then the user ID and password are passed to a module which allows communication with the database of the invention 118. Next the user ID and credit availability are checked through the guaranteeing financial institution 120. The vendor web site receives verification 122, and the transaction is completed and the order is then shipped to the buyer 124.

Fig. 14 is a flow chart demonstrating vendors' direct marketing to existing registered users (buyers) of the invention. The buyer logs on and sees offers being retrieved from the database, and chooses whether or not to accept the offer. If the offer is accepted, the transaction is concluded. If the offer is not accepted, the user continues on through the web site. The vendor creates offers and then sends them to the database for storage. The vendor then creates a user profile from the information off of the database. The database then compares the profile created by the vendor with existing customer profiles. The invention then creates a list of matching users who wish to see offers of this type and proceeds to offer them to those users the next time that they log on.

Fig. 15 is a flow chart showing the user applying for credit with the methodology of the invention. The user first applies for a credit line, and that information is then added to the database. The information is then submitted to a financial institution and the financial institution either approves or disapproves the credit application. If the application is not approved, the user is informed of the result. If the application is approved, the amount of credit is recorded for the user and the user is accordingly informed of approval and the amount of credit. For example, an applicant applies for a "net 30 card." This card is similar in appearance to a credit card. Should the applicant be approved for the net 30 card, then they will be able to purchase goods and services immediately, and upon receipt the guaranteeing institution or platform of the invention will guarantee payment within thirty days to the vendor. The applicant can apply for the card either manually or electronically. Information received from the candidate is then entered into a database which is forwarded to a guaranteeing financial institution. The guaranteeing financial institution then reviews the application information and issues an insured line of credit if the applicant is approved. Once the applicant is approved, the guaranteeing financial institution notifies the platform of the insured credit line and guarantees payment of receivables. Then the net 30 card is issued to the applicant, who is now a registered user of the platform of the invention. The user's transactions are then checked through the platform profile database for available credit and amounts adjusted. At the end of each day, the platform of the invention keeps the guaranteeing financial institution updated on all user accounts' status. This methodology insures the vendor's receivables.

10

15

20

25

30

35

Fig. 16 is a flow chart demonstrating the steps that a user proceeds through in logging on to the web site containing the platform of the invention. The user first arrives at the public Web site and enters their login ID. The site then compares their ID and password to those recorded in the database. If the log-in is not valid, then the user is refused access and is returned to the public Web site. If the log-in is valid, then the user preferences are retrieved from the database and are customized to provide a personalized page displayed to the user. The user then continues with member-only options within the system.

Fig. 17 is a flow chart demonstrating a user making a purchase using the methodology of the invention. The user first attempts to conclude the transaction and the platform of the invention ascertains the user's identity and compares their transaction with an available credit balance stored in the database. If their available balance is not adequate, then the transaction is denied. If the available balance is adequate, then the transaction proceeds and the invention subtracts the transaction total from the available balance, and the order is confirmed to the user, the vendor is notified of the purchase order, and the user receives a copy of the purchase order. Next, the receivables are reassigned to the financial institution and the vendor receives notification of the

purchase order and fulfills the purchase order. Once the receivables are reassigned to the financial institution, then the financial institution receives notification of that reassignment. Once the vendor notifies the platform of the fulfillment of the order and has sent the user the merchandise, the user is then billed. If the user does not pay the bill, then the financial institution is notified who then pays the platform who in turn pays the vendor. If the user does pay the bill, then their payment is added to the available credit in their account.

Fig. 18 is a flow diagram of a third embodiment of the invention. First the buyer selects the platform guaranteed receivables method as the method of payment 126. The e-commerce backend forwards purchase information to the platform profile database 128. Available credit is checked from the user's profile and new applicants are processed 130. Then the profile database is updated accordingly 132. The buyer is notified and if approved, the vendor, or seller, is also notified to ship 134 and 134'. Then the buyer makes payment to the guarantor bank according to the terms set forth by the vendor, or seller 138. The profile database is then updated accordingly 140. The guarantor bank processes the payment and forwards payment to the platform and vendor bank 142. Then the vendor bank credits the vendor, or seller 144.

10

15

20

25

30

35

Fig. 19 is a flow diagram of a fourth embodiment of the invention. In this embodiment, the buyer selects the platform guaranteed receivables method as the method of payment 146. The e-commerce backend forwards purchase information to a processor 148. The processor forwards information to the guaranteed receivables issuer which is the platform of the invention 150. Then the available credit is checked, new applicants are processed, and the profile database is updated accordingly 152. The buyer is notified of either approval or rejection of their application 154. If approved, the vendor, or seller, is notified to ship. The buyer makes payments to the guarantor bank lock box according to the terms set forth by the vendor, or seller 156. Next, the database and credit limit are updated accordingly 158. Then the guarantor bank processes payment and forwards payment to the platform and vendor bank 160. Then the vendor bank credits the vendor 162.

Figs. 20-40 further illustrate the invention as noted in the brief figure descriptions, above. The embodiments presented in the figures are not meant to limit the applications of the invention. The methodology of the invention has application in buying and selling, as well as lending based upon accounts receivables, in addition to credit insuring purchases.

Abstract Model

The platform comprises one or more computer implemented modules. As can be appreciated by one of ordinary skill in the art, each of the modules comprise various sub-routines, procedures, definitional statements, and macros. Each of the modules are typically separately compiled and linked into a single executable program. The modules may be arbitrarily redistributed to one of the

other modules, combined together in a single module, or made available in a shareable dynamic link library. Optionally, as can be appreciated by one skilled in the art, one or more of the modules may be designed using hardware.

The modules may be written in any programming language such as C, C++, BASIC, Pascal, Java, and FORTRAN and ran under the well-known operating system. C, C++, BASIC, Pascal, Java, and FORTRAN are industry standard programming languages for which many commercial compilers can be used to create executable code.

The following sections describe exemplary software-implemented classes that may be defined by selected ones of the modules.

10 Company

5

The company class provides a common base class for the four types of companies involved in the system: Merchants, Cardholders, Factors, and Guarantors.

id: int	System generated identification number.			
industryCode: Code	Type of industry the company belongs to.			
names: List of CompanyName	Companies have a primary name and zero o more DBA's.			
addresses: Map of List of Address	Companies have one or more addresses. Each address is marked as to its usage.			
contacts: Map of List of Contact	Companies have one or more contacts. Each contact is marked as to its usage.			
taxID: BigInteger	Federal tax id or VAT code.			
int getID()	Get the company identification number.			
Code getIndustryCode ()	Get the industry code.			
void setIndustryCode (Code newIndustry)	Set the industry code.			
Iterator getNames ()	Get an iterator over the list of names, in sequence. The first is the primary, any subsequent are DBA's.			
Iterator getDBANames ()	Get an iterator over just the DBA's.			
Iterator getAddresses ()	Get an iterator over all addresses, sorted by type by sequence.			
Iterator getAddresses (Code addressType)	Get an iterator over all addresses of the specified type sorted by sequence.			
Iterator getContacts ()	Get an iterator over all the contacts, order by type by sequence.			
Iterator getContacts (Code contactType)	Get an iterator over all contacts of the given type, order by sequence.			
BigInteger getTaxID ()	Get the tax id or VAT number.			

15 Code

The Code class represents all fields that store a coded value, referenced within the Codes table.

codeType: String	
codeName: String	
codeCharacterValue: String	
codeIntegerValue: long	
description: String	

CompanyName

CompanyName represents a single company name, which may be one of many names a company goes by.

CompanyName	
name: String	The company name.

5

Address

Address provides a postal address.

Address	
type: Code	The address type.
line1: String	Number and street, etc.
line2: String	Overflow.
line3: String	Overflow.
city: String	
stateCode: Code	
postalCode: BigInteger	
countryCode: Code	
attention: String	

10 Contact

The Contact class represents a person and their contact information as well as a company's primary contact information.

Contact	
type: Code	
lastName: String	
firstName: String	
middleName: String	
jobTitle: String	
department: String	
url: String	
email: String	
phone: String	
fax: String	
mobile: String	
pager: String	
notes: String	
address1: String	

address2: String	
address3: String	
city: String	
stateCode: Code	
postalCode: BigInteger	
countryCode : Code	

Merchant

The Merchant class provides information regarding a single merchant within the system.

5 MerchantHome

The MerchantHome class provides methods for creating, finding, and deleting Merchants.

MerchantHome			
create () Create a new Merchant.			
findByPrimaryKey (MerchantPK pk)	Find by primary key.		
Name[] getNextNames (Name first, int count)	Get a list of names greater than or equal to the given one.		
Name[] getPreviousNames (Name last, int count)	Get a list of names less than or equal to the given one.		

Cardholder

The cardholder class represents a single cardholder within the system.

Cardholder extends Company	
guarantorID: GuarantorPK	The guarantor issuing this line of credit.
limit: BigDecimal	
limitDate: Date	
limitSource: String	
customerID: String	
association: AssociationPK	
source: String	
creditStatus: Code	

10

CardholderHome

The CardholderHome class provides methods for creating, finding, and deleting Cardholders.

CardholderHome	
create ()	Create a new Cardholder.
findByPrimaryKey (CardholderPK pk)	Find by primary key.
Name[] getNextNames (Name first, int	Get a list of names greater than or equal to the
count)	given one.
Name[] getPreviousNames (Name last, int	Get a list of names less than or equal to the
count)	given one.

15

Card

The Card class represents a single card issued to a Cardholder.

Card	
limit: BigDecimal	
limitDate: Date	
limitSource: String	
PIN: String	
name: String	
companyName: CompanyName	Which company name is on the card, it preferably is one of the defined ones.
allianceName: CompanyName	An alliance name if any.
issueDate: Date	
expireDate: Date	
badgeNumber: String	

Guarantor

5 The Guarantor class represents a guarantor, such as GMAC.

Guarantor extends Company	
minimum: BigDecimal	
feePercentage: BigDecimal	

GuarantorHome

The GuarantorHome class provides methods for creating, finding, and deleting Guarantors.

	٠,	0,	
GuarantorHome			
same as MerchantHome			

10 Factor

The factor class represents a single factor.

FactorHome

The FactorHome class provides methods for creating, finding, and deleting Factors.

15

Association

The Association Class represents a company with a business relationship.

20 <u>AssociationHome</u>

The AssociatonHome class provides methods for creating, finding, and deleting associations.

Transaction

The transaction class represents a transaction.

Transaction .	*.
id: String	
timestamp: Timestamp	
companyID: CompanyPK	·
company2ID: CompanyPK	
type: Code	

amount: BigDecimal	
batchID: String	

TransactionHome

5

10

The TransactionHome class provides methods for creating, finding, and deleting Transactions.

Various other classes may be used to represent other portions of the system such as merchant invoices, cardholder payment, and a merchant statement/check.

Although the invention has been described in detail with particular reference to these preferred embodiments, other embodiments can achieve the same results. Variations and modifications of the invention will be obvious to those skilled in the art and it is intended to cover in the appended claims all such modifications and equivalents. The entire disclosures of all references, applications, patents and publications cited above are hereby incorporated by reference.

-32-

Appendix A

Database Schema

It is noted that a number of different database schemas may be used with respect to the platform profile database. Set forth below are exemplary tables that may be used in conjunction with one embodiment of the platform profile database.

```
Table 1: System Users
```

```
10
      CREATE TABLE SYSTUSR
15
                                              { unique id
          ID
                  INTEGER NOT NULL,
                                                                 }
          LGNID
                  CHAR (15) NOT NULL,
                                              { lgin id
20
                                              { user class
          CDUSRID INTEGER NOT NULL,
                                                                 }
                  CHAR (15) NOT NULL,
                                              { password
          PWD
                                              { password date
          PWDDT
                  DATE NOT NULL,
25
                  CHAR (50) NOT NULL,
                                              { full name
          NAM
          ACT
                  CHAR (1) NOT NULL,
                                              { active Y/N
30
                  INT NOT NULL,
                                               { login count
                                                                 }
          LGNCNT
                                               { login bad count }
          LGNBAD
                  INT NOT NULL,
                                              { last login date }
          LGNDTTM DATETIME YEAR TO SECOND,
35
                  DATETIME YEAR TO SECOND,
                                              { last login attmp }
          ATDTTM
          ACTDT
                  DATE,
                                               { active date
40
                  DATE,
                                               { expire date
                                                                 }
          EXPDT
                                               { any data to associate to user }
          DTA
                  CHAR (50),
45
                                               { create user id }
          CRTUSRID CHAR (15) NOT NULL,
          CRTDTTM DATETIME
                                               { create datetime }
50
                   YEAR TO SECOND NOT NULL,
          CRTSRVR CHAR (15) NOT NULL,
                                               { create server
          CRICLNI CHAR (15) NOT NULL,
                                               { create client
55
                                               { change by user }
          CHGUSRID CHAR (15) NOT NULL,
                                               { change datetime }
          CHGDTTM DATETIME
60
                   YEAR TO SECOND NOT NULL,
                                               { change server
          CHGSRVR CHAR (15) NOT NULL,
          CHGCLNT CHAR (15) NOT NULL,
                                               { change client
65
```

```
PRIMARY KEY (ID) CONSTRAINT SYSCUSRPK,
 5
          CHECK (ACT IN ('Y', 'N')) CONSTRAINT SYSCUSR1,
          UNIQUE(LGNID) CONSTRAINT SYSCUSR2
      ) LOCK MODE ROW;
10
15
                                             Table 2: User Groups
                                     (Map a user to a set of zero or more groups)
      CREATE TABLE SYSTUSRG
20
          ID
                   INTEGER NOT NULL,
                                                { unique id
          USRID
                   INTEGER NOT NULL,
                                                { user id
25
          GRPUSRID INTEGER NOT NULL,
                                                { group user id
30
          PRIMARY KEY(ID) CONSTRAINT SYSCUSRGPK,
          UNIQUE(USRID, GRPUSRID) CONSTRAINT SYSCUSRG1,
          FOREIGN KEY (USRID) REFERENCES SYSTUSR (ID) CONSTRAINT SYSCUSRGFK1,
35
          FOREIGN KEY(GRPUSRID) REFERENCES SYSTUSR(ID) CONSTRAINT SYSCUSRGFK2
     );
40
                                            Table 3: System Menu
      CREATE TABLE SYSTMNU
45
          ID
                  INTEGER NOT NULL,
                                           { unique id
                                           \{ M = Menu, F = Function, L = Link \}
          TYP
                  CHAR(1) NOT NULL,
50
          FNAM
                  CHAR (100),
                                           { public alias for program
          MANG
                  CHAR (100),
                                                { program name
                                                                                     }
55
          DESC
                                                { human description of function
                                                                                     }
                  CHAR (100) NOT NULL,
          MNUID
                  INTEGER,
                                                { parent menu
                                                                                     }
60
          PRIMARY KEY(ID) CONSTRAINT SYSCMNUPK,
          FOREIGN KEY (MNUID) REFERENCES SYSTMNU(ID) CONSTRAINT SYSCMNUFK1,
65
          CHECK (TYP IN ('M', 'F', 'L')) CONSTRAINT SYSCMNUL
      ) LOCK MODE ROW;
70
```

Table 4: User Permissions

```
CREATE TABLE SYSTUSRP
 5
          ID
                  INTEGER NOT NULL,
                                              { unique id
                                                                                   }
10
          MNUID
                 INTEGER NOT NULL,
                                              { menu id
                                                                                   }
                                               { user id
          USRID
                  INTEGER NOT NULL,
          PRM
                  CHAR(1) NOT NULL,
                                              { N = No Access, R = Read, F = Full }
15
          PRIMARY KEY (ID) CONSTRAINT SYSCUSRPPK,
20
          UNIQUE (MNUID, USRID) CONSTRAINT SYSCUSRP1,
          FOREIGN KEY (MNUID) REFERENCES SYSTMNU(ID) CONSTRAINT SYSCUSRPFK1
25
      ) LOCK MODE ROW;
                                             Table 5: Unique IDs
30
      CREATE TABLE SYSTID
35
                  CHAR (20) NOT NULL,
          NM
         LSTID INT8 NOT NULL,
40
         PRIMARY KEY (NM)
      ) LOCK MODE ROW;
45
                                        Table 6: Authorization Responses
      CREATE TABLE N30TCDRSP
50
          ID
                  INTEGER NOT NULL,
          DESC CHAR(20) NOT NULL,
55
          PRIMARY KEY (ID),
60
          UNIQUE (DESC)
      ) LOCK MODE ROW;
65
                                          Table 7: Application Status
      CREATE TABLE N30TCDAST
70
          ID
                  INTEGER NOT NULL,
```

```
DESC
                   CHAR (20) NOT NULL,
 5
          PRIMARY KEY (ID),
          UNIQUE (DESC)
      ) LOCK MODE ROW;
10
                                             Table 8: Payment Terms
      CREATE TABLE N3OTCDPMT
15
          ID
                   INTEGER NOT NULL,
20
          DESC
                  CHAR (20) NOT NULL,
          FEE
                   DECIMAL(8,4) NOT NULL,
25
          PRIMARY KEY (ID),
          UNIQUE (DESC)
30
      ) LOCK MODE ROW;
                                            Table 9: Transaction Types
35
      CREATE TABLE N3 OTCDTRN
          ID
                   INTEGER NOT NULL,
40
          DESC
                  CHAR (20) NOT NULL,
45
          PRIMARY KEY (ID),
          UNIQUE (DESC)
      ) LOCK MODE ROW;
50
                                         Table 10: Transaction Detail Types
      CREATE TABLE N3OTCDTRND
55
          ID
                   INTEGER NOT NULL,
60
          DESC
                   CHAR (50) NOT NULL,
          BADJ
                   MONEY (14,2) NOT NULL ,
          CADJ
                   MONEY(14,2) NOT NULL ,
65
          PRIMARY KEY (ID),
70
          UNIQUE (DESC)
```

```
) LOCK MODE ROW;
                                             Table 11: Industry Codes
 5
      CREATE TABLE N30TCDIND
10
          ID
                   INTEGER NOT NULL,
          DESC
                   CHAR (50) NOT NULL,
15
          PRIMARY KEY (ID),
          UNIQUE (DESC)
20
      ) LOCK MODE ROW;
                                             Table 12: US State Codes
25
      CREATE TABLE N30TCDUSS
      (
          CD
                   CHAR (2) NOT NULL,
30
          DESC
                   CHAR (20) NOT NULL,
35
          PRIMARY KEY (CD),
          UNIQUE (DESC)
      ) LOCK MODE ROW;
40
                                         Table 13: ISO 3166 Country Codes
      CREATE TABLE N30TCD3166
45
      (
          CD
                   CHAR (2) NOT NULL,
50
          DESC
                  CHAR (20) NOT NULL,
          PRIMARY KEY (CD),
55
          UNIQUE (DESC)
      ) LOCK MODE ROW;
60
                                           Table 14: Contact Type Codes
      CREATE TABLE N30TCDCON
65
          ID
                   INTEGER NOT NULL,
          DESC
                   CHAR(20) NOT NULL,
70
                   CHAR(1) NOT NULL CHECK (PRI IN ('Y', 'N')),
          PRI
```

```
PRIMARY KEY (ID),
 5
          UNIQUE (DESC)
      ) LOCK MODE ROW;
10
                                              Table 15: Card Status
      CREATE TABLE N3OTCDCHCS
15
          ID
                  INTEGER NOT NULL,
          DESC
                  CHAR (20) NOT NULL,
20
          AUTH
                  CHAR(1) NOT NULL,
          PRIMARY KEY (ID),
25
          UNIQUE (DESC)
      ) LOCK MODE ROW;
30
                                             Table 16: Credit Status
      CREATE TABLE N3OTCDCHS
35
          ID
                  INTEGER NOT NULL,
          DESC
                  CHAR (20) NOT NULL,
40
                  CHAR(1) NOT NULL,
          AUTH
45
          PRIMARY KEY (ID),
          UNIQUE (DESC)
      ) LOCK MODE ROW;
50
                                           Table 17: Credit Application
      CREATE TABLE N30TAPP
55
      (
           ID
                   INTEGER NOT NULL,
60
           CH
                   CHARACTER(1),
           EMAIL CHARACTER (30),
           FNAM
                   CHARACTER (30),
65
           LNAM
                   CHARACTER (30),
           MNAM
                   CHARACTER (30),
70
           CPNAM CHARACTER (40),
```

```
PHO
                  CHARACTER (20),
           FAX
                  CHARACTER (20),
 5
           ADR1
                  CHARACTER (30),
           ADR2
                  CHARACTER (30),
           ADR3
                  CHARACTER (30),
10
           CTY
                  CHARACTER (25),
           ST
                  CHARACTER (2),
15
           ZIP
                  CHARACTER (10),
           CTRY
                   CHARACTER (2),
           BFNAM
                    CHARACTER (30),
20
           BLNAM
                   CHARACTER(30),
           BPHN
                    CHARACTER(20),
25
           BADR1
                  CHARACTER (30),
          · BADR2
                  CHARACTER (30),
           BADR3
                  CHARACTER (30),
30
           BCTY
                   CHARACTER (25),
           BST
                   CHARACTER(2),
35
           BZIP
                   CHARACTER (10),
           BCTRY
                  CHARACTER (2),
           OFF
                   CHARACTER (30),
40
           OFFT
                  CHARACTER (30),
           CON
                   CHARACTER (30),
45
           CDINDID
                       INTEGER NOT NULL,
           DUNS
                   CHARACTER (20),
           DBA
                  CHARACTER (30),
50
           PCPY
                   CHARACTER (30),
           TAXID
                  CHARACTER (20),
55
           ASLS
                   CHARACTER (20),
           EDATE
                  CHARACTER (20),
           LOCS
                   CHARACTER (5),
60
           EMPS
                   CHARACTER (5),
           TBUS
                   CHARACTER (20),
65
           BKNAM
                  CHARACTER (30),
           BKCON
                  CHARACTER (30),
           BKADR
                   CHARACTER (40),
70
           BKCTY CHARACTER (25),
```

```
BKST
                  CHARACTER (2),
           BKZIP CHARACTER (10),
 5
           BKPHO CHARACTER (20),
           CKGNUM CHARACTER (20),
           SAVNUM CHARACTER (20),
10
           TRINAM CHARACTER (30),
           TRIADR CHARACTER (40),
15
           TRICTY CHARACTER (25),
           TR1ST CHARACTER(2),
           TRIZIP CHARACTER (10),
20
           TR2NAM CHARACTER (30),
           TR2ADR CHARACTER (40),
25
           TR2CTY CHARACTER (25),
           TR2ST CHARACTER (2),
           TR2ZIP CHARACTER (10),
30
                  CHARACTER (1),
           SGl
           SG2
                  CHARACTER (1),
35
           APPDT DATETIME YEAR TO SECOND,
           MAIL
                  CHARACTER (1),
           FINFO CHARACTER (1),
40
           EINFO
                  CHARACTER(1),
                  CHARACTER (20),
           STAT
45
                                  { account assigned or null }
           ACCID INTEGER,
           ACCGID INTEGER,
                                  { guarantor account }
                                  { limit date
           LDT
                  DATE,
50
                  DECIMAL(14,2), { limit amount }
           LAMT
           LSRC
                  CHAR (25),
                                   { limit source }
55
           GFEE
                  DECIMAL(8, 4), { guarantor fee }
                  CHAR (25),
                                   { guarantor customer id }
           GCST
           ACCAID INTEGER,
                                   { association }
60
                  DECIMAL(8,4), { association fee }
           AFEE
           CNAM1 CHAR (35),
65
           CNUM1 CHAR (16),
           CNAM2 CHAR (35),
           CNUM2 CHAR (16),
70
           CNAM3 CHAR (35),
```

```
CNUM3 CHAR (16),
                  CHAR (25) NOT NULL, { source
           SRC
 5
           SNTDTTM
                      DATETIME YEAR TO SECOND,
           RSPDTTM
                      DATETIME YEAR TO SECOND,
10
           PRIMARY KEY (ID)
      ) lock mode row;
15
                                          Table 18: NET30/Accounts
      CREATE TABLE N30TACC
20
          ID
                   INTEGER NOT NULL,
                                             { account id
          TYP
                   CHAR(1) NOT NULL,
                                             { account type
25
          CDINDID INTEGER NOT NULL,
                                             { industry code }
                                             { federal tax id or vat }
          TAXID
                   CHAR (14),
30
                                             { create user id }
          CRTUSRID CHAR(15) NOT NULL,
          CRIDITM DATETIME
                                             { create datetime }
                   YEAR TO SECOND NOT NULL,
35
          CRTSRVR CHAR(15) NOT NULL,
                                             { create server }
          CRTCLNT CHAR(15) NOT NULL,
                                             { create client }
40
          CHGUSRID CHAR (15) NOT NULL,
                                             { change by user }
          CHGDTTM DATETIME
                                             { change datetime }
                   YEAR TO SECOND NOT NULL,
45.
          CHGSRVR CHAR(15) NOT NULL,
                                             { change server }
         .CHGCLNT CHAR (15) NOT NULL,
                                             { change client
50
          PRIMARY KEY (ID) CONSTRAINT N30CACCPK,
          CHECK (TYP IN ('A', 'C', 'F', 'G', 'I', 'M')) CONSTRAINT N30CACC1
55
      ) LOCK MODE ROW;
                                        Table 19: NET30/Account Names
60
      CREATE TABLE N30TACCNAM
      (
65
          ID
                   INTEGER NOT NULL,
                                               { name id
          ACCID
                   INTEGER NOT NULL,
                                               { account id
                                              {Y/N, N = DBA}
          PRI
                   CHAR(1) NOT NULL,
                                                                 }
70
          NAM
                   CHAR(100) NOT NULL,
                                              { name
```

```
CNAM
                   CHAR (100)
                    DEFAULT "NOT DONE"
 5
                    NOT NULL,
                                                 {compress name
          -- TODO: constraint to make sure there is one primary and zero or more non-primary.
10
          PRIMARY KEY (ID) CONSTRAINT N30CACCNAMPK,
          FOREIGN KEY (ACCID) REFERENCES N30TACC (ID) CONSTRAINT N30ACCNAMFK1,
15
          CHECK (PRI IN ('Y', 'N')) CONSTRAINT N30ACCNAM1
      ) LOCK MODE ROW;
      CREATE INDEX N301ACCNAM1 ON N30TACCNAM (NAM, ACCID);
20
      CREATE INDEX N301ACCNAM2 ON N30TACCNAM (CNAM);
                                         Table 20: NET30/Account Contacts
25
      CREATE TABLE N30TACCCON
      (
30
          ID
                    INTEGER NOT NULL,
                                             { contact id
                                                               }
          ACCID
                   INTEGER NOT NULL,
                                             { account id
          CDCONID INTEGER NOT NULL,
                                             { contact type
                                                               }
35
          LNM
                   CHAR (25),
                                             { last name
                                                               }
          FNM
                   CHAR (25),
                                             { first name
                                                               }
40
          MNM
                   CHAR (25),
                                             { middle name
                                                               }
          JOB
                   CHAR (40),
                                             { job title
                                                               }
          DPT
                   CHAR (40),
                                             { department
                                                               }
45
          URL
                   CHAR (100),
                                             { www url
          EML
                   CHAR (80),
                                             { email address }
50
          PHN
                   CHAR (20),
                                             { voice phone
                                                               }
          FAX
                   CHAR (20),
                                             { fax number
          MBL
                   CHAR (20),
                                             { mobile phone
                                                               }
55
          PGR
                   CHAR (20),
                                             { pager number
                                                               }
                                             { notes
          NTS
                   CHAR (1000),
                                                               }
60
                   CHAR (40),
          ATTN
                                             { attn: line
                                                               }
          ADDR1
                   CHAR (40),
                                             { address 1
                                                               }
          ADDR2
                                             ( address 2
                   CHAR (40),
                                                               }
65
          ADDR3
                    CHAR (40),
                                             { address 3
                                                               }
          CTY
                    CHAR (40),
                                             { city
                                                               }
70
```

}

{ state code

STCODID CHAR(2),

```
ZIP
                   CHAR(14),
                                            { zip
                                            { country code
          CYCODID CHAR(2),
 5
          -- TODO: Need FK constraints on codes.
          PRIMARY KEY (ID) CONSTRAINT N30CACCCONPK,
10
          FOREIGN KEY (ACCID) REFERENCES N30TACC (ID) CONSTRAINT N30CACCCONFK1
      ) LOCK MODE ROW;
15
      CREATE UNIQUE INDEX N30IACCCON ON N30TACCCON (ACCID, CDCONID);
                                       Table 21: NET30/Account Balances
20
      CREATE TABLE N30TACCBAL
      (
                                            { unique id
          ID
                   INT8 NOT NULL,
                                                                   }
25
          YR
                   INTEGER NOT NULL,
                                            { year, 2000... }
                   INTEGER NOT NULL,
                                            { period
                                                             }
          PD
30
          ACCID
                   INTEGER NOT NULL,
                                            { account id
                                                             }
          BBL
                   MONEY (14,2) NOT NULL, { current pd beg balance }
                   MONEY (14,2) NOT NULL, { current/ending balance }
          EBL
35
                   MONEY (14,2) NOT NULL, { pd beg auth balance }
          CBBL
          CEBL
                   MONEY (14,2) NOT NULL, { current/ending auth bal }
40
          PRIMARY KEY (ID),
          UNIQUE (YR, PD, ACCID),
45
          FOREIGN KEY (ACCID) REFERENCES N30TACC (ID) CONSTRAINT N30CACCBALFK1
      ) LOCK MODE ROW;
50
                                      Table 22: NET30/Account Audit History
      CREATE TABLE N30TACCAUD
55
          ID
                 INTS NOT NULL,
                                            { id
                                                             }
                                            { account number }
          ACCID INTEGER NOT NULL,
60
          ATTR
                 CHAR (20) NOT NULL,
                                            { attribute
          LAVO
                 CHAR (20) NOT NULL,
                                            { old value
                                                             }
65
          NVAL
                 CHAR (20) NOT NULL,
                                            { new value
                                                             }
          CRTUSRID CHAR (15) NOT NULL,
                                              { create user id }
70
          CRIDITM DATETIME
                                              { create datetime }
```

```
YEAR TO SECOND NOT NULL.
         CRTSRVR CHAR (15) NOT NULL,
                                             { create server }
 5
         CRTCLNT CHAR (15) NOT NULL,
                                             { create client }
          CHGUSRID CHAR (15) NOT NULL,
                                             { change by user }
         CHGDTTM DATETIME
                                             { change datetime }
10
                  YEAR TO SECOND NOT NULL,
         CHGSRVR CHAR (15) NOT NULL,
                                             { change server }
15
         CHGCLNT CHAR (15) NOT NULL,
                                             { change client }
         PRIMARY KEY (ID) CONSTRAINT N30CACCAUDPK,
20
         FOREIGN KEY (ACCID) REFERENCES N30TACC(ID) CONSTRAINT N30CACCAUDFK1
      ) LOCK MODE ROW;
25
                                    Table 23: NET30/Merchant Account Master
      CREATE TABLE N30TACCM
30
         ID
                  INTEGER NOT NULL,
                                            { account id
                                                                 }
         STDT
                  DATE,
35
         PRIMARY KEY (ID),
40
         FOREIGN KEY (ID) REFERENCES N30TACC(ID)
      ) LOCK MODE ROW;
45
                                             Table 24: Networks
      CREATE TABLE N30TNTWRK
50
                  INTEGER NOT NULL,
                                             { unique id
         ID
                                                               }
         MAK
                 CHAR (20) NOT NULL,
                                             { network name
55
         CRTUSRID CHAR (15) NOT NULL,
                                             { create user id }
                                             { create datetime }
         CRTDTTM DATETIME
60
                   YEAR TO SECOND NOT NULL,
         CRTSRVR CHAR(15) NOT NULL,
                                             { create server }
65
         CRTCLNT CHAR (15) NOT NULL,
                                             { create client }
         CHGUSRID CHAR (15) NOT NULL,
                                             { change by user }
          CHGDTTM DATETIME
                                             { change datetime }
70
```

-44-

YEAR TO SECOND NOT NULL,

```
CHGSRVR CHAR (15) NOT NULL,
                                              { change server
          CHGCLNT CHAR (15) NOT NULL,
                                              { change client
 5
          PRIMARY KEY (ID) CONSTRAINT N30CNTWRKPK
      ) LOCK MODE ROW;
10
                                         Table 25: Merchant Terminals
      CREATE TABLE N3OTACCMTRM
15
      (
          ID
                  INTEGER NOT NULL,
                                              { unique id
20
                                              { merchant id
          ACCMID INTEGER NOT NULL,
                                              { network id
          NTWRKID INTEGER NOT NULL,
          TRMADDR CHAR (20) NOT NULL,
                                              { terminal address}
25
          ACT
                  CHAR(1) NOT NULL,
30
          CRTUSRID CHAR (15) NOT NULL,
                                              { create user id }
                                              { create datetime }
          CRTDTTM DATETIME
                   YEAR TO SECOND NOT NULL,
35
          CRTSRVR CHAR (15) NOT NULL,
                                              { create server }
          CRTCLNT CHAR (15) NOT NULL,
                                              { create client }
40
          CHGUSRID CHAR (15) NOT NULL,
                                              { change by user }
                                              { change datetime }
          CHGDTTM DATETIME
                   YEAR TO SECOND NOT NULL,
45
          CHGSRVR CHAR (15) NOT NULL,
                                              { change server }
                                              { change client
          CHGCLNT CHAR (15) NOT NULL,
50
          PRIMARY KBY (ID) CONSTRAINT N30CACCMTRMPK,
          UNIQUE (NTWRKID, TRMADDR) CONSTRAINT N30CACCMTRM2,
55
          FOREIGN KEY (ACCMID) REFERENCES N30TACCM(ID),
          FOREIGN KEY (NTWRKID) REFERENCES N3OTNTWRK(ID)
60
      ) LOCK MODE ROW;
                                    Table 26: NET30/Guarantor Account Master
65
      CREATE TABLE N30TACCG
          ID
                  INTEGER NOT NULL,
                                              { account id
                                                                  }
70
          MIN
                  MONEY(14,2) NOT NULL,
```

-45-

```
PRIMARY KEY (ID),
 5
          FOREIGN KEY (ID) REFERENCES N30TACC(ID)
      ) LOCK MODE ROW;
10
                                    Table 27: NET30/Association Account Master
      CREATE TABLE N30TACCA
15
          ID
                  INTEGER NOT NULL,
                                              { account id
          SRC
                  CHAR (20) NOT NULL,
20
          PRIMARY KEY (ID),
          FOREIGN KEY (ID) REFERENCES N30TACC(ID)
25
      ) LOCK MODE ROW;
                                      Table 28: NET30/Issuer Account Master
30
      CREATE TABLE N30TACCI
      (
35
          ID
                  INTEGER NOT NULL,
                                              { account id
          ATR
                  CHAR (10) NOT NULL,
40
          PRIMARY KEY (ID),
          FOREIGN KEY (ID) REFERENCES N30TACC(ID)
45
      ) LOCK MODE ROW;
                                    Table 29: NET30/Card Holder Account Master
50
      CREATE TABLE N30TACCCH
                                             { account id
          ID
                  INTEGER NOT NULL,
55
                                             { guarantor accid }
          GACCID INTEGER NOT NULL,
          GCID
                  CHAR (20),
                                             { guarantor cust id }
60
                                              { guarantor fee % }
          GFEE
                  DECIMAL(6,4) NOT NULL,
                                             { credit status
          CDCHSID INTEGER NOT NULL,
          AACCID INTEGER,
                                             { assoc acct id
                                                                 }
65
                                               { assoc fee %
          AFEE
                  DECIMAL(6,4),
                                             { limit amt
          LAMT
                  MONEY (14,2),
                                                                  }
70
          LDT
                  DATE,
                                             { limit date
```

```
{ limit source
         LSRC
                  CHAR (20),
          SRC
                                            { cr line source
                                                                }
                  CHAR (20),
 5
          PRIMARY KEY (ID) CONSTRAINT N30CACCCHPK,
          FOREIGN KEY (ID) REFERENCES N30TACC(ID) CONSTRAINT N30CACCCHFK1,
10
          FOREIGN KEY (GACCID) REFERENCES N30TACC(ID) CONSTRAINT N30CACCCHFK2,
          FOREIGN KEY (AACCID) REFERENCES N30TACC(ID) CONSTRAINT N30CACCCHFK3
15
      ) LOCK MODE ROW;
      -- CREATE UNIQUE INDEX N30IACCCH1 ON N30TACCCH (GACCID, GCID);
20
                                      Table 30: NET30/Card Holder Cards
      CREATE TABLE N30TACCCHC
25
         ID
                  INTEGER NOT NULL,
                                            { card id}
                                            { card number
          CNUM
                  INTS NOT NULL,
30
          ACCID
                 INTEGER NOT NULL,
                                           { account id
          NM
                  CHAR (50) NOT NULL,
                                           { name on card
          IDT
                  DATE NOT NULL,
                                            { issue date
35
                                            { expire date
          EDT
                  DATE NOT NULL,
          CDCHCSID INTEGER NOT NULL,
                                           { card status
40
          PIN
                  CHAR (15),
                                            { pin code or null }
          ACCCHCBID INTEGER,
                                              { card batch or null }
45
         PRIMARY KEY (ID) CONSTRAINT N30CACCCHCPK,
          FOREIGN KEY (ACCID) REFERENCES N30TACC(ID) CONSTRAINT N30CACCCHCFK1,
50
         UNIQUE (CNUM) CONSTRAINT N30CACCCHC3
      ) LOCK MODE ROW;
      CREATE UNIQUE INDEX N301ACCCHC1 ON N30TACCCHC (ACCID, ID);
55
                                 Table 31: NET30/Card Holder Credit Limit History
      CREATE TABLE N30TACCCHL
60
                                            {unique id }
          ID
                  INT8 NOT NULL,
65
                                                                   }
          ACCID INTEGER NOT NULL,
                                            { account id
          LAMT
                  MONEY(14,2),
                                            { limit amt
                                            { limit date
          LDT
                  DATE.
70
          LSRC
                  CHAR (20),
                                            { limit source
```

-47-

```
CRTUSRID CHAR(15) NOT NULL,
                                               { create user id }
          CRTDTTM DATETIME
                                               { create datetime }
 5
                   YEAR TO SECOND NOT NULL, '
          CRTSRVR CHAR(15) NOT NULL,
                                               { create server }
                                               { create client }
          CRTCLNT CHAR (15) NOT NULL,
10
                                               { change by user }
          CHGUSRID CHAR(15) NOT NULL,
          CHGDTTM DATETIME
                                               { change datetime }
15
                   YEAR TO SECOND NOT NULL,
                                               { change server }
          CHGSRVR CHAR (15) NOT NULL,
                                               { change client
          CHGCLNT CHAR (15) NOT NULL,
20
          PRIMARY KEY (ID) CONSTRAINT N30CACCCHLPK,
25
          FOREIGN KEY (ACCID) REFERENCES N30TACC(ID) CONSTRAINT N30CACCCHLFK1
      ) LOCK MODE ROW;
30
                                 Table 32: NET30/Card Holder Authorization Attempts
        (Logs failed or successful attempt to authorize against a card. Only APPROVED authorizations make it into the transaction table)
      CREATE TABLE N30TACCCHA
35
          ID
                       INT8 NOT NULL,
                                                    { AUTH id
          ACCCHID
                       INTEGER.
                                                   { card holder
                                                                             }
40
          ACCCHCID
                       INTEGER,
                                                   { card
          CNUM
                       CHAR (16),
                                                   { card number entered
45
          ACCMID
                       INTEGER NOT NULL,
                                                    { merchant -- maybe invalid, but req }
          DOC
                       CHAR (20),
                                                    { po, inv, etc
                                                    { actual date/time
                       DATETIME
          DTTM
50
                       YEAR TO SECOND NOT NULL,
          CDRSPID
                       INTEGER NOT NULL,
                                                    { auth response
55
                       INTS NOT NULL,
                                                  {auth tran id
          ACCTRNID
          CRBAL
                       MONEY (14,2),
                                                  {avail cr
          NAM
                       CHAR (35),
                                                  { name on card
60
                                                  { expiration given }
          EXP
                       CHAR (10).
65
                                                  { create user id }
          CRTUSRID
                       CHAR (15) NOT NULL,
          CRTDTTM
                                                  { create datetime }
                       DATETIME
                       YEAR TO SECOND NOT NULL,
70
          CRTSRVR
                       CHAR (15) NOT NULL,
                                                  { create server }
```

```
CRTCLNT
                       CHAR (15) NOT NULL,
                                                  { create client
          CHGUSRID
                       CHAR (15) NOT NULL,
                                                   { change by user }
 5
          CHGDTTM
                                                   { change datetime }
                       DATETIME
                       YEAR TO SECOND NOT NULL,
          CHGSRVR
                       CHAR (15) NOT NULL,
                                                   { change server
10
          CHGCLNT
                       CHAR (15) NOT NULL,
                                                   ( change client
15
          PRIMARY KEY(ID) CONSTRAINT N30CACCCHAPK
      ) LOCK MODE ROW;
20
                                   Table 33: NET30/Account Transaction Master Table
          (Describes a single authorization, invoice receipt, payment receipt, merchant check, promotional; balance adjustment, etc.)
      CREATE TABLE N30TACCTRN
25
      (
          ID
                       INT8 NOT NULL,
                                                     { tran id
                                                                       }
          CDTRNID
                       INTEGER NOT NULL,
                                                     { transaction type }
30
                       INTEGER NOT NULL,
          YR
                                                     { year
                                                                       }
          PD
                       INTEGER NOT NULL,
                                                     { period
                                                                       }
35
                       INTS NOT NULL,
                                                     { group id
                                                                              }
          GRP
          ACCCHID
                       INTEGER NOT NULL,
                                                     { card holder
          ACCCHCID
                       INTEGER NOT NULL,
                                                     { card
40
                       INTEGER NOT NULL,
                                                     { merchant
          ACCMID
                                                                              }
          TMA
                       MONEY(14,2) NOT NULL,
                                                     { amount
45
          DOC
                       CHAR (20).
                                                     { po, inv, chk#, etc
                                                                              }
          DTTM
                       DATETIME
                                                     { actual date/time
                       YEAR TO SECOND NOT NULL,
50
          CDPMTID
                       INTEGER NOT NULL,
                                                     { terms
                                                                               }
          ACCGSLID
                       INT8,
                                                     { sales batch id
55
          CRTUSRID CHAR(15) NOT NULL,
                                               { create user id }
                                               { create datetime }
          CRTDTTM DATETIME
60
                    YEAR TO SECOND NOT NULL,
          CRTSRVR CHAR (15) NOT NULL,
                                               { create server }
65
          CRTCLNT CHAR (15) NOT NULL,
                                               { create client }
          CHGUSRID CHAR (15) NOT NULL,
                                               { change by user }
          CHGDTTM DATETIME
                                               { change datetime }
70
                    YEAR TO SECOND NOT NULL,
```

-49-

PCT/US01/04515 WO 01/058242

```
CHGSRVR CHAR (15) NOT NULL,
                                             { change server
          CHGCLNT CHAR (15) NOT NULL,
                                             { change client
 5
          PRIMARY KEY(ID) CONSTRAINT N30CACCTRNPK
      ) LOCK MODE ROW;
10
      CREATE INDEX N30IACCTRN1 ON N30TACCTRN(CRTDTTM, CDTRNID);
                                    Table 34: NET30/Account Transaction Detail
15
      CREATE TABLE N30TACCTRND
20
                                           { tran id
                                                            }
          ID
                   INTS NOT NULL,
                   INTEGER NOT NULL,
          YR
                                           { year
                                                             }
          PD
                   INTEGER NOT NULL,
                                           { period
                                                             }
25
                   INTEGER NOT NULL,
                                            { account id
                                                             }
          ACCID
          ACCTRNID INTS NOT NULL,
                                           {paren tran
30
          CDTRNDID INTEGER NOT NULL,
                                           {tran type
                                                            }
          DTTM
                   DATETIME
                                            { tran timestamp }
                   YEAR TO SECOND NOT NULL,
35
                   MONEY (14,2) NOT NULL, { tran amount
          AMT
                   MONEY (14,2) NOT NULL, { new bal amount }
          EBL
40
          CEBL
                   MONEY (14,2) NOT NULL, { new cr bal amt }
                                            { statement id }
          STMT
                   INTS NOT NULL,
45
                                             { create user id }
          CRTUSRID CHAR (15) NOT NULL,
          CRTDTTM DATETIME
                                              { create datetime }
50
                   YEAR TO SECOND NOT NULL,
                                              { create server }
          CRTSRVR CHAR (15) NOT NULL,
                                              { create client }
          CRTCLNT CHAR(15) NOT NULL,
55
                                              { change by user }
          CHGUSRID CHAR(15) NOT NULL,
                                              { change datetime }
          CHGDTTM DATETIME
60
                   YEAR TO SECOND NOT NULL,
          CHGSRVR CHAR (15) NOT NULL,
                                              { change server }
          CHGCLNT CHAR (15) NOT NULL,
                                              { change client }
65
          PRIMARY KEY(ID) CONSTRAINT N30CACCTRNDPK,
70
```

-50-

FOREIGN KEY (ACCTRNID) REFERENCES N30TACCTRN(ID) CONSTRAINT N30CACCTRNDFK1

) LOCK MODE ROW;

```
Table 35:
 5
     CREATE TABLE N3 OTACCS
                                                   { stmt id
          ID
                      INTS NOT NULL,
                                                                            }
10
                                                   { stmt batch id
                                                                            }
         ACCSBID
                      INTEGER NOT NULL,
          FRDT
                      DATE NOT NULL,
                                                   { from date
                                                                            }
15
          THDT
                      DATE NOT NULL,
                                                   { through date
                                                   { account id
          ACCID
                      INTEGER NOT NULL,
                                                                            }
          BBL
                      MONEY (14,2) NOT NULL,
                                                   { beg bal
                                                                            }
20
          CBB
                      MONEY (14,2) NOT NULL,
                                                   { beg cr bal
                                                                            }
          EBL
                      MONEY(14,2) NOT NULL,
                                                   { end bal
                                                                            }
25
          CEBL
                      MONEY (14,2) NOT NULL,
                                                   { end cr bal
          LAMT
                      MONEY (14,2),
                                                   { cr limit if ch
                                                   { available cr bal
          AVL
                      MONEY (14,2),
                                                                            }
30
          CRTUSRID
                      CHAR (15) NOT NULL,
                                                 { create user id }
35
          CRTDTTM
                      DATETIME
                                                 { create datetime }
                      YEAR TO SECOND NOT NULL,
                      CHAR(15) NOT NULL,
          CRTSRVR
                                                 { create server }
40
          CRTCLNT
                      CHAR (15) NOT NULL,
                                                 { create client
                                                 { change by user }
          CHGUSRID
                      CHAR (15) NOT NULL,
45
          CHGDTTM
                      DATETIME
                                                 { change datetime }
                      YEAR TO SECOND NOT NULL,
          CHGSRVR
                      CHAR (15) NOT NULL,
                                                 { change server
50
          CHGCLNT
                      CHAR (15) NOT NULL,
                                                 { change client }
55
          PRIMARY KEY(ID) CONSTRAINT N30CACCSPK,
          FOREIGN KEY (ACCID) REFERENCES N30TACC(ID) CONSTRAINT N30CACCSFK1
      ) LOCK MODE ROW;
60
                                        VIEW: NET30/Card Holder Fees
      CREATE VIEW N30VACCCH1
65
          SELECT ID, GACCID, GFEE, AACCID, AFEE
70
          FROM N30TACCCH;
```

-51-

VIEW: NET30/Transaction Detail → Statement

```
create view n30vacctrnd1 as
5
     select
         det.yr, det.pd, det.accid, det.acctrnid, det.id, det.dttm,
10
          det.amt as damt, det.ebl, det.cebl, ddsc.desc as ddesc, det.stmt,
          ddsc.badj, ddsc.cadj,
          chnam.nam as chnam, crd.cnum, mernam.nam as mernam, trn.amt as tamt, trn.doc,
15
          trn.dttm as tdttm, tdsc.desc as tdesc
      from
20
         n30tacctrnd as det,
          n30tcdtrnd as ddsc,
          n30tacctrn as trn,
25
          n30tcdtrn as tdsc,
          outer n30taccnam as chnam,
30
         outer n30taccnam as mernam,
          outer n30taccchc as crd
      where
35
          det.cdtrndid = ddsc.id
      and det.acctrnid = trn.id
40
      and trn.cdtrnid = tdsc.id
      and trn.accchid = chnam.accid and chnam.pri = 'Y'
      and trn.accmid = mernam.accid and mernam.pri = 'Y'
      and trn.accchcid = crd.id
                                        Table 36: Guarantor Sales Batch
50
      CREATE TABLE N30TACCGSL
55
          ID
                      INT8 NOT NULL,
                                                   { UNIQUE ID
                                                   { GUARANTOR ACCOUNT ID }
          ACCGID
                      INTEGER NOT NULL,
                                                   { DETAIL ITEM COUNT
                      INTEGER NOT NULL,
          SIZ
60
                                                   { credit/debit batch
                      CHAR(1)
          CRB
                      CHECK (CRB IN ('Y', 'N')),
65
                                                   { TRANSMIT DATETIME
                                                                           }
          TXDTTM
                      DATETIME
                      YEAR TO SECOND,
                                                 { create user id }
          CRTUSRID
                      CHAR(15) NOT NULL,
70
                                                 { create datetime }
          CRIDIIM
                      DATETIME
```

```
YEAR TO SECOND NOT NULL,
          CRTSRVR
                      CHAR (15) NOT NULL,
                                                  { create server
 5
          CRTCLNT
                      CHAR (15) NOT NULL,
                                                  { create client }
          CHGUSRID
                      CHAR (15) NOT NULL,
                                                  { change by user }
          CHGDTTM
                      DATETIME
                                                  { change datetime }
10
                      YEAR TO SECOND NOT NULL,
          CHGSRVR
                      CHAR (15) NOT NULL,
                                                  { change server
15
          CHGCLNT
                      CHAR (15) NOT NULL,
                                                  { change client
                                                                   }
          PRIMARY KEY(ID) CONSTRAINT N30CACCGSLPK,
20
          FOREIGN KEY (ACCGID) REFERENCES N30TACCG (ID) CONSTRAINT N30CACCGSLFK1
      );
25
                                          Table 37: Card Batch Statuses
      CREATE TABLE N30TCDCHCB
30
                  INTEGER NOT NULL,
          ID
          DESC
                  CHAR (20) NOT NULL,
35
          PRIMARY KEY (ID),
40
          UNIQUE (DESC)
      ) LOCK MODE ROW;
45
                                     Table 38: Card Printing/Embossing Batches
      CREATE TABLE N30TACCCHCB
50
          ID
                      INTEGER NOT NULL,
                                                  { unique id }
          CDCHCBID
                      INTEGER NOT NULL,
                                                 { batch status
55
                                                  { number of cards }
          CNT
                      INTEGER NOT NULL,
          SELDTTM
                      DATETIME
                                                  { select timestamp }
                      YEAR TO SECOND,
60
                      DATETIME
                                                  { receiv timestamp }
          RCVDTTM
                      YEAR TO SECOND,
65
                                                  { create user id }
          CRTUSRID
                      CHAR (15) NOT NULL,
          CRTDTTM
                      DATETIME
                                                  { create datetime }
                      YEAR TO SECOND NOT NULL,
70
          CRTSRVR
                      CHAR (15) NOT NULL,
                                                  { create server }
```

```
CRTCLNT
                       CHAR (15) NOT NULL,
                                                   { create client
          CHGUSRID
                       CHAR (15) NOT NULL,
                                                   { change by user }
 5
          CHGDTTM
                       DATETIME
                                                   { change datetime }
                       YEAR TO SECOND NOT NULL,
          CHGSRVR
                       CHAR (15) NOT NULL,
                                                   { change server
10
          CHGCLNT
                       CHAR (15) NOT NULL,
                                                   { change client
                                                                      }
15
          PRIMARY KEY(ID) CONSTRAINT N30CACCCHCBPK
        LOCK MODE ROW;
20
                                         Table 39: Card Holder Application
      CREATE TABLE N30TAPPCH
25
      (
          ID INTEGER NOT NULL,
30
          FNAM
                       CHARACTER (30) NOT NULL,
                       CHARACTER (30) NOT NULL,
          LNAM
          MNAM
                       CHARACTER (30),
35
                       CHARACTER (40) NOT NULL,
          CPNAM
          ADR1
                       CHARACTER (30) NOT NULL,
40
          ADR2
                       CHARACTER (30),
          ADR3
                       CHARACTER (30),
                       CHARACTER (25) NOT NULL,
          CTY
45
          ST
                       CHARACTER (2) NOT NULL,
          ZIP
                       CHARACTER (10) NOT NULL,
50
          CTRY
                       CHARACTER (2),
          PHO
                       CHARACTER (20) NOT NULL,
                       CHARACTER (20),
          FAX
55
          EMAIL
                       CHARACTER (30),
          BADR1
                       CHARACTER (30) NOT NULL,
60
          BADR2
                       CHARACTER (30),
          BADR3
                       CHARACTER (30),
          BCTY
                       CHARACTER (25) NOT NULL,
65
                       CHARACTER (2) NOT NULL,
          BST
          BZIP
                       CHARACTER (10) NOT NULL,
70
          BCTRY
                       CHARACTER(2),
```

	11 0 017	050242	
		OFF	CHARACTER (30) NOT NULL,
5		OPFT	CHARACTER (30) NOT NULL,
		CON	CHARACTER (30) NOT NULL,
	1	CONT	CHARACTER (30) NOT NULL,
10	•	CDINDID	INTEGER NOT NULL,
	:	LOCS	INTEGER NOT NULL,
15	1	DUNS	CHARACTER (20),
	1	DBA	CHARACTER (30),
		PCPY	CHARACTER (30),
20	i	TAXID	CHARACTER (20),
	•	ASLS	INTEGER NOT NULL,
		EDATE	CHARACTER (20) NOT NULL,
25		EMPS	INTEGER NOT NULL,
		CNAM1	CHARACTER (35) NOT NULL,
30		CNUM1	CHARACTER (16),
30		CNAM2	CHARACTER (35),
		CNUM2	CHARACTER (16),
35		CNAM3	CHARACTER (35),
40		CNUM3	CHARACTER (16),
		BKNAM	CHARACTER (30),
		BKCON	CHARACTER (30),
		BKADR	CHARACTER (40),
45		CKGNUM	CHARACTER (20),
		BKCTY	CHARACTER (25),
50		BKST	CHARACTER (2),
		BKZIP	CHARACTER (10),
55		вкрно	CHARACTER (20),
		BKCTRY	CHARACTER (2),
		SAVNUM	CHARACTER (20),
60		B1NAM	CHARACTER (30),
		BIPHN	CHARACTER (20),
65		B1ADR1	CHARACTER (30),
		B1ADR2	CHARACTER (30),
		B1ADR3	CHARACTER (30),
70		B1CTY	CHARACTER (25),
		BIST	CHARACTER (2),

```
B1ZIP
                      CHARACTER (10),
          B1CTRY
                      CHARACTER (2),
 5
          B2NAM
                      CHARACTER (30),
          B2PHN
                      CHARACTER (20),
          B2ADR1
                      CHARACTER (30),
10
          B2ADR2
                      CHARACTER (30),
          B2ADR3
                      CHARACTER (30),
15
          B2CTY
                      CHARACTER (25),
          B2ST
                      CHARACTER (2),
                      CHARACTER(10),
         B2ZIP
20
         B2CTRY
                      CHARACTER(2),
          SIG1
                      CHARACTER(1) NOT NULL CHECK (SIG1 IN ('Y', 'N')),
25
         APPDT
                      DATETIME YEAR TO SECOND,
         CDAST
                      INTEGER NOT NULL,
         ACCCHID
                      INTEGER, { account assigned or null }
30
                      INTEGER,
         ACCGID
                                       { guarantor account }
         LDT
                                       { limit date
                      DATE,
                                                       }
35
                      DECIMAL(14,2), { limit amount }
         LAMT
         LSRC
                      CHARACTER (25),
                                           { limit source }
                      DECIMAL(8, 4), { guarantor fee }
         GFEE
40
         GCST
                      CHARACTER (25),
                                            { guarantor customer id }
         ACCAID
                      INTEGER,
                                       { association }
45
         AFEE
                      DECIMAL(8 ,4), { association fee }
         SRC
                      CHARACTER(25) NOT NULL, { source
         SNTDTTM
                      DATETIME YEAR TO SECOND,
50
                      DATETIME YEAR TO SECOND,
         RSPDTTM
         CRTUSRID
                      CHAR (15) NOT NULL,
                                                 { create user id }
55
         CRTDTTM
                      DATETIME { create datetime }
                      YEAR TO SECOND NOT NULL,
         CRTSRVR
                      CHARACTER(15) NOT NULL, { create server }
60
                      CHARACTER(15) NOT NULL, { create client }
         CRTCLNT
         CHGUSRID
                      CHARACTER (15) NOT NULL, { change by user }
65
         CHGDTTM
                      DATETIME { change datetime }
                      YEAR TO SECOND NOT NULL,
         CHGSRVR
                      CHARACTER (15) NOT NULL, { change server }
70
         CHGCLNT
                      CHARACTER(15) NOT NULL, { change client }
```

PRIMARY KEY (ID)

5) lock mode row;

Table 40: Merchant Agreement

```
10
      CREATE TABLE N30TAPPM
      (
          ID INTEGER NOT NULL,
15
          CPNAM
                       CHARACTER (40) NOT NULL,
                       CHARACTER (30) NOT NULL,
          ADR1
20
          ADR2
                       CHARACTER (30),
          ADR3
                       CHARACTER (30),
          CTY
                       CHARACTER (25) NOT NULL,
25
                       CHARACTER (2) NOT NULL,
          ST
          ZIP
                       CHARACTER (10) NOT NULL,
30
          CTRY
                       CHARACTER(2),
          PHO
                       CHARACTER (20) NOT NULL,
          FAX
                       CHARACTER (20),
35
          MADR1
                       CHARACTER (30),
          MADR2
                       CHARACTER (30),
40
          MADR3
                       CHARACTER (30),
                       CHARACTER (25),
          MCTY
                       CHARACTER(2),
          MST
45
          MZIP
                       CHARACTER(10),
          MCTRY
                       CHARACTER (2),
50
          TAXID
                       CHARACTER (20),
          CDINDID
                       INTEGER NOT NULL,
          PFNAM
                       CHARACTER (30) NOT NULL,
55
          PLNAM
                       CHARACTER (30) NOT NULL,
          MAMM
                       CHARACTER(30),
60
          PADR1
                       CHARACTER (30),
          PADR2
                       CHARACTER (30),
          PADR3
                       CHARACTER (30),
65
          PCTY
                       CHARACTER (25),
          PST
                       CHARACTER(2),
70
          PZIP
                       CHARACTER (10),
```

```
PCTRY
                       CHARACTER (2),
          PPHO
                       CHARACTER (20),
 5
          PEMAIL
                       CHARACTER (30),
          AFNAM
                       CHARACTER (30),
          ALNAM
                       CHARACTER (30),
10
          AADR1
                       CHARACTER (30),
          AADR2
                       CHARACTER (30),
15
          AADR3
                       CHARACTER (30),
          ACTY
                       CHARACTER (25),
          AST
                       CHARACTER (2),
20
          AZIP
                       CHARACTER (10),
          ACTRY
                       CHARACTER (2),
25
          APHO
                       CHARACTER (20),
          SIG1
                       CHARACTER(1) NOT NULL CHECK (SIG1 IN ('Y', 'N')),
          SRC
                       CHARACTER(25) NOT NULL, { source
30
          APPDT
                       DATETIME YEAR TO SECOND,
          CDAST
                       INTEGER NOT NULL,
35
          ACCMID
                       INTEGER, { account assigned or null }
          CRTUSRID
                       CHAR (15) NOT NULL,
                                                  { create user id }
                       DATETIME { create datetime }
          CRTDTTM
40
                       YEAR TO SECOND NOT NULL,
          CRTSRVR
                       CHAR (15) NOT NULL, { create server }
45
          CRTCLNT
                       CHAR(15) NOT NULL, { create client }
          CHGUSRID
                       CHAR(15) NOT NULL, { change by user }
          CHGDTTM
                       DATETIME { change datetime }
50
                       YEAR TO SECOND NOT NULL,
          CHGSRVR
                       CHAR (15) NOT NULL, { change server }
55
          CHGCLNT
                       CHAR(15) NOT NULL, { change client }
          PRIMARY KEY (ID)
60
      ) lock mode row;
                                  Table 41: NET30/Card Holder Line Request Statuses
65
      CREATE TABLE N30TCDCHLRS
      (
70
```

ΙD

INTEGER NOT NULL,

DESC CHAR (20) NOT NULL, 5 PRIMARY KEY (ID), UNIQUE (DESC)) LOCK MODE ROW; 10 Table 42: NET30/Card Holder Line Requests CREATE TABLE N30TACCCHLR 15 ID INTS NOT NULL, { request id} 20 ACCGID INTEGER NOT NULL, { guarantor } ACCCHID INTEGER NOT NULL, { card holder id } RQAMT DECIMAL(14,2) NOT NULL, { requested amount, possibly zero } 25 SNTDTTM DATETIME YEAR TO SECOND, { timestamp sent to guarantor } RSPDTTM DATETIME YEAR TO SECOND, { timestamp received from guarantor } 30 RSPAMT DECIMAL(14,2), { amount approved } CDCHLRSID INTEGER, { response code from guarantor - our own code } 35 PRIMARY KEY (ID) CONSTRAINT N30CACCCHLRPK, FOREIGN KEY (ACCGID) REFERENCES N30TACCG(ID) CONSTRAINT N30CACCCHLRFK1, 40 FOREIGN KEY (ACCCHID) REFERENCES N30TACCCH(ID) CONSTRAINT N30CACCCHLRFK2, FOREIGN KEY (CDCHLRSID) REFERENCES N30TCDCHLRS(ID) CONSTRAINT N30CACCCHLRFK3) LOCK MODE ROW; 45 Table 43: References CREATE TABLE N30TACCREF 50 (ID INTEGER NOT NULL, 55 ACCID INTEGER NOT NULL, LOCS INTEGER NOT NULL, DUNS CHARACTER (20), 60 PCPY CHARACTER (30), ASLS INTEGER NOT NULL, 65 EDATE CHARACTER (20) NOT NULL, EMPS INTEGER NOT NULL, BKNAM CHARACTER (30), 70 BKCON CHARACTER (30),

```
BKADR
                       CHARACTER (40),
          CKGNUM
                       CHARACTER (20),
 5
          BKCTY
                       CHARACTER (25),
          BKST
                       CHARACTER(2),
          BKZIP
                       CHARACTER (10),
10
          вкрно
                       CHARACTER (20),
          BKCTRY
                       CHARACTER(2),
15
          SAVNUM
                       CHARACTER (20),
          BINAM
                       CHARACTER (30),
          B1PHN
                       CHARACTER (20),
20
          BLADR1
                       CHARACTER (30),
          B1ADR2
                       CHARACTER (30),
25
          BIADR3
                       CHARACTER (30),
          BICTY
                       CHARACTER (25),
          BIST
                       CHARACTER(2),
30
                       CHARACTER (10),
          B1ZIP
          BICTRY
                       CHARACTER (2),
35
          B2NAM
                       CHARACTER (30),
          B2PHN
                       CHARACTER (20),
          B2ADR1
                       CHARACTER (30),
40
          B2ADR2
                       CHARACTER (30),
          B2ADR3
                       CHARACTER (30),
45
          B2CTY
                      CHARACTER (25),
          B2ST
                       CHARACTER (2),
          B2ZIP
                       CHARACTER (10),
50
          B2CTRY
                       CHARACTER(2),
          CRTUSRID
                       CHAR (15) NOT NULL,
                                                  { create user id }
55
          CRTDTTM
                       DATETIME { create datetime }
                      YEAR TO SECOND NOT NULL,
          CRTSRVR
                       CHARACTER(15) NOT NULL, { create server }
60
          CRTCLNT
                       CHARACTER(15) NOT NULL, { create client }
          CHGUSRID
                       CHARACTER(15) NOT NULL, { change by user }
65
          CHGDTTM
                       DATETIME { change datetime }
                       YEAR TO SECOND NOT NULL,
          CHGSRVR
                       CHARACTER(15) NOT NULL, { change server }
70
          CHGCLNT
                       CHARACTER (15) NOT NULL, { change client }
```

```
PRIMARY KEY (ID) CONSTRAINT N3 OCACCREFPK,
 5
          FOREIGN KEY (ACCID) REFERENCES N30TACC(ID) CONSTRAINT N30CACCREFFK1
      ) lock mode row;
10
                                                 Table 44:
      CREATE TABLE N30TACCSB
15
         ID
                     INTEGER NOT NULL,
         PRTDT
                     DATE,
20
         THDT
                     DATE NOT NULL,
                                                  ( through date
                                                                          }
         CRTUSRID
                     CHAR (15) NOT NULL,
                                                { create user id }
25
         CRTDTTM
                     DATETIME { create datetime }
                   YEAR TO SECOND NOT NULL,
         CRTSRVR
                     CHARACTER(15) NOT NULL, { create server }
30
         CRTCLNT
                     CHARACTER (15) NOT NULL, { create client }
         CHGUSRID
                     CHARACTER (15) NOT NULL, { change by user }
35
         CHGDTTM
                     DATETIME ( change datetime }
                   YEAR TO SECOND NOT NULL,
                     CHARACTER (15) NOT NULL, { change server }
         CHGSRVR
40
         CHGCLNT
                     CHARACTER (15) NOT NULL, { change client }
45
         PRIMARY KEY (ID) CONSTRAINT N30CACCSBPK
      ) lock mode row;
50
                                     VIEW: NET30/Card Holder Line Requests
      CREATE VIEW N30VACCCHLR1 (ID, ACCCHID)
      AS
55
             SELECT MAX(ID), ACCCHID
              FROM
60
             N3 OTACCCHLR
             GROUP BY
             ACCCHID;
65
                                             Expand SYSTID.NM
      ALTER TABLE SYSTID MODIFY NM CHAR (20);
70
```

Table 45: Sales Status

```
CREATE TABLE N30TCDSLSST
 5
         ID
                 INTEGER DEFAULT 10 NOT NULL,
         DESC
                 CHAR (30) NOT NULL,
10
         PRIMARY KEY (ID) CONSTRAINT N30CCDSLSSTPK,
         UNIQUE (DESC) CONSTRAINT N30CCDSLSST1
15
      ) LOCK MODE ROW;
      INSERT INTO SYSTID (NM, LSTID) VALUES ("N30TCDSLSST", 30);
20
      INSERT INTO N30TCDSLSST (ID, DESC) VALUES (10, "New Lead");
      INSERT INTO N30TCDSLSST (ID, DESC) VALUES (20, "Waiting on Agreement");
25
      INSERT INTO N30TCDSLSST (ID, DESC) VALUES (30, "Mail Agreement");
      INSERT INTO N30TCDSLSST (ID, DESC) VALUES (40, "See At Show");
30
     INSERT INTO N30TCDSLSST (ID, DESC) VALUES (50, "Need decision maker");
      INSERT INTO N30TCDSLSST (ID, DESC) VALUES (60, "Not Interested");
      INSERT INTO N30TCDSLSST (ID, DESC) VALUES (70, "No Answer");
35
      INSERT INTO N30TCDSLSST (ID, DESC) VALUES (80, "Other");
                                          Table 46: Agreement Status
40
     CREATE TABLE N30TCDAGST
45
         ID
                 INTEGER DEFAULT 40 NOT NULL,
         DESC
                 CHAR (30) NOT NULL,
50
         PRIMARY KEY (ID) CONSTRAINT N30CCDAGSTPK,
          UNIQUE (DESC) CONSTRAINT N30CCDAGST1
55
      ) LOCK MODE ROW;
      INSERT INTO SYSTID (NM, LSTID) VALUES ("N30TCDAGST", 30);
60
      INSERT INTO N30TCDAGST (ID, DESC) VALUES (10, "Faxed");
      INSERT INTO N30TCDAGST (ID, DESC) VALUES (20, "Mailed");
65
      INSERT INTO N30TCDAGST (ID, DESC) VALUES (30, "Complete");
      INSERT INTO N30TCDAGST (ID, DESC) VALUES (40, "Not Sent");
70
                                          Table 47: App Status Reason
```

```
CREATE TABLE N30TCDASTR
      (
 5
         ID
                 INTEGER NOT NULL,
         DESC CHAR (30) NOT NULL,
10
         PRIMARY KEY (ID) CONSTRAINT N30CCDASTRPK,
         UNIQUE (DESC) CONSTRAINT N30CCDASTR1
15
     ) LOCK MODE ROW;
     INSERT INTO SYSTID (NM, LSTID) VALUES ("N30TCDASTR", 30);
20
     INSERT INTO N30TCDASTR (ID, DESC) VALUES (10, "Not interested");
     INSERT INTO N30TCDASTR (ID, DESC) VALUES (20, "No such company");
25
     INSERT INTO N30TCDASTR (ID, DESC) VALUES (30, "Duplicate");
     {----
30
      -- NEW statuses FOR apps
35
     INSERT INTO N3OTCDAST (ID, DESC) VALUES (5, "Data quality waiting");
     INSERT INTO N3OTCDAST (ID, DESC) VALUES (6, "Sales waiting");
     INSERT INTO N3OTCDAST (ID, DESC) VALUES (7, "In process");
40
     INSERT INTO N3OTCDAST (ID, DESC) VALUES (8, "Suspended");
                                           NEW statuses FOR apps
45
     INSERT INTO N30TCDAST (ID, DESC) VALUES (5, "Data quality waiting");
      INSERT INTO N3OTCDAST (ID, DESC) VALUES (6, "Sales waiting");
50
     INSERT INTO N3OTCDAST (ID, DESC) VALUES (7, "In process");
      INSERT INTO N30TCDAST (ID, DESC) VALUES (8, "Suspended");
55
                                            Card Holder Changes
                                                                                          }
                                                        { Comments
     ALTER TABLE N3OTAPPCH ADD NTS TEXT;
60
      ALTER TABLE N3OTAPPCH ADD CDSLSSTID INTEGER;
                                                          { Sales Status
                                                                                          }
      ALTER TABLE N30TAPPCH ADD CONSTRAINT
65
         FOREIGN KEY (CDSLSSTID) REFERENCES N30TCDSLSST(ID) CONSTRAINT N30CAPPCHFK1;
      ALTER TABLE N30TAPPCH ADD CDAGSTID INTEGER; { Agreement Status
                                                                                  }
70
      ALTER TABLE N30TAPPCH ADD CONSTRAINT
```

FOREIGN KEY (CDAGSTID) REFERENCES N30TCDAGST(ID) CONSTRAINT N30CAPPCHFK2;

```
ALTER TABLE N30TAPPCH ADD CDASTRID INTEGER;
                                                    { App Status Reason }
     ALTER TABLE N30TAPPCH ADD CONSTRAINT
        FOREIGN KEY (CDASTRID) REFERENCES N30TCDASTR(ID) CONSTRAINT N30CAPPCHFK3;
10
     ALTER TABLE N30TAPPCH ADD AGNUSRID INTEGER;
                                                    { agent systusr.id working }
15
     ALTER TABLE N30TAPPCH ADD CONSTRAINT
        FOREIGN KEY (AGNUSRID) REFERENCES SYSTUSR(ID) CONSTRAINT N30CAPPCHFK4;
20
      ALTER TABLE N30TAPPCH ADD SUSDITM DATETIME
                                                     { suspense until datetime
                 YEAR TO SECOND;
25
     ALTER TABLE N30TAPPCH ADD TOPLEAD CHAR(1) DEFAULT 'N'
         NOT NULL CHECK (TOPLEAD IN ('Y', 'N'));
                                                    { Top Lead Flag
                                                                           }
30
                                            Merchant Changes
      ALTER TABLE N30TAPPM ADD NTS TEXT;
                                                        { Comments
                                                                                             }
35
      ALTER TABLE N30TAPPM ADD CDSLSSTID INTEGER;
                                                     { Sales Status
     ALTER TABLE N30TAPPM ADD CONSTRAINT
40
        FOREIGN KEY (CDSLSSTID) REFERENCES N30TCDSLSST(ID) CONSTRAINT N30CAPPMFK1;
      ALTER TABLE N30TAPPM ADD CDAGSTID INTEGER;
                                                     { Agreement Status
                                                                                }
45
      ALTER TABLE N30TAPPM ADD CONSTRAINT
         FOREIGN KEY (CDAGSTID) REFERENCES N30TCDAGST(ID) CONSTRAINT N30CAPPMFK2;
50
      ALTER TABLE N30TAPPM ADD CDASTRID INTEGER;
                                                    { app Status Reason }
      ALTER TABLE N30TAPPM ADD CONSTRAINT
55
         FOREIGN KEY (CDASTRID) REFERENCES N3OTCDASTR(ID) CONSTRAINT N3OCAPPMFK3;
60
                                                    { agent systusr.id working }
      ALTER TABLE N30TAPPM ADD AGNUSRID INTEGER;
      ALTER TABLE N30TAPPM ADD CONSTRAINT
         FOREIGN KEY (AGNUSRID) REFERENCES SYSTUSR(ID) CONSTRAINT N30CAPPMFK4;
65
      ALTER TABLE N30TAPPM ADD SUSDITM DATETIME
                                                  { suspense until datetime
                                                                                     }
70
                 YEAR TO SECOND;
```

```
ALTER TABLE N30TAPPM ADD TOPLEAD CHAR(1) DEFAULT 'N'
         NOT NULL CHECK (TOPLEAD IN ('Y', 'N')); { Top Lead Flag
                                                                             }
 5
                                          Table 48: Sales History
     CREATE TABLE N30TSAHIST
10
             ID INTEGER NOT NULL,
                                                                                            { id
15
             AGNUSRID INTEGER NOT NULL,
                                             { agents user id }
             CALLDTTM DATETIME
                                                                 { call date time
                 YEAR TO SECOND NOT NULL,
20
             APPID INTEGER NOT NULL,
                                                             { application id
             CALLTIME INTEGER NOT NULL,
                                                             { call time in seconds }
25
             CRTUSRID CHAR (15) NOT NULL,
                                                                 { create user id
             CRTDTTM DATETIME
                                                             { create date time
                                                                                         }
                      YEAR TO SECOND NOT NULL,
30
              CRTSRVR CHAR (15) NOT NULL,
                                                             { create server
             CRTCLNT CHAR (15) NOT NULL,
                                                             { create client
35
             CHGUSRID CHAR (15) NOT NULL,
                                                             { change by user
              CHGDTTM DATETIME
                                                             { change date time
                      YEAR TO SECOND NOT NULL,
40
              CHGSRVR CHAR (15) NOT NULL,
                                                             ( change server
                                                                                         }
              CHGCLNT CHAR (15) NOT NULL,
                                                             { change client
45
             PRIMARY KEY(ID) CONSTRAINT N30CSAHISTPK,
           FOREIGN KEY (AGNUSRID) REFERENCES SYSTUSR(ID) CONSTRAINT N30CSAHISTFK1
50
      ) LOCK MODE ROW;
      INSERT INTO SYSTID (NM, LSTID) VALUES ("N3OTSAHIST", 1000);
55
                                           Table 49: Sales Scripts
      CREATE TABLE N3OTSASCRP
60
             ID INTEGER NOT NULL,
                                                             { script id
             NM CHAR (30) NOT NULL,
                                                            { script name
65
              SCRP TEXT NOT NULL,
                                                                { script
                                                                                             }
             CRTUSRID CHAR (15) NOT NULL,
                                                                { create user id
70
             CRIDITM DATETIME
                                                             { create date time
```

-65-

```
YEAR TO SECOND NOT NULL,
             CRTSRVR CHAR (15) NOT NULL,
                                                               { create server
                                                                                           }
 5
             CRTCLNT CHAR (15) NOT NULL,
                                                              { create client
                                                              { change by user
              CHGUSRID CHAR (15) NOT NULL,
              CHGDTTM DATETIME
                                                              { change date time
10
                      YEAR TO SECOND NOT NULL,
              CHGSRVR CHAR (15) NOT NULL,
                                                               { change server
                                                                                           }
15
              CHGCLNT CHAR (15) NOT NULL,
                                                               { change client
             PRIMARY KEY(ID) CONSTRAINT N30CSASCRPPK
20
      ) LOCK MODE ROW;
      INSERT INTO SYSTID (NM, LSTID) VALUES ("N30TSASCRP", 1000);
25
                                         Table 50: Script Relationships
      CREATE TABLE N30TSASCRPREL
30
             ID INTEGER NOT NULL,
                                                                                              { id
      }
35
             PSASCRPID INTEGER NOT NULL,
                                                              { parent script id
                                                                                      }
             CSASCRPID INTEGER NOT NULL,
                                                              { child script id
40
            CRTUSRID CHAR(15) NOT NULL,
                                                              { create user id
                                                                                           }
              CRIDITM DATETIME
                                                              { create date time
45
                      YEAR TO SECOND NOT NULL,
             CRISRVR CHAR (15) NOT NULL,
                                                              { create server
              CRTCLNT CHAR (15) NOT NULL,
                                                              { create client
50
              CHGUSRID CHAR (15) NOT NULL,
                                                              ( change by user
              CHGDTTM DATETIME
                                                              { change date time
55
                       YEAR TO SECOND NOT NULL,
              CHGSRVR CHAR (15) NOT NULL,
                                                              { change server
                                                                                          }
              CHGCLNT CHAR (15) NOT NULL,
                                                              { change client
60
              PRIMARY KEY(ID) CONSTRAINT N30CSASCRPRELPK,
65
            FOREIGN KEY(PSASCRPID) REFERENCES N30TSASCRP(ID) CONSTRAINT N30CSASCRPRELFK1,
            FOREIGN KEY (CSASCRPID) REFERENCES N30TSASCRP(ID) CONSTRAINT N30CSASCRPRELFK2
      ) LOCK MODE ROW;
70
      INSERT INTO SYSTID (NM, LSTID) VALUES ("N30TSASCRPREL", 1000);
```

Table 51: Sales Agent Queue

```
CREATE TABLE N30TSAQ
 5
              ID INTEGER NOT NULL.
                                                              { queue id
10
              TYPE CHAR (1) NOT NULL,
                                                                   { 'M' Merchant, 'C' Cardholder
              DESC CHAR (80) NOT NULL,
                                                              { description
                                                                                         }
15
              SQL CHAR(300) NOT NULL,
                                                                                  { sql statement
              SASCRPID INTEGER,
                                                                     { script for this queue }
20
              CRTUSRID CHAR (15) NOT NULL,
                                                                  { create user id
              CRTDTTM DATETIME
                                                              { create date time
                                                                                          }
                      YEAR TO SECOND NOT NULL,
25
              CRTSRVR CHAR (15) NOT NULL,
                                                              { create server
                                                                                          }
              CRTCLNT CHAR (15) NOT NULL,
                                                              { create client
30
              CHGUSRID CHAR (15) NOT NULL,
                                                              { change by user
              CHGDTTM DATETIME
                                                              { change date time
                                                                                          )
                       YEAR TO SECOND NOT NULL,
35
              CHGSRVR CHAR (15) NOT NULL,
                                                              { change server
                                                                                          }
              CHGCLNT CHAR (15) NOT NULL,
                                                              { change client
40
              PRIMARY KEY(ID) CONSTRAINT N30CSAQPK,
            FOREIGN KEY (SASCRPID) REFERENCES N30TSASCRP(ID) CONSTRAINT N30CSAQFK1,
45
            CHECK (TYPE IN ('M', 'C')) CONSTRAINT N30CSAQ1
      ) LOCK MODE ROW;
50
      INSERT INTO SYSTID (NM, LSTID) VALUES ("N30TSAQ", 1000);
                                       Table 52: Sales Agent Assignment
55
      CREATE TABLE N30TSAASGN
              ID INTEGER NOT NULL,
                                                                                             { id
60
                                                          { agent systusr.id
              AGNUSRID INTEGER NOT NULL.
                                                                                              }
            SEQ INTEGER NOT NULL,
                                                         { sequence }
65
              SAQID INTEGER NOT NULL,
                                                             { queue id
                                                                                             }
              CRTUSRID CHAR(15) NOT NULL,
                                                                  { create user id
70
              CRTDTTM DATETIME
                                                             { create date time
```

WO 01/058242 PCT/US01/04515 YEAR TO SECOND NOT NULL, CRTSRVR CHAR (15) NOT NULL, { create server 5 CRICLAT CHAR (15) NOT NULL, { create client CHGUSRID CHAR (15) NOT NULL, { change by user CHGDTTM DATETIME { change date time 10 YEAR TO SECOND NOT NULL, CHGSRVR CHAR (15) NOT NULL, { change server 15 CHGCLNT CHAR (15) NOT NULL, { change client PRIMARY KEY(ID) CONSTRAINT N30CSAASGNPK, . 20 UNIQUE (AGNUSRID, SEQ) CONSTRAINT N30CSAASGN1, FOREIGN KEY (AGNUSRID) REFERENCES SYSTUSR (ID) CONSTRAINT N3 OCSAASGNFK1, 25 FOREIGN KEY (SAQID) REFERENCES N30TSAQ(ID) CONSTRAINT N30CSAASGNFK2) LOCK MODE ROW; INSERT INTO SYSTID (NM, LSTID) VALUES ("N30TSAASGN", 1000); 30 VIEW: Card Holder Apps Waiting TO be Processed Notes: Either IN SalesWaiting status OR Suspended but suspense-until has expired. 35 CREATE VIEW N30VAPPCH1 AS 40 SELECT * FROM N30TAPPCH WHERE CDAST = 6 45 OR (CDAST=8 AND SUSDITM IS NOT NULL AND SUSDITM < (CURRENT YEAR TO SECOND)); VIEW: Merchant Apps Waiting 50 CREATE VIEW N30VAPPM1 AS 55 SELECT * FROM N30TAPPM WHERE CDAST = 6 60 OR (CDAST=8 AND SUSDTTM IS NOT NULL AND SUSDTTM < (CURRENT YEAR TO SECOND)); MODIFY constraints ON cards TO allow multiple OF

}

-}

ADD NEW card status FOR lost/stolen

same card NUMBER AS LONG AS FOR different dates

ALTER TABLE N30TACCCHC ADD CONSTRAINT UNIQUE (CNUM, EDT) CONSTRAINT N30CACCCHC3;

ALTER TABLE N30TACCCHC DROP CONSTRAINT N30CACCCHC3;

65

70

```
INSERT INTO N30TCDCHCS (ID, DESC, AUTH) VALUES (30, 'Lost/Stolen', 'N');
 5
                                           VIEW: Merchant Apps Dups
      CREATE VIEW N30VAPPM2 (ID)
         AS
10
         SELECT MAX (ID)
         FROM N3OTAPPM
15
         WHERE CDAST = 1
         GROUP BY CPNAM;
20
                                         VIEW: Card Holder Apps Dups
      CREATE VIEW N30VAPPCH2 (ID)
         AS
25
         SELECT MAX (ID)
         FROM N3OTAPPCH
30
         WHERE CDAST = 1
         GROUP BY CPNAM;
35
                                       VIEW: East Time Zone Merchant Apps
      CREATE VIEW N30VAPPM3
         AS
40
         SELECT *
         FROM N3OTAPPM
45
         WHERE CDAST = 6
         AND
                                                      ST
      ('ME','NH','VT','NY','PA','WV','VA','OH','MI','IN','NC','SC','GA','FL','NJ','MA','CT','DE',
      'RI', 'MD', 'PR', 'ON', 'QB', 'NB', 'NS');
50
                                      VIEW: Central Time Zone Merchant Apps
      CREATE VIEW N30VAPPM4
55
         AS
         SELECT *
60
         FROM N3OTAPPM
         WHERE CDAST = 6
                                                                                                    IN
65
      ('ND','SD','MN','WI','IA','NE','IL','MS','KS','OK','KY','TN','AL','MS','LA','TX','AR');
                                     VIEW: Mountain Time Zone Merchant Apps
70
      CREATE VIEW N30VAPPM5
```

```
AS
         SELECT *
 5
         FROM N30TAPPM
         WHERE CDAST = 6
         AND ST IN ('MT', 'ID', 'WY', 'UT', 'CO', 'AZ', 'NM');
10
                                       VIEW: Pacific Time Zone Merchant Apps
      CREATE VIEW N30VAPPM6
15
         SELECT *
20
         FROM N3OTAPPM
         WHERE CDAST = 6
         AND ST IN ('BC', 'WA', 'OR', 'CA', 'NV', 'HI', 'AK');
25
                                      VIEW: East Time Zone Card Holder Apps
      CREATE VIEW N30VAPPCH3
30
         AS
         SELECT *
35
         FROM N3OTAPPCH
         WHERE CDAST = 6
         AND
                                                        ST
      ('ME','NH','VT','NY','PA','WV','VA','OH','MI','IN','NC','SC','GA','FL','NJ','MA','CT','DE',
40
      'RI', 'MD', 'PR', 'ON', 'QB', 'NB', 'NS');
                                     VIEW: Central Time Zone Card Holder Apps
45
      CREATE VIEW N30VAPPCH4
         AS
         SELECT *
50
         FROM N30TAPPCH
         WHERE CDAST = 6
55
                                                                                                      IN
         AND
      ('ND','SD','MN','WI','IA','NE','IL','MS','KS','OK','KY','TN','AL','MS','LA','TX','AR');
60
                                     VIEW: Mountain Time Zone Cardholder Apps
      CREATE VIEW N30VAPPCH5
         AS
65
         SELECT *
         FROM N30TAPPCH
70
```

WHERE CDAST = 6

AND ST IN ('MT', 'ID', 'WY', 'UT', 'CO', 'AZ', 'NM');

```
VIEW: Pacific Time Zone Card Holder Apps
 5
      CREATE VIEW N30VAPPCH6
         AS
10
         SELECT *
         FROM N3OTAPPCH
         WHERE CDAST = 6
15
         AND ST IN ('BC', 'WA', 'OR', 'CA', 'NV', 'HI', 'AK');
                                           Table 53: N30TBDGXREF
20
      CREATE TABLE N3OTBDGXREF
25
          ID INTEGER NOT NULL ,
          ACCCHCID INTEGER NOT NULL ,
          BDGID CHAR(50) NOT NULL ,
30
          CRTUSRID CHAR (15) NOT NULL ,
          CRIDITM DATETIME YEAR TO SECOND NOT NULL ,
35
          CRTSRVR CHAR(15) NOT NULL ,
          CRTCLNT CHAR(15) NOT NULL ,
          CHGUSRID CHAR (15) NOT NULL ,
40
          CHGDTTM DATETIME YEAR TO SECOND NOT NULL ,
          CHGSRVR CHAR(15) NOT NULL ,
45
          CHGCLNT CHAR (15) NOT NULL ,
          UNIQUE (BDGID) CONSTRAINT "INFORMIX".N30CBDGXREF1,
50
          PRIMARY KEY (ID) CONSTRAINT "INFORMIX".N30CBDGXREFPK
        ) LOCK MODE ROW;
55
      ALTER TABLE N30TBDGXREF ADD ACCID INTEGER NOT NULL;
      ALTER TABLE N30TBDGXREF ADD EXPDT DATE;
```

WHAT IS CLAIMED IS:

5

15

20

25

A method of conducting electronic commerce, the method comprising:
 receiving an electronic authorization request from a vendor for a payment
 guarantee, wherein the authorization request identifies a transaction amount between the
 vendor and a buyer; and

electronically transmitting to the vendor a guarantee of payment for the transaction amount, wherein the guarantee is conditional to the occurrence of one or more events.

- 2. The method of Claim 1, wherein one of the events is receipt of an invoice from the vendor.
- 10 3. The method of Claim 1, comprising charging the vendor a transaction fee regardless of the occurrence of the conditions.
 - 4. The method of Claim 3, wherein the transaction fee is based at least in part upon either the transaction fee or a payment due date.
 - The method of Claim 1, additionally comprising:
 receiving an invoice from the seller, wherein the invoice identifies an actual
 transaction amount of a transaction between the buyer and the seller; and
 - 6. The method of Claim 1, additionally comprising transmitting the invoice to a guarantor.

storing the actual transaction amount in a database.

- 7. The method of Claim 1, additionally comprising determining whether to guarantee payment.
 - 8. The method of Claim 1, wherein determining whether to guarantee payment is based at least in part upon a credit limit of the buyer.
- 9. The method of Claim 1, additionally comprising: receiving an invoice from the seller, wherein the invoice identifies a payment due date; and

determining, based at least in part upon the due date, a fee that is due by the seller.

- 10. The method of Claim 9, additionally comprising: receiving payment from the buyer; and sending payment to the vendor subsequent to subtracting the determined fee.
- 11. The method of Claim 1, wherein the guaranteeing payment comprises insuring payment by the seller.
- 12. The method of Claim 1, wherein guaranteeing payment comprises purchasing a receivable from the vendor.

35

30

12	A		1		.1	
13.	A system to	or conducting	electronic	commerce.	the system	COMPTISING
	0,000				und by occurr	Comprising

means for receiving an electronic authorization request from a vendor for a payment guarantee, wherein the authorization request identifies a transaction amount between the vendor and a buyer; and

5

15

20

30

means for electronically transmitting to the vendor a guarantee of payment for the transaction amount, wherein the guarantee is conditional to the occurrence of one or more events.

- 14. The system of Claim 13, wherein one of the events is receipt of an invoice from the vendor.
- 10 15. The system of Claim 13, comprising means for charging the vendor a transaction fee regardless of the occurrence of the conditions.
 - 16. The system of Claim 15, wherein the transaction fee is based at least in part upon either the transaction fee or a payment due date.
 - 17. The system of Claim 13, additionally comprising:

means for receiving an invoice from the seller, wherein the invoice identifies an actual transaction amount of a transaction between the buyer and the seller; and

means for storing the actual transaction amount in a database.

- 18. The system of Claim 13, additionally comprising means for transmitting the invoice to a guarantor.
- 19. The system of Claim 13, additionally comprising means for determining whether to guarantee payment.
 - 20. The method of Claim 13, wherein the means for determining whether to guarantee payment reads a credit limit of the buyer from a database.
 - 21. The system of Claim 13, additionally comprising:

25 means for receiving an invoice from the seller, wherein the invoice identifies a payment due date; and

means for determining, based at least in part upon the due date, a fee that is due by the seller.

22. The system of Claim 21, additionally comprising:


means for receiving payment from the buyer; and


means for sending payment to the vendor subsequent to subtracting the determined fee.

23. The system of Claim 13, wherein the means for guaranteeing payment issues an insurance policy on the transaction.


24. The system of Claim 13, wherein the means for guaranteeing payment purchases a receivable from the vendor.

1/45







SUBSTITUTE SHEET (RULE 26)




SUBSTITUTE SHEET (RULE 26)




SUBSTITUTE SHEET (RULE 26)




6/45



SUBSTITUTE SHEET (RULE 26)



F/G. 5



F/G. 6






FIG. 7E




SUBSTITUTE SHEET (RULE 26)





SUBSTITUTE SHEET (RULE 26)

12/45




13/45






SUBSTITUTE SHEET (RULE 26)




SUBSTITUTE SHEET (RULE 26)

16/45



17/45



F/G. 15

18/45





FIG. 16



SUBSTITUTE SHEET (RULE 26)




FIG. 18






FIG. 19

22/45




F/G. 20

SUBSTITUTE SHEET (RULE 26)




SUBSTITUTE SHEET (RULE 26)



BANK A ISSUES LINE OF CREDIT TO BUYER AND GUARANTEES RECEIVABLES.
BANK B ISSUES LINE OF CREDIT TO SELLER AND GUARANTEES RECEIVABLES.
BUYER MAKES PURCHASE FROM SELLERAVAILABLE CREDIT IS CHECKED AND APPROVED/DENIED
BUYER MAKES PAYMENT INTO LOCKBOX OF BANK B
BANK B MAKES PAYMENT TO SELLER'S MERCHANT BANK
BANK UPDATES AUTHORITATIVE DATABASE OF PAYMENT AND AVAILABLE CREDIT LIMIT IS ADJUSTED


-. U v 4 v o





SUBSTITUTE SHEET (RULE 26)

26/45



27/45

	Approv	ral Screen		
Back Forward	Reload Home Search	Guide Images Prin	nt Print Prin	
Netsite:				
ProfitSo	cape			
GUARANTEE YOUR RECEIVABLES ENTER YOUR USER ID	25448 Costanza Blvd. Chicago, IL 65330			
******		xpiration date and Amour		
ENTER PASSWORD	Net30 Card Number 6526-7166-9170	Expiration Date		rder (optional) 3492
① ENTER			2	(VERIFY)
RETAIL WEB	Company	Card Number	Amount	PO #
WHOLESALE WEB STORES	PHILLYBUSTER DESIGNS 167 Darth Drive Wallowalla WA 38115	PS6526-7166-9170 exp. 06/2003	\$4,300.00	8996492 EDIT
LIST	JACKSON—HILL 9534 Bilster Ave. Wallawalla WA 55143	рs 9926—5846—3496 ехр. 08/2002	\$6,766.00	(EDIT)
ALPHABEIICALLI	GRAVITON SYSTEMS 4441 Beanieprop Blvd. Wallawalla AL 57662	PS 9354-3352-1774 exp. 12/2003	\$12,800.00	44131 (EDIT)
	SUZIE'S BOUTIQUE 5813 Mall Ridge Wallawalla AZ 38115	PS 6526-7166-9170 exp. 06/2003	\$ 500.00	(EDIT)
	When finished click on "P on the selected orders al			PLEASE
	To edit records en	ter		
	Company Nar	ne	(SEA	RCH
	or Approval Ca	de PS74355		
http://135.145.16.6	1: 80/market/index.htm			1//

FIG. 25

28/45

	Approv	al Screen		
Back Forward	Reload Home Search	Guide Images	Print Print Print	N
Netsite:				
		•		
ProfitSo	cape			
GUARANTEE YOUR RECEIVABLES ENTER YOUR USER ID	YOUR COMPAN 25448 Costanza Blvd. Chicago, IL 65330	· · · · · · - · · · · · · ·	IONAL	
*******	EDIT TRANSACTION R	ECORD		_
ENTER PASSWORD	Company	Amount	Approval Code	_
RETAIL WEB	PHILLYBUSTER DESIGNS 167 Darth Drive Wallawalla WA 38115	\$ 4,400.00	Approved - PS74355	
STORES WHOLESALE WEB	JACKSON—HILL 9534 Bilster Ave. Wallawalla WA 55143	\$ 6,766.00	Approved - PS64288	
STORES	GRAVITON SYSTEMS 4441 Beanieprop Blvd. Wallawalla WA 57662	\$12,800.00	DENIED — Over credit limit	
ALPHABETICALLY	SUZIE'S BOUTIQUE 5813 Mall Ridge Wallawalla WA 38115	\$ 500.00	Approved - PS11298	
			DONE	
			·	
http://135.145.16.6	1: 80/market/index.htm			11/

F/G. 26

29/45


	Approval Screen
Back Forward	Reload Home Search Guide Images Print Print Print N
Netsite:	
ProfitSo	cape
GUARANTEE YOUR RECEIVABLES ENTER YOUR USER ID ************************************	YOUR COMPANY INTERNATIONAL 25448 Costanza Blvd. Suite 800 Chicago, IL 65330 EDIT TRANSACTION RECORD
ENTER PASSWORD	Company Card Number Amount PO#
RETAIL WEB STORES	PHILLYBUSTER DESIGNS PS 6526-7166-9170 \$2500.00 8996492 Wallawalla WA 38115 exp. 06/2003
WHOLESALE WEB STORES	When finished click on "Recalculate Approval" for New Approval Code. Previous Approval Code will no longer be valid.
LIST ALPHABETICALLY	
http://135.145.16.6	61: 80/market/index.htm

F/G. 27

<u></u>

APPLICATION FOR CREDIT APPROVED—CUSTOMER ASSIGNED GUARANTEED CREDIT LIMIT AND AND ENTERED INTO DATABASE

APPLICATION FOR CREDIT DENIED-CUSTOMER NOTIFIED



SUBSTITUTE SHEET (RULE 26)

<u>File Edit View Go</u>	Favorite <u>H</u> elp	
⇔ ⊗ ⊞ Back Forw Stop Refre	sh Home Search Favorite Print Font Mail	
Address http://gaadmlv1	005/profitscape_purchase.html	GO Link>>
ProfitSca	ipe [™] Contact LOG ON	Apply NET30 CHARMEN
<u>Home</u>	Net30 Purchase Statement In	<u>nternal</u>
	Net30 Purchase Merchant Account # 300 012 911 Card Number # 6034 8700 0001 3089 Amount 100.00 Purchase Order # P012345 Post Clear	

F/G. 29

<u>File Edit View Go F</u>	avorite <u>H</u> elp	
Back Forw Stop Refres	h Home Search Favorite Print Font Mail	
Address http://gaadmiv10	05/profitscape_purchase.html	GO Link>>
ProfitSca	pe TM Contact LOG ON	Apply Today Obscussor
Home Accounting Maintenance	Net30 Purchase Statement Purchase Invoices Payments	nternal
	Net30 Invoice Authorization # 1056 Invoice # 10091234 Amount 100.00 Date 02/02/2000 Terms Net 30 Post Clear	

F/G. 30

	<u>F</u> ile	<u>E</u> dit	<u>V</u> iew	Go [avorite <u>H</u>	lp								
	⇒ Back	⇒ Forw	⊗ Stop	Refre	sh Home S	Q	Favorite	Print	A Font	Mail				
	Addres	s http): //ga	iadmlv1(005/profitsco	pe_pu	ırchase.htm	nl					₽GO	Link>>
	O	Pr	ofi	tSca	ıpe™				Cont	act	LOG ON)	Apply Today	NET30
		Hon			Net30					teme	<u>nt</u>	Inte	rnal	\mathcal{A}
	Acco	unting	Mainte	enance	Purchase		Invoices_	<u>Paymer</u>	nts					
									1					
					Net30 Pa Merchant		300 O12 9	11	1					
					Invoice #	" -	10091234							
					Check #	Ī	0012345							
					Amount			100.00						
II					Date	I	02/03/20							
					L		Post	Clear]					
$\ $														


FIG. 31A

<u>F</u> ile	Edit	View	Gо	<u>F</u> avorite	<u>H</u> elp								-
	≕> Forw	× Stop	Refre	sh Home	Q Search	Favorite	Print	A	Mail				
Addre	ss htt	p://ga	admlv1	005/profits	cape_pur	chase.html					V	(¢ ^c co	Link>>
C	Pı	ofit	Sce	ıpe™				Conto	oct)	(LOG ON	<u> </u>	Apply Today	PORTUGUES CO NET30 CEMACHINAS
	<u>Hor</u>	ne	·	Net3) Purch	iase		<u>Stat</u>	<u>emen</u>	<u>t</u>	<u>In t</u>	<u>ernal</u>	
						-						,	
			Г	Confirma	tion								
			ľ	Merchant				012 911					
			ĺ	Card Nur Amount	nber Inf	ormation	6034 100.0	8700 (0	001 30	89			
				Reference	•		P0123			1			
				Authoriza Status	tion Cod	le				_			
							Co	nfirm	Can	cel			
						٠							
													/\


F/G. 31B


<u>File Edit View Go</u>	<u>F</u> avorite <u>H</u> elp		
⇔ ⇔ ⊗ ⊟ Back Forw Stop Refr	esh Home Search Favorite	A A Print Font Mail	
Address http://gaadmlv	1005/profitscape_purchase.html	V	©GO Link≫
ProfitSc	ape [™]	Contact LOG ON	Apply NET30 (passesser)
Home	Net30 Purchase	<u>Statement</u> <u>lr</u>	<u>nternal</u>
	Confirmation		
	Merchant Information	300 012 911	
	Card Number Information Amount	6034 8700 001 3089 100.00	11 1
	Reference	P012345]]]
·	Authorization Code Status	1061 APPROVED	
		OK	


FIG. 31C




SUBSTITUTE SHEET (RULE 26)










SUBSTITUTE SHEET (RULE 26)



SUBSTITUTE SHEET (RULE 26)

Net30 Transaction Processing

B-2-B Transaction

1. Merchant swipes card holder's Net30 credit Card.

ပ် ပ ند و

Merchant enters authorization amount. Authorization request received by Net30, which returns authorization code 1. Cardholder signs authorization slip. Merchant attaches authorization slip to order.

1 1 0 1 2 \$100.00 PO12345 1/22/00 6:49:00 PM JLYNCH 1/22/00 6:49:00 PM PS IE4 2 1 0 1 (\$2.50) PO12345 1/22/00 6:49:00 PM JLYNCH 1/22/00 6:49:00 PM PS IE4 3 1 0 1 2 \$2.50 PO12345 1/22/00 6:49:00 PM JLYNCH 1/22/00 6:49:00 PM PS IE4	ID AUT	### ###	RID AC	Authorizat CCHCID C	ACCIE) AMT	PO	DTTM	CRTUSRID	CRIDITIM	CRTSRVR CRTCLNT
	-	-	0	-	2	\$100.00	P012345	1/22/00 6:49:00 PM	JLYNCH	1/22/00 6:49:00 PM	
	2	-	0	-	-	(\$2.50)	P012345	1/22/00 6:49:00 PM	JLYNCH	1/22/00 6:49:00 PM	
	3	-	0	-	2	\$2.50	P012345	1/22/00 6: 49: 00 PM	JLYNCH	1/22/00 6:49:00 PM	

3 authorization records are created and assigned to the default TRID 0: the authorization against the cardholder, the authorization fee against the merchant, and the authorization fee to ProfitScape.

N30TTR — Net30 Transaction Table

$\overline{}$	TRID	TRID ACCID	YR	PD	DT
	0	1	2000	1	1/22/00
	0	2	2000	1	1/22/00
	0	ō	2000	1	1/22/00

If transaction 0 does not exist for that day, it is created. Transaction 0 catches all unassigned transaction for a company. Authorizations are unassigned transactions. They get assigned when the 2b2 transaction begins with an invoice.

Cardholder receives Merchant's invoice and forwards a copy to ProfitScape.

ri

ProfitScape Receives the copy of the invoice and enters the authorization code, invoice number, and amount into Net30.

N30TACCHR-Net30 Receivables Table

Ī										
₫	D TRID	ACCID	AUTHID	<u>></u>	AMT	LOVN LOVN	CRTUSRID	CRTDTTM	CRTSRVR CRTCLNT	CRTCLNT
-	-	-	-	INV1234 ((\$100.00)	1/22/00	JLYNCH	1/27/00 3:01:34 PM	PS	IE4
2	_	2	<u></u>	INV1234	\$100.00	1/22/00	1 TYNCH	1/27/00 3:01:34 PM	PS	IE4
3	-	0	-	INV1234	\$100.00	1/22/00	JLYNCH	1/27/00 3:01:34 PM	Sd	(E4

3 invoice records are created. An invoice causes a new transaction id to be created. The customer service representative enters the authorization code, invoice number, and invoice amount. The authorization record is looked up by authorization code and updated with the transaction id assigned the invoice.

7 N30TIR - Net30 Transaction ID TRID ACCID YR PD 2000 2000

0

CRTCLNT IE4 **IE4** IE4 CRTSRVR| PS PS /00 6: 49: 00 PM ₽M /00 6: 49: 00 PM ,00 6:49:00 CRTDTTM /22/ CRTUSRID LYNCH L YNCH **LYNCH** 6: 49: 00 PM 6: 49: 00 PM /00 6: 49: 00 PM 00/ \$2.50 P012345 P012345 P012345 요 (\$2.50) \$100.00 AMT OACCID Net30 Authorization Table ACCID ACCCHCID 7 0 AUTHID TRID N30TACCHA

Payment record is received from GMAC by Net30 and is matched by invoice number

CRTSRVR CRTCLNT IE4 IE4 S PS /00 3:01:34 PM 1/27/00 3:01:34 PM CKNUM CRTUSRID JL YNCH JLYNCH 1234 1234 INV1234 (\$100.00) \$100,00 AMT N30TACCHP-Net30 Payment Table INV1234 N/ 0 ACCID TRID \Box

Payment records are created, which are matched to an invoice. The payment records are assigned to the transactionid assigned to the invoice.

5. A check is printed for the merchant, less authorization fee.

CRTCLNI E4 **E4** CRTSRVR S Ā 3/5/00 12:00:15 3/5/00 12:00: CRTDTTM CKNUM CRTUSRID LYNCH **JLYNCH** N30TACCHK-Net30 Merchant Checks Table 0123 0123 \$97.50 (\$97.50)AMT ACCID TRID ⊇

.≌ 2 check records are created in the amount of the check sent to the merchant for payment for the transaction. The amount of the check difference between theamount received from the cardholder and the fees charged to the merchant.

F/G. 39

Net30 Statement Record

The statement object for this transaction will look like the following for the cardholder.

AccountJD	Company_Name	Year	Period	Authorization JD	CardHolder⊥D	Card_Number
-	binkCo Development	2000	L	1	Į.	376712345612345

any_Name Authorization_Amount Purchase_Order Authorization_TimeStamp	345 1/22/00 6:49:00 PM
Authorization_Amount Purchase	\$100.00 PO12345
Other_Company_ID Other_Company_Name	2 Sun Microsystems

nvoice_Amount Invoice_Date	\$100.00) 1/22/00
Invoice_Number Invoice	INV1234 (\$100
nvoice_ID	1

Payment_1D Payment_For_Invoice	Payment_Amount Payment_Check
1 INV1234	\$100.00 1234

44/45

Merchant_Payment_Check Merchant_Payment_Amount Merchant Payment JD

The sql for the transaction:

SELECT N30TTR.ACCID as Account_D, N30TACCNAM.NAM AS Company_Name, N30TR.YR AS Year, N30TTR.PD AS Period, [Authorization With Other Company Name]. Authorization With Other Company Name] As Authorization With Other Company Name]. [Authorization With Other Company Name]. As Authorization With Other Company Name]. NAM AS Other_Company.Name, [Authorization With Other Company Name]. The Stamper As Authorization With Other Company Name]. Po AS Purchase_Order, [Authorization With Other Company Name] and Insect and Stamper As Invoice_Date. N30TACCCHR.NA Stamper As Invoice_Date, N30TACCCHR.NA Stamper As Invoice_Date, N30TACCCHR.NA Stamper As Invoice_Date, N30TACCCHR.DA Stamper As In

			BUYER STATEMENT	ATEMENT					
BUYER NAME: AVAILABLE CR DUE WITHIN	BUYER NAME: AA TILE CO LTD AVAILABLE CREDIT: \$xx,xxx.xx DUE WITHIN		GMAC # 904700	04700					
0-30 Days DUE Date	MERCHANT Name	AUTH	AUTH Date	Refer PO #	References PO PO # Date	N# 5	INV Date	Ž	TNU
5/4/00	lommy lunes Hart Throb	1032	4/4/01 4/4/01	113311	4/4/01	113311	4/4/01 4/4/01 TOTAL	+++++++ +++++++++++++++++++++++++++++	230.00 592.78 842.78
PAST DUE									
4/11/00	Dusty Clothes Lawn Rugs	570 680	3/11/00 3/14/00	93200	3/11/00 3/14/01	93200 93311 Late Fee	3/11/00 3/14/01 1.50% TOTAL	*************************************	250.00 592.78 12.64 855. 42
PAST DUE									
3/5/00	Grave Stones Pet Jim	155	2/5/00 2/7/00	3200 3311	2/5/00 2/14/01	3200 3311 Late Fee	2/5/00 2/14/00 2.50% TOTAL GRAND TOTAL	~~~ ~~~	500.00 ,592.78 31.39 ,124.17
			Make Po	Payments					

F/G. 41

PATENT COOPERATION TREATY

PCT

DECLARATION OF NON-ESTABLISHMENT OF INTERNATIONAL SEARCH REPORT

(PCT Article 17(2)(a), Rules 13ter.1(c) and Rule 39)

Applicant's or agent's file reference			Date of mailing (day/month/year)
PSCAPE.004VP	IMPORTANT DEC	CLARATION	11/06/2001
International application No.	International filing date(day	//month/year)	(Earliest) Priority date(day/month/year)
PCT/US 01/04515] 1	2/02/2001	11/02/2000
International Patent Classification (IPC) or be	oth national classification ar	nd IPC	306F17/60
Applicant			
PROFITSCAPE.COM, INC. et	al		
This International Searching Authority here be established on the International application	eby declares, according to A ation for the reasons indicat	urticle 17(2)(a), that red below	no international search report will
1. X The subject matter of the internation	ional application relates to:		
a. scientific theories.			
b. mathematical theories			
c. plant varieties.			
d. anlmal varieties.			
e. essentially biological process and the products of such proc	ses for the production of plar cesses.	nts and animals, oth	er than microbiological processes
f. schemes, rules or methods o	f doing business.		
g. schemes, rules or methods of	f performing purely mental a	acts.	
h. schemes, rules or methods o			:
i. methods for treatment of the			
j. methods for treatment of the			
k. dlagnostic methods practised		ody.	
I. mere presentations of inform			
m. computer programs for which	n this International Searchin	g Authority is not ed	quipped to search prior art.
2. The failure of the following parts meaningful search from being ca	of the international applicati	on to comply with p	rescribed requirements prevents a
the description	the claims		the drawings
3. The failure of the nucleotide and Administrative Instructions preve	or amino acid sequence list ents a meaningful search fro	ing to comply with t m being carried out	he standard provided for in Annex C of the :
	not been furnished or does		
the computer reada	ble form has not been furnis	shed or does not co	mply with the standard.
4. Further comments:			
Name and mailing address of the Internation European Patent Office, P.B.	onal Searching Authority	Authorized officer	
European Patent Onice, P.B. 3 NL-2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 3 Fax: (+31-70) 340-3016		Mar'a Rodr	'guez Nõvoa

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 203

The subject-matter claimed in claims 1-12 falls under the provisions of Article 17(2)(a)(i) and Rule 39.1(iii), PCT, such subject-matter relating to a method of doing business.

Claims 13-24 relate to a conventional system (program product, computer readable medium) for performing the business method of claims 1-12. Although these claims do not literally belong to the method category, they essentially claim protection for the same commercial effect as the method claims. The International Searching Authority considers that searching this subject-matter would serve no useful purpose. It is not at present apparent how the subject-matter of the present claims may be considered defensible in any subsequent examination phase in front of the EPO as International Preliminary Examining Authority with regard to the provisions of Article 33(1) PCT (novelty, inventive step); see also Guidelines B-VII, 1-6).

The applicant's attention is drawn to the fact that claims relating to inventions in respect of which no international search report has been established need not be the subject of an international preliminary examination (Rule 66.1(e) PCT). The applicant is advised that the EPO policy when acting as an International Preliminary Examining Authority is normally not to carry out a preliminary examination on matter which has not been searched. This is the case irrespective of whether or not the claims are amended following receipt of the search report or during any Chapter II procedure. If the application proceeds into the regional phase before the EPO, the applicant is reminded that a search may be carried out during examination before the EPO (see EPO Guideline C-VI, 8.5), should the problems which led to the Article 17(2) declaration be overcome.

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:	
☐ BLACK BORDERS	
☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES	
☐ FADED TEXT OR DRAWING	
☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING	
☐ SKEWED/SLANTED IMAGES	
COLOR OR BLACK AND WHITE PHOTOGRAPHS	
☐ GRAY SCALE DOCUMENTS	
☐ LINES OR MARKS ON ORIGINAL DOCUMENT	
☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY	

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.